

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-04-12 (02:30)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_{(k)})V(x_{(l)})}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.604 ± 0.382	18041746	5.000×10^{-3}	0.650	0.760	0.0	1.000
cloud fraction [1]	0.551 ± 0.341	18041746	0.995	0.705	0.515	7.002×10^{-3}	1.000
cloud top height [m]	$(0.384 \pm 0.271) \times 10^4$	18041746	1.725×10^3	3.617×10^3	3.194×10^3	0.0	2.000×10^4
cloud optical thickness [1]	18.5 ± 33.4	18041746	8.91	10.3	9.18	1.000	250
cloud fraction crb [1]	0.551 ± 0.341	18041746	0.995	0.704	0.515	6.512×10^{-4}	1.000
cloud height crb [m]	$(0.296 \pm 0.236) \times 10^4$	18041746	75.0	3.192×10^3	2.422×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.596 ± 0.214	18041746	0.995	0.276	0.574	0.0	1.000
surface albedo fitted [1]	0.261 ± 0.325	18041746	2.500×10^{-2}	0.421	5.566×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.248 ± 0.312	18041746	1.500×10^{-2}	0.447	4.509×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.717 \pm 14.146) \times 10^{-4}$	18041746	5.000×10^{-5}	8.127×10^{-4}	3.857×10^{-4}	1.444×10^{-6}	0.880
fitted root mean square crb [1]	$(5.936 \pm 16.363) \times 10^{-4}$	18041746	5.000×10^{-5}	7.349×10^{-4}	2.891×10^{-4}	1.166×10^{-6}	1.33
wavelength shift [nm]	$(7.369 \pm 6.904) \times 10^{-3}$	18041746	3.000×10^{-4}	9.603×10^{-3}	6.701×10^{-3}	-6.008×10^{-2}	0.552
cloud fraction apriori [1]	0.561 ± 0.346	18041746	0.995	0.748	0.534	0.0	1.000
reflectance blue ocra [1]	0.567 ± 0.234	18041746	0.265	0.399	0.542	0.139	1.96
reflectance green ocra [1]	0.516 ± 0.261	18041746	0.185	0.473	0.496	7.974×10^{-2}	1.93
reflectance continuum aband [1]	0.471 ± 0.287	18041746	4.500×10^{-2}	0.484	0.465	8.960×10^{-3}	4.99

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	0.0	0.280	0.930	1.000	1.000	1.000	1.000
cloud fraction [1]	2.571×10^{-2}	6.667×10^{-2}	0.102	0.150	0.235	0.940	1.000	1.000	1.000	1.000
cloud top height [m]	183	636	1.017×10^3	1.342×10^3	1.747×10^3	5.364×10^3	6.622×10^3	7.739×10^3	9.189×10^3	1.174×10^4
cloud optical thickness [1]	1.05	2.77	3.88	4.74	5.70	16.0	24.0	35.4	61.7	250
cloud fraction crb [1]	2.530×10^{-2}	6.578×10^{-2}	0.102	0.149	0.235	0.939	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	61.0	426	747	1.117×10^3	4.308×10^3	5.382×10^3	6.348×10^3	7.595×10^3	9.824×10^3
cloud albedo crb [1]	6.257×10^{-3}	0.240	0.354	0.415	0.464	0.740	0.832	0.907	0.991	1.000
surface albedo fitted [1]	0.0	9.808×10^{-3}	1.509×10^{-2}	1.982×10^{-2}	2.669×10^{-2}	0.448	0.761	0.837	0.908	0.995
surface albedo fitted crb [1]	1.156×10^{-4}	7.081×10^{-3}	1.099×10^{-2}	1.476×10^{-2}	2.051×10^{-2}	0.467	0.719	0.791	0.855	0.932
fitted root mean square [1]	1.485×10^{-5}	2.854×10^{-5}	4.496×10^{-5}	7.027×10^{-5}	1.208×10^{-4}	9.336×10^{-4}	1.287×10^{-3}	1.658×10^{-3}	2.221×10^{-3}	3.454×10^{-3}
fitted root mean square crb [1]	8.949×10^{-6}	1.922×10^{-5}	3.162×10^{-5}	4.851×10^{-5}	8.396×10^{-5}	8.189×10^{-4}	1.200×10^{-3}	1.581×10^{-3}	2.142×10^{-3}	3.324×10^{-3}
wavelength shift [nm]	-8.482×10^{-3}	-1.345×10^{-3}	-2.756×10^{-5}	8.090×10^{-4}	2.241×10^{-3}	1.184×10^{-2}	1.428×10^{-2}	1.638×10^{-2}	1.919×10^{-2}	2.531×10^{-2}
cloud fraction apriori [1]	2.798×10^{-2}	6.422×10^{-2}	9.824×10^{-2}	0.146	0.238	0.986	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.232	0.256	0.279	0.308	0.358	0.757	0.821	0.872	0.935	1.15
reflectance green ocra [1]	0.151	0.172	0.191	0.216	0.268	0.741	0.810	0.862	0.922	1.09
reflectance continuum aband [1]	2.914×10^{-2}	5.223×10^{-2}	8.463×10^{-2}	0.130	0.224	0.708	0.783	0.838	0.906	1.07

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.550 ± 0.382	10105982	0.860	0.690	0.0	1.000	4.000×10^{-2}	0.900
cloud fraction [1]	0.540 ± 0.340	10105982	0.701	0.486	7.002×10^{-3}	1.000	0.232	0.934
cloud top height [m]	$(0.362 \pm 0.263) \times 10^4$	10105982	3.468×10^3	3.004×10^3	0.0	2.000×10^4	1.615×10^3	5.083×10^3
cloud optical thickness [1]	15.5 ± 29.5	10105982	7.99	8.28	1.000	250	5.31	13.3
cloud fraction crb [1]	0.540 ± 0.339	10105982	0.700	0.487	6.512×10^{-4}	1.000	0.233	0.933
cloud height crb [m]	$(0.263 \pm 0.222) \times 10^4$	10105982	3.002×10^3	2.129×10^3	0.0	2.000×10^4	885	3.887×10^3
cloud albedo crb [1]	0.624 ± 0.235	10105982	0.340	0.612	0.0	1.000	0.470	0.810
surface albedo fitted [1]	0.371 ± 0.354	10105982	0.719	0.231	0.0	1.000	3.831×10^{-2}	0.757
surface albedo fitted crb [1]	0.355 ± 0.335	10105982	0.682	0.229	0.0	1.000	3.144×10^{-2}	0.714
fitted root mean square [1]	$(8.680 \pm 18.006) \times 10^{-4}$	10105982	1.021×10^{-3}	5.942×10^{-4}	2.550×10^{-6}	0.880	1.935×10^{-4}	1.214×10^{-3}
fitted root mean square crb [1]	$(7.591 \pm 21.236) \times 10^{-4}$	10105982	9.666×10^{-4}	4.400×10^{-4}	1.534×10^{-6}	1.33	1.303×10^{-4}	1.097×10^{-3}
wavelength shift [nm]	$(8.540 \pm 6.983) \times 10^{-3}$	10105982	9.827×10^{-3}	8.268×10^{-3}	-6.008×10^{-2}	0.552	3.385×10^{-3}	1.321×10^{-2}
cloud fraction apriori [1]	0.557 ± 0.343	10105982	0.751	0.517	0.0	1.000	0.244	0.994
reflectance blue ocr [1]	0.598 ± 0.246	10105982	0.437	0.611	0.146	1.96	0.362	0.799
reflectance green ocr [1]	0.557 ± 0.271	10105982	0.507	0.585	9.808×10^{-2}	1.91	0.282	0.789
reflectance continuum aband [1]	0.527 ± 0.291	10105982	0.486	0.561	1.329×10^{-2}	4.99	0.277	0.762

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.674 ± 0.371	7935764	0.600	0.900	0.0	1.000	0.400	1.000
cloud fraction [1]	0.566 ± 0.343	7935764	0.707	0.558	7.885×10^{-3}	1.000	0.240	0.947
cloud top height [m]	$(0.413 \pm 0.277) \times 10^4$	7935764	3.849×10^3	3.438×10^3	0.0	2.000×10^4	1.903×10^3	5.752×10^3
cloud optical thickness [1]	22.3 ± 37.5	7935764	13.6	10.7	1.000	250	6.56	20.2
cloud fraction crb [1]	0.564 ± 0.343	7935764	0.706	0.556	8.396×10^{-3}	1.000	0.238	0.944
cloud height crb [m]	$(0.338 \pm 0.246) \times 10^4$	7935764	3.486×10^3	2.788×10^3	0.0	1.859×10^4	1.367×10^3	4.854×10^3
cloud albedo crb [1]	0.560 ± 0.179	7935764	0.202	0.546	0.0	1.000	0.459	0.661
surface albedo fitted [1]	0.121 ± 0.216	7935764	4.726×10^{-2}	3.436×10^{-2}	0.0	1.000	2.023×10^{-2}	6.749×10^{-2}
surface albedo fitted crb [1]	0.113 ± 0.212	7935764	4.059×10^{-2}	2.622×10^{-2}	0.0	1.000	1.453×10^{-2}	5.512×10^{-2}
fitted root mean square [1]	$(4.217 \pm 5.560) \times 10^{-4}$	7935764	4.823×10^{-4}	2.207×10^{-4}	1.444×10^{-6}	0.144	8.095×10^{-5}	5.632×10^{-4}
fitted root mean square crb [1]	$(3.827 \pm 5.148) \times 10^{-4}$	7935764	4.537×10^{-4}	1.688×10^{-4}	1.166×10^{-6}	2.919×10^{-2}	5.772×10^{-5}	5.114×10^{-4}
wavelength shift [nm]	$(5.877 \pm 6.505) \times 10^{-3}$	7935764	8.340×10^{-3}	4.895×10^{-3}	-4.823×10^{-2}	6.179×10^{-2}	1.329×10^{-3}	9.669×10^{-3}
cloud fraction apriori [1]	0.566 ± 0.349	7935764	0.749	0.558	0.0	1.000	0.231	0.979
reflectance blue ocra [1]	0.526 ± 0.211	7935764	0.309	0.491	0.139	1.95	0.354	0.662
reflectance green ocra [1]	0.464 ± 0.237	7935764	0.374	0.428	7.974×10^{-2}	1.93	0.256	0.630
reflectance continuum aband [1]	0.401 ± 0.265	7935764	0.423	0.378	8.960×10^{-3}	4.38	0.170	0.593

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.623 ± 0.379	12889635	0.650	0.810	0.0	1.000	0.300	0.950
cloud fraction [1]	0.552 ± 0.345	12889635	0.723	0.518	7.885×10^{-3}	1.000	0.226	0.949
cloud top height [m]	$(0.358 \pm 0.252) \times 10^4$	12889635	3.302×10^3	2.916×10^3	0.0	2.000×10^4	1.657×10^3	4.958×10^3
cloud optical thickness [1]	19.7 ± 34.3	12889635	10.9	9.89	1.000	250	6.37	17.3
cloud fraction crb [1]	0.551 ± 0.345	12889635	0.721	0.517	6.512×10^{-4}	1.000	0.226	0.947
cloud height crb [m]	$(0.280 \pm 0.225) \times 10^4$	12889635	3.018×10^3	2.235×10^3	0.0	2.000×10^4	1.056×10^3	4.074×10^3
cloud albedo crb [1]	0.578 ± 0.198	12889635	0.242	0.552	0.0	1.000	0.458	0.699
surface albedo fitted [1]	0.174 ± 0.295	12889635	4.656×10^{-2}	3.590×10^{-2}	0.0	1.000	2.140×10^{-2}	6.796×10^{-2}
surface albedo fitted crb [1]	0.160 ± 0.278	12889635	3.994×10^{-2}	2.829×10^{-2}	0.0	1.000	1.605×10^{-2}	5.599×10^{-2}
fitted root mean square [1]	$(5.239 \pm 14.859) \times 10^{-4}$	12889635	5.948×10^{-4}	2.486×10^{-4}	1.444×10^{-6}	0.880	8.805×10^{-5}	6.829×10^{-4}
fitted root mean square crb [1]	$(4.569 \pm 16.969) \times 10^{-4}$	12889635	4.844×10^{-4}	1.914×10^{-4}	1.166×10^{-6}	1.33	6.569×10^{-5}	5.500×10^{-4}
wavelength shift [nm]	$(6.711 \pm 6.808) \times 10^{-3}$	12889635	9.086×10^{-3}	5.890×10^{-3}	-4.823×10^{-2}	0.552	1.856×10^{-3}	1.094×10^{-2}
cloud fraction apriori [1]	0.558 ± 0.350	12889635	0.763	0.530	0.0	1.000	0.225	0.987
reflectance blue ocr [1]	0.545 ± 0.217	12889635	0.368	0.518	0.173	1.94	0.353	0.721
reflectance green ocr [1]	0.488 ± 0.245	12889635	0.443	0.465	9.487×10^{-2}	1.80	0.254	0.697
reflectance continuum aband [1]	0.421 ± 0.280	12889635	0.507	0.408	8.960×10^{-3}	3.56	0.152	0.659

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.572 ± 0.391	3576014	0.900	0.700	0.0	1.000	0.0	0.900
cloud fraction [1]	0.542 ± 0.331	3576014	0.656	0.497	7.002×10^{-3}	1.000	0.249	0.904
cloud top height [m]	$(0.486 \pm 0.305) \times 10^4$	3576014	4.175×10^3	4.345×10^3	0.0	2.000×10^4	2.485×10^3	6.659×10^3
cloud optical thickness [1]	13.7 ± 26.1	3576014	7.40	7.13	1.000	250	4.66	12.1
cloud fraction crb [1]	0.541 ± 0.331	3576014	0.655	0.497	8.023×10^{-3}	1.000	0.249	0.904
cloud height crb [m]	$(0.370 \pm 0.261) \times 10^4$	3576014	3.544×10^3	3.172×10^3	0.0	2.000×10^4	1.645×10^3	5.190×10^3
cloud albedo crb [1]	0.628 ± 0.238	3576014	0.321	0.630	0.0	1.000	0.488	0.809
surface albedo fitted [1]	0.463 ± 0.283	3576014	0.523	0.320	0.0	1.000	0.235	0.758
surface albedo fitted crb [1]	0.454 ± 0.270	3576014	0.509	0.324	1.916×10^{-3}	1.000	0.232	0.741
fitted root mean square [1]	$(1.006 \pm 1.016) \times 10^{-3}$	3576014	9.304×10^{-4}	7.801×10^{-4}	4.125×10^{-6}	0.270	4.150×10^{-4}	1.345×10^{-3}
fitted root mean square crb [1]	$(9.137 \pm 15.133) \times 10^{-4}$	3576014	9.874×10^{-4}	7.034×10^{-4}	2.772×10^{-6}	1.14	2.954×10^{-4}	1.283×10^{-3}
wavelength shift [nm]	$(8.524 \pm 6.698) \times 10^{-3}$	3576014	9.568×10^{-3}	8.167×10^{-3}	-6.008×10^{-2}	6.102×10^{-2}	3.415×10^{-3}	1.298×10^{-2}
cloud fraction apriori [1]	0.556 ± 0.337	3576014	0.712	0.519	0.0	1.000	0.255	0.967
reflectance blue oca [1]	0.604 ± 0.269	3576014	0.468	0.591	0.139	1.96	0.353	0.821
reflectance green oca [1]	0.568 ± 0.288	3576014	0.524	0.567	7.974×10^{-2}	1.93	0.287	0.811
reflectance continuum aband [1]	0.582 ± 0.254	3576014	0.423	0.569	1.822×10^{-2}	4.87	0.359	0.782

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11




Figure 5: Map of “Cloud top height” for 2025-04-10 to 2025-04-11




Figure 6: Map of “Cloud optical thickness” for 2025-04-10 to 2025-04-11




Figure 7: Map of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11




Figure 8: Map of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11




Figure 9: Map of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11




Figure 10: Map of “Fitted surface albedo” for 2025-04-10 to 2025-04-11




Figure 11: Map of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11




Figure 12: Map of “RMS” for 2025-04-10 to 2025-04-11




Figure 13: Map of “RMS (CRB)” for 2025-04-10 to 2025-04-11




Figure 14: Map of "Fitting wavelength shift" for 2025-04-10 to 2025-04-11




Figure 15: Map of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11




Figure 16: Map of "OCRA "blue" reflectance" for 2025-04-10 to 2025-04-11




Figure 17: Map of "OCRA "green" reflectance" for 2025-04-10 to 2025-04-11




Figure 18: Map of "ROCINN "red" reflectance" for 2025-04-10 to 2025-04-11




Figure 19: Map of the number of observations for 2025-04-10 to 2025-04-11

7 Zonal average




Figure 20: Zonal average of “QA value” for 2025-04-10 to 2025-04-11.




Figure 21: Zonal average of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11.




Figure 22: Zonal average of “Cloud top height” for 2025-04-10 to 2025-04-11.




Figure 23: Zonal average of “Cloud optical thickness” for 2025-04-10 to 2025-04-11.




Figure 24: Zonal average of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11.




Figure 25: Zonal average of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11.




Figure 26: Zonal average of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11.




Figure 27: Zonal average of “Fitted surface albedo” for 2025-04-10 to 2025-04-11.




Figure 28: Zonal average of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11.




Figure 29: Zonal average of “RMS” for 2025-04-10 to 2025-04-11.




Figure 30: Zonal average of “RMS (CRB)” for 2025-04-10 to 2025-04-11.




Figure 31: Zonal average of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11.




Figure 32: Zonal average of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11.




Figure 33: Zonal average of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11.




Figure 34: Zonal average of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11.




Figure 35: Zonal average of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 36: Histogram of “QA value” for 2025-04-10 to 2025-04-11




Figure 37: Histogram of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11




Figure 38: Histogram of “Cloud top height” for 2025-04-10 to 2025-04-11




Figure 39: Histogram of “Cloud optical thickness” for 2025-04-10 to 2025-04-11




Figure 40: Histogram of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11




Figure 41: Histogram of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11




Figure 42: Histogram of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11




Figure 43: Histogram of “Fitted surface albedo” for 2025-04-10 to 2025-04-11




Figure 44: Histogram of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11




Figure 45: Histogram of “RMS” for 2025-04-10 to 2025-04-11




Figure 46: Histogram of “RMS (CRB)” for 2025-04-10 to 2025-04-11




Figure 47: Histogram of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11




Figure 48: Histogram of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11




Figure 49: Histogram of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11




Figure 50: Histogram of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11




Figure 51: Histogram of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 52: Along track statistics of “QA value” for 2025-04-10 to 2025-04-11




Figure 53: Along track statistics of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11




Figure 54: Along track statistics of “Cloud top height” for 2025-04-10 to 2025-04-11




Figure 55: Along track statistics of “Cloud optical thickness” for 2025-04-10 to 2025-04-11




Figure 56: Along track statistics of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11




Figure 57: Along track statistics of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11




Figure 58: Along track statistics of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11




Figure 59: Along track statistics of “Fitted surface albedo” for 2025-04-10 to 2025-04-11




Figure 60: Along track statistics of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11




Figure 61: Along track statistics of “RMS” for 2025-04-10 to 2025-04-11




Figure 62: Along track statistics of “RMS (CRB)” for 2025-04-10 to 2025-04-11




Figure 63: Along track statistics of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11




Figure 64: Along track statistics of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11




Figure 65: Along track statistics of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11




Figure 66: Along track statistics of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11




Figure 67: Along track statistics of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of ‘PyCAMA’	75

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11	11
5	Map of “Cloud top height” for 2025-04-10 to 2025-04-11	12
6	Map of “Cloud optical thickness” for 2025-04-10 to 2025-04-11	13
7	Map of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11	14
8	Map of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11	15
9	Map of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11	16
10	Map of “Fitted surface albedo” for 2025-04-10 to 2025-04-11	17
11	Map of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11	18
12	Map of “RMS” for 2025-04-10 to 2025-04-11	19
13	Map of “RMS (CRB)” for 2025-04-10 to 2025-04-11	20
14	Map of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11	21
15	Map of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11	22
16	Map of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11	23
17	Map of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11	24
18	Map of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11	25
19	Map of the number of observations for 2025-04-10 to 2025-04-11	26
20	Zonal average of “QA value” for 2025-04-10 to 2025-04-11.	27
21	Zonal average of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11.	28
22	Zonal average of “Cloud top height” for 2025-04-10 to 2025-04-11.	29
23	Zonal average of “Cloud optical thickness” for 2025-04-10 to 2025-04-11.	30
24	Zonal average of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11.	31
25	Zonal average of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11.	32
26	Zonal average of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11.	33
27	Zonal average of “Fitted surface albedo” for 2025-04-10 to 2025-04-11.	34
28	Zonal average of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11.	35
29	Zonal average of “RMS” for 2025-04-10 to 2025-04-11.	36

30	Zonal average of “RMS (CRB)” for 2025-04-10 to 2025-04-11	37
31	Zonal average of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11	38
32	Zonal average of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11	39
33	Zonal average of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11	40
34	Zonal average of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11	41
35	Zonal average of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11	42
36	Histogram of “QA value” for 2025-04-10 to 2025-04-11	43
37	Histogram of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11	44
38	Histogram of “Cloud top height” for 2025-04-10 to 2025-04-11	45
39	Histogram of “Cloud optical thickness” for 2025-04-10 to 2025-04-11	46
40	Histogram of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11	47
41	Histogram of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11	48
42	Histogram of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11	49
43	Histogram of “Fitted surface albedo” for 2025-04-10 to 2025-04-11	50
44	Histogram of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11	51
45	Histogram of “RMS” for 2025-04-10 to 2025-04-11	52
46	Histogram of “RMS (CRB)” for 2025-04-10 to 2025-04-11	53
47	Histogram of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11	54
48	Histogram of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11	55
49	Histogram of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11	56
50	Histogram of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11	57
51	Histogram of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11	58
52	Along track statistics of “QA value” for 2025-04-10 to 2025-04-11	59
53	Along track statistics of “Radiometric cloud fraction” for 2025-04-10 to 2025-04-11	60
54	Along track statistics of “Cloud top height” for 2025-04-10 to 2025-04-11	61
55	Along track statistics of “Cloud optical thickness” for 2025-04-10 to 2025-04-11	62
56	Along track statistics of “Cloud fraction (CRB)” for 2025-04-10 to 2025-04-11	63
57	Along track statistics of “Cloud height (CRB)” for 2025-04-10 to 2025-04-11	64
58	Along track statistics of “Cloud albedo (CRB)” for 2025-04-10 to 2025-04-11	65
59	Along track statistics of “Fitted surface albedo” for 2025-04-10 to 2025-04-11	66
60	Along track statistics of “Fitted surface albedo (CRB)” for 2025-04-10 to 2025-04-11	67
61	Along track statistics of “RMS” for 2025-04-10 to 2025-04-11	68
62	Along track statistics of “RMS (CRB)” for 2025-04-10 to 2025-04-11	69
63	Along track statistics of “Fitting wavelength shift” for 2025-04-10 to 2025-04-11	70
64	Along track statistics of “OCRA cloud fraction” for 2025-04-10 to 2025-04-11	71
65	Along track statistics of “OCRA “blue” reflectance” for 2025-04-10 to 2025-04-11	72
66	Along track statistics of “OCRA “green” reflectance” for 2025-04-10 to 2025-04-11	73
67	Along track statistics of “ROCINN “red” reflectance” for 2025-04-10 to 2025-04-11	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).