

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-04-21 (02:30)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_{(k)})V(x_{(l)})}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.602 ± 0.386	18414834	5.000×10^{-3}	0.710	0.760	0.0	1.000
cloud fraction [1]	0.565 ± 0.341	18414834	0.995	0.711	0.547	5.848×10^{-3}	1.000
cloud top height [m]	$(0.374 \pm 0.263) \times 10^4$	18414834	1.575×10^3	3.497×10^3	3.132×10^3	0.0	2.000×10^4
cloud optical thickness [1]	18.4 ± 31.9	18414834	5.13	10.6	9.18	1.000	250
cloud fraction crb [1]	0.564 ± 0.341	18414834	0.995	0.710	0.546	8.386×10^{-3}	1.000
cloud height crb [m]	$(0.286 \pm 0.228) \times 10^4$	18414834	75.0	3.065×10^3	2.356×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.595 ± 0.210	18414834	0.995	0.276	0.573	0.0	1.000
surface albedo fitted [1]	0.262 ± 0.326	18414834	2.500×10^{-2}	0.419	5.763×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.250 ± 0.314	18414834	1.500×10^{-2}	0.441	4.601×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.985 \pm 9.988) \times 10^{-4}$	18414834	5.000×10^{-5}	8.496×10^{-4}	3.816×10^{-4}	9.581×10^{-7}	0.235
fitted root mean square crb [1]	$(6.281 \pm 7.958) \times 10^{-4}$	18414834	5.000×10^{-5}	8.124×10^{-4}	2.992×10^{-4}	1.318×10^{-6}	0.264
wavelength shift [nm]	$(7.318 \pm 6.847) \times 10^{-3}$	18414834	3.000×10^{-4}	9.709×10^{-3}	6.662×10^{-3}	-5.560×10^{-2}	6.939×10^{-2}
cloud fraction apriori [1]	0.576 ± 0.346	18414834	0.995	0.752	0.570	0.0	1.000
reflectance blue ocra [1]	0.569 ± 0.230	18414834	0.265	0.393	0.548	0.132	1.95
reflectance green ocra [1]	0.519 ± 0.257	18414834	0.175	0.464	0.504	7.076×10^{-2}	2.01
reflectance continuum aband [1]	0.475 ± 0.283	18414834	4.500×10^{-2}	0.473	0.472	1.141×10^{-2}	4.88

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	0.0	0.240	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	2.675×10^{-2}	6.932×10^{-2}	0.107	0.156	0.244	0.955	1.000	1.000	1.000	1.000
cloud top height [m]	190	633	994	1.301×10^3	1.688×10^3	5.185×10^3	6.441×10^3	7.518×10^3	8.897×10^3	1.133×10^4
cloud optical thickness [1]	1.10	2.87	3.98	4.80	5.70	16.3	24.7	36.9	62.6	217
cloud fraction crb [1]	2.624×10^{-2}	6.837×10^{-2}	0.106	0.155	0.244	0.954	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	61.4	421	717	1.070×10^3	4.136×10^3	5.271×10^3	6.237×10^3	7.398×10^3	9.411×10^3
cloud albedo crb [1]	2.763×10^{-2}	0.246	0.357	0.416	0.464	0.740	0.827	0.895	0.972	1.000
surface albedo fitted [1]	0.0	9.670×10^{-3}	1.501×10^{-2}	1.980×10^{-2}	2.679×10^{-2}	0.446	0.766	0.843	0.917	0.994
surface albedo fitted crb [1]	3.731×10^{-4}	7.080×10^{-3}	1.086×10^{-2}	1.467×10^{-2}	2.052×10^{-2}	0.461	0.740	0.799	0.856	0.931
fitted root mean square [1]	1.404×10^{-5}	2.783×10^{-5}	4.470×10^{-5}	7.034×10^{-5}	1.198×10^{-4}	9.694×10^{-4}	1.380×10^{-3}	1.791×10^{-3}	2.370×10^{-3}	3.603×10^{-3}
fitted root mean square crb [1]	7.754×10^{-6}	1.760×10^{-5}	2.917×10^{-5}	4.524×10^{-5}	8.002×10^{-5}	8.925×10^{-4}	1.312×10^{-3}	1.731×10^{-3}	2.304×10^{-3}	3.462×10^{-3}
wavelength shift [nm]	-8.226×10^{-3}	-1.345×10^{-3}	-9.915×10^{-5}	7.203×10^{-4}	2.147×10^{-3}	1.186×10^{-2}	1.426×10^{-2}	1.630×10^{-2}	1.902×10^{-2}	2.489×10^{-2}
cloud fraction apriori [1]	3.029×10^{-2}	6.603×10^{-2}	0.102	0.152	0.248	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.232	0.257	0.281	0.312	0.363	0.756	0.822	0.871	0.928	1.13
reflectance green ocra [1]	0.152	0.173	0.192	0.220	0.275	0.738	0.809	0.863	0.917	1.07
reflectance continuum aband [1]	3.007×10^{-2}	5.486×10^{-2}	9.004×10^{-2}	0.137	0.232	0.705	0.784	0.841	0.904	1.07

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.537 ± 0.386	10590304	0.890	0.670	0.0	1.000	1.000×10^{-2}	0.900
cloud fraction [1]	0.550 ± 0.340	10590304	0.708	0.510	5.848×10^{-3}	1.000	0.236	0.943
cloud top height [m]	$(0.349 \pm 0.257) \times 10^4$	10590304	3.282×10^3	2.916×10^3	0.0	2.000×10^4	1.523×10^3	4.805×10^3
cloud optical thickness [1]	14.3 ± 25.7	10590304	7.49	7.97	1.000	250	5.17	12.7
cloud fraction crb [1]	0.550 ± 0.340	10590304	0.707	0.511	8.386×10^{-3}	1.000	0.236	0.943
cloud height crb [m]	$(0.252 \pm 0.218) \times 10^4$	10590304	2.817×10^3	2.044×10^3	0.0	2.000×10^4	812	3.629×10^3
cloud albedo crb [1]	0.616 ± 0.230	10590304	0.332	0.603	0.0	1.000	0.466	0.797
surface albedo fitted [1]	0.384 ± 0.359	10590304	0.737	0.247	0.0	1.000	3.844×10^{-2}	0.776
surface albedo fitted crb [1]	0.369 ± 0.343	10590304	0.714	0.245	0.0	1.000	3.147×10^{-2}	0.745
fitted root mean square [1]	$(8.899 \pm 11.896) \times 10^{-4}$	10590304	1.108×10^{-3}	5.747×10^{-4}	2.159×10^{-6}	0.235	1.729×10^{-4}	1.281×10^{-3}
fitted root mean square crb [1]	$(7.959 \pm 9.044) \times 10^{-4}$	10590304	1.075×10^{-3}	4.547×10^{-4}	1.544×10^{-6}	0.264	1.199×10^{-4}	1.195×10^{-3}
wavelength shift [nm]	$(8.518 \pm 6.905) \times 10^{-3}$	10590304	9.866×10^{-3}	8.276×10^{-3}	-5.560×10^{-2}	6.939×10^{-2}	3.365×10^{-3}	1.323×10^{-2}
cloud fraction apriori [1]	0.569 ± 0.343	10590304	0.752	0.550	0.0	1.000	0.248	1.000
reflectance blue oca [1]	0.601 ± 0.244	10590304	0.436	0.622	0.132	1.95	0.365	0.801
reflectance green oca [1]	0.560 ± 0.269	10590304	0.505	0.597	7.076×10^{-2}	2.01	0.286	0.790
reflectance continuum aband [1]	0.528 ± 0.286	10590304	0.481	0.567	1.141×10^{-2}	4.00	0.281	0.762

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.690 ± 0.368	7824530	0.600	0.900	0.0	1.000	0.400	1.000
cloud fraction [1]	0.585 ± 0.342	7824530	0.707	0.600	7.008×10^{-3}	1.000	0.259	0.966
cloud top height [m]	$(0.407 \pm 0.266) \times 10^4$	7824530	3.830×10^3	3.447×10^3	0.0	2.000×10^4	1.892×10^3	5.723×10^3
cloud optical thickness [1]	24.0 ± 38.1	7824530	15.5	11.4	1.000	250	7.12	22.7
cloud fraction crb [1]	0.584 ± 0.342	7824530	0.707	0.597	8.478×10^{-3}	1.000	0.257	0.964
cloud height crb [m]	$(0.333 \pm 0.232) \times 10^4$	7824530	3.445×10^3	2.784×10^3	0.0	1.975×10^4	1.390×10^3	4.834×10^3
cloud albedo crb [1]	0.566 ± 0.177	7824530	0.207	0.549	0.0	1.000	0.463	0.669
surface albedo fitted [1]	$(9.715 \pm 17.034) \times 10^{-2}$	7824530	4.442×10^{-2}	3.433×10^{-2}	0.0	1.000	2.012×10^{-2}	6.454×10^{-2}
surface albedo fitted crb [1]	$(8.907 \pm 16.737) \times 10^{-2}$	7824530	3.646×10^{-2}	2.615×10^{-2}	0.0	1.000	1.438×10^{-2}	5.084×10^{-2}
fitted root mean square [1]	$(4.396 \pm 5.622) \times 10^{-4}$	7824530	4.952×10^{-4}	2.308×10^{-4}	9.581×10^{-7}	6.562×10^{-2}	8.493×10^{-5}	5.801×10^{-4}
fitted root mean square crb [1]	$(4.010 \pm 5.418) \times 10^{-4}$	7824530	4.844×10^{-4}	1.717×10^{-4}	1.318×10^{-6}	1.155×10^{-2}	5.448×10^{-5}	5.389×10^{-4}
wavelength shift [nm]	$(5.693 \pm 6.420) \times 10^{-3}$	7824530	8.325×10^{-3}	4.703×10^{-3}	-4.277×10^{-2}	6.206×10^{-2}	1.148×10^{-3}	9.473×10^{-3}
cloud fraction apriori [1]	0.585 ± 0.349	7824530	0.752	0.601	0.0	1.000	0.248	1.000
reflectance blue oca [1]	0.525 ± 0.203	7824530	0.295	0.493	0.135	1.94	0.361	0.656
reflectance green oca [1]	0.463 ± 0.229	7824530	0.358	0.432	7.105×10^{-2}	1.87	0.265	0.623
reflectance continuum aband [1]	0.403 ± 0.262	7824530	0.404	0.380	1.254×10^{-2}	4.88	0.183	0.587

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.616 ± 0.386	13094030	0.650	0.800	0.0	1.000	0.300	0.950
cloud fraction [1]	0.555 ± 0.345	13094030	0.721	0.528	6.679×10^{-3}	1.000	0.227	0.949
cloud top height [m]	$(0.350 \pm 0.247) \times 10^4$	13094030	3.235×10^3	2.872×10^3	0.0	2.000×10^4	1.588×10^3	4.823×10^3
cloud optical thickness [1]	19.6 ± 32.8	13094030	11.2	9.84	1.000	250	6.30	17.5
cloud fraction crb [1]	0.554 ± 0.345	13094030	0.720	0.527	8.478×10^{-3}	1.000	0.227	0.947
cloud height crb [m]	$(0.273 \pm 0.223) \times 10^4$	13094030	2.903×10^3	2.189×10^3	0.0	2.000×10^4	1.003×10^3	3.906×10^3
cloud albedo crb [1]	0.572 ± 0.195	13094030	0.240	0.548	0.0	1.000	0.455	0.694
surface albedo fitted [1]	0.176 ± 0.297	13094030	4.917×10^{-2}	3.612×10^{-2}	0.0	1.000	2.136×10^{-2}	7.053×10^{-2}
surface albedo fitted crb [1]	0.164 ± 0.284	13094030	4.046×10^{-2}	2.839×10^{-2}	0.0	1.000	1.595×10^{-2}	5.641×10^{-2}
fitted root mean square [1]	$(5.221 \pm 8.962) \times 10^{-4}$	13094030	5.798×10^{-4}	2.433×10^{-4}	9.581×10^{-7}	0.132	8.781×10^{-5}	6.677×10^{-4}
fitted root mean square crb [1]	$(4.619 \pm 6.578) \times 10^{-4}$	13094030	5.114×10^{-4}	1.870×10^{-4}	1.318×10^{-6}	2.170×10^{-2}	6.222×10^{-5}	5.737×10^{-4}
wavelength shift [nm]	$(6.621 \pm 6.716) \times 10^{-3}$	13094030	9.126×10^{-3}	5.789×10^{-3}	-4.597×10^{-2}	6.939×10^{-2}	1.744×10^{-3}	1.087×10^{-2}
cloud fraction apriori [1]	0.561 ± 0.349	13094030	0.757	0.542	0.0	1.000	0.227	0.984
reflectance blue ocrs [1]	0.546 ± 0.213	13094030	0.359	0.521	0.167	1.93	0.359	0.719
reflectance green ocrs [1]	0.489 ± 0.241	13094030	0.432	0.468	9.675×10^{-2}	1.84	0.262	0.694
reflectance continuum aband [1]	0.422 ± 0.276	13094030	0.494	0.413	1.181×10^{-2}	4.88	0.159	0.653

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.598 ± 0.383	3561536	0.750	0.720	0.0	1.000	0.160	0.910
cloud fraction [1]	0.573 ± 0.335	3561536	0.683	0.562	5.848×10^{-3}	1.000	0.269	0.952
cloud top height [m]	$(0.458 \pm 0.286) \times 10^4$	3561536	3.879×10^3	4.043×10^3	0.0	2.000×10^4	2.401×10^3	6.280×10^3
cloud optical thickness [1]	14.1 ± 25.9	3561536	7.69	7.38	1.000	250	4.80	12.5
cloud fraction crb [1]	0.573 ± 0.335	3561536	0.683	0.562	8.386×10^{-3}	1.000	0.269	0.952
cloud height crb [m]	$(0.345 \pm 0.236) \times 10^4$	3561536	3.282×10^3	2.926×10^3	0.0	2.000×10^4	1.601×10^3	4.883×10^3
cloud albedo crb [1]	0.637 ± 0.230	3561536	0.322	0.635	0.0	1.000	0.497	0.819
surface albedo fitted [1]	0.448 ± 0.284	3561536	0.495	0.305	4.599×10^{-3}	1.000	0.231	0.726
surface albedo fitted crb [1]	0.437 ± 0.267	3561536	0.488	0.306	5.284×10^{-3}	1.000	0.227	0.715
fitted root mean square [1]	$(1.101 \pm 1.061) \times 10^{-3}$	3561536	1.057×10^{-3}	8.489×10^{-4}	4.292×10^{-6}	0.235	4.469×10^{-4}	1.504×10^{-3}
fitted root mean square crb [1]	$(1.014 \pm 0.917) \times 10^{-3}$	3561536	1.078×10^{-3}	7.957×10^{-4}	1.557×10^{-6}	0.264	3.554×10^{-4}	1.433×10^{-3}
wavelength shift [nm]	$(8.644 \pm 6.685) \times 10^{-3}$	3561536	9.572×10^{-3}	8.410×10^{-3}	-3.940×10^{-2}	5.025×10^{-2}	3.607×10^{-3}	1.318×10^{-2}
cloud fraction apriori [1]	0.590 ± 0.340	3561536	0.720	0.596	0.0	1.000	0.280	1.000
reflectance blue ocrs [1]	0.596 ± 0.266	3561536	0.469	0.579	0.132	1.95	0.347	0.816
reflectance green ocrs [1]	0.560 ± 0.286	3561536	0.527	0.554	7.076×10^{-2}	1.87	0.280	0.807
reflectance continuum aband [1]	0.581 ± 0.255	3561536	0.433	0.565	1.756×10^{-2}	4.07	0.355	0.788

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20




Figure 5: Map of “Cloud top height” for 2025-04-19 to 2025-04-20




Figure 6: Map of “Cloud optical thickness” for 2025-04-19 to 2025-04-20




Figure 7: Map of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20




Figure 8: Map of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20




Figure 9: Map of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20




Figure 10: Map of “Fitted surface albedo” for 2025-04-19 to 2025-04-20




Figure 11: Map of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20




Figure 12: Map of “RMS” for 2025-04-19 to 2025-04-20




Figure 13: Map of “RMS (CRB)” for 2025-04-19 to 2025-04-20




Figure 14: Map of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20




Figure 15: Map of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20




Figure 16: Map of "OCRA "blue" reflectance" for 2025-04-19 to 2025-04-20




Figure 17: Map of "OCRA "green" reflectance" for 2025-04-19 to 2025-04-20




Figure 18: Map of "ROCINN "red" reflectance" for 2025-04-19 to 2025-04-20




Figure 19: Map of the number of observations for 2025-04-19 to 2025-04-20

7 Zonal average




Figure 20: Zonal average of “QA value” for 2025-04-19 to 2025-04-20.




Figure 21: Zonal average of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20.




Figure 22: Zonal average of “Cloud top height” for 2025-04-19 to 2025-04-20.




Figure 23: Zonal average of “Cloud optical thickness” for 2025-04-19 to 2025-04-20.




Figure 24: Zonal average of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20.




Figure 25: Zonal average of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20.




Figure 26: Zonal average of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20.




Figure 27: Zonal average of “Fitted surface albedo” for 2025-04-19 to 2025-04-20.




Figure 28: Zonal average of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20.




Figure 29: Zonal average of “RMS” for 2025-04-19 to 2025-04-20.




Figure 30: Zonal average of “RMS (CRB)” for 2025-04-19 to 2025-04-20.




Figure 31: Zonal average of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20.




Figure 32: Zonal average of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20.




Figure 33: Zonal average of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20.




Figure 34: Zonal average of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20.




Figure 35: Zonal average of “ROCINN “red” reflectance” for 2025-04-19 to 2025-04-20.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 36: Histogram of “QA value” for 2025-04-19 to 2025-04-20




Figure 37: Histogram of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20




Figure 38: Histogram of “Cloud top height” for 2025-04-19 to 2025-04-20




Figure 39: Histogram of “Cloud optical thickness” for 2025-04-19 to 2025-04-20




Figure 40: Histogram of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20




Figure 41: Histogram of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20




Figure 42: Histogram of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20




Figure 43: Histogram of “Fitted surface albedo” for 2025-04-19 to 2025-04-20




Figure 44: Histogram of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20




Figure 45: Histogram of “RMS” for 2025-04-19 to 2025-04-20




Figure 46: Histogram of "RMS (CRB)" for 2025-04-19 to 2025-04-20




Figure 47: Histogram of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20




Figure 48: Histogram of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20




Figure 49: Histogram of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20




Figure 50: Histogram of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20




Figure 51: Histogram of “ROCINN “red” reflectance” for 2025-04-19 to 2025-04-20

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 52: Along track statistics of “QA value” for 2025-04-19 to 2025-04-20




Figure 53: Along track statistics of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20




Figure 54: Along track statistics of “Cloud top height” for 2025-04-19 to 2025-04-20




Figure 55: Along track statistics of “Cloud optical thickness” for 2025-04-19 to 2025-04-20




Figure 56: Along track statistics of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20




Figure 57: Along track statistics of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20




Figure 58: Along track statistics of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20




Figure 59: Along track statistics of “Fitted surface albedo” for 2025-04-19 to 2025-04-20




Figure 60: Along track statistics of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20




Figure 61: Along track statistics of “RMS” for 2025-04-19 to 2025-04-20




Figure 62: Along track statistics of “RMS (CRB)” for 2025-04-19 to 2025-04-20




Figure 63: Along track statistics of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20




Figure 64: Along track statistics of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20




Figure 65: Along track statistics of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20




Figure 66: Along track statistics of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20




Figure 67: Along track statistics of "ROCINN "red" reflectance" for 2025-04-19 to 2025-04-20

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of ‘PyCAMA’	75

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20	11
5	Map of “Cloud top height” for 2025-04-19 to 2025-04-20	12
6	Map of “Cloud optical thickness” for 2025-04-19 to 2025-04-20	13
7	Map of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20	14
8	Map of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20	15
9	Map of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20	16
10	Map of “Fitted surface albedo” for 2025-04-19 to 2025-04-20	17
11	Map of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20	18
12	Map of “RMS” for 2025-04-19 to 2025-04-20	19
13	Map of “RMS (CRB)” for 2025-04-19 to 2025-04-20	20
14	Map of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20	21
15	Map of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20	22
16	Map of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20	23
17	Map of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20	24
18	Map of “ROCINN “red” reflectance” for 2025-04-19 to 2025-04-20	25
19	Map of the number of observations for 2025-04-19 to 2025-04-20	26
20	Zonal average of “QA value” for 2025-04-19 to 2025-04-20.	27
21	Zonal average of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20.	28
22	Zonal average of “Cloud top height” for 2025-04-19 to 2025-04-20.	29
23	Zonal average of “Cloud optical thickness” for 2025-04-19 to 2025-04-20.	30
24	Zonal average of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20.	31
25	Zonal average of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20.	32
26	Zonal average of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20.	33
27	Zonal average of “Fitted surface albedo” for 2025-04-19 to 2025-04-20.	34
28	Zonal average of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20.	35
29	Zonal average of “RMS” for 2025-04-19 to 2025-04-20.	36

30	Zonal average of “RMS (CRB)” for 2025-04-19 to 2025-04-20	37
31	Zonal average of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20	38
32	Zonal average of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20	39
33	Zonal average of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20	40
34	Zonal average of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20	41
35	Zonal average of “ROCINN “red” reflectance” for 2025-04-19 to 2025-04-20	42
36	Histogram of “QA value” for 2025-04-19 to 2025-04-20	43
37	Histogram of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20	44
38	Histogram of “Cloud top height” for 2025-04-19 to 2025-04-20	45
39	Histogram of “Cloud optical thickness” for 2025-04-19 to 2025-04-20	46
40	Histogram of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20	47
41	Histogram of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20	48
42	Histogram of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20	49
43	Histogram of “Fitted surface albedo” for 2025-04-19 to 2025-04-20	50
44	Histogram of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20	51
45	Histogram of “RMS” for 2025-04-19 to 2025-04-20	52
46	Histogram of “RMS (CRB)” for 2025-04-19 to 2025-04-20	53
47	Histogram of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20	54
48	Histogram of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20	55
49	Histogram of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20	56
50	Histogram of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20	57
51	Histogram of “ROCINN “red” reflectance” for 2025-04-19 to 2025-04-20	58
52	Along track statistics of “QA value” for 2025-04-19 to 2025-04-20	59
53	Along track statistics of “Radiometric cloud fraction” for 2025-04-19 to 2025-04-20	60
54	Along track statistics of “Cloud top height” for 2025-04-19 to 2025-04-20	61
55	Along track statistics of “Cloud optical thickness” for 2025-04-19 to 2025-04-20	62
56	Along track statistics of “Cloud fraction (CRB)” for 2025-04-19 to 2025-04-20	63
57	Along track statistics of “Cloud height (CRB)” for 2025-04-19 to 2025-04-20	64
58	Along track statistics of “Cloud albedo (CRB)” for 2025-04-19 to 2025-04-20	65
59	Along track statistics of “Fitted surface albedo” for 2025-04-19 to 2025-04-20	66
60	Along track statistics of “Fitted surface albedo (CRB)” for 2025-04-19 to 2025-04-20	67
61	Along track statistics of “RMS” for 2025-04-19 to 2025-04-20	68
62	Along track statistics of “RMS (CRB)” for 2025-04-19 to 2025-04-20	69
63	Along track statistics of “Fitting wavelength shift” for 2025-04-19 to 2025-04-20	70
64	Along track statistics of “OCRA cloud fraction” for 2025-04-19 to 2025-04-20	71
65	Along track statistics of “OCRA “blue” reflectance” for 2025-04-19 to 2025-04-20	72
66	Along track statistics of “OCRA “green” reflectance” for 2025-04-19 to 2025-04-20	73
67	Along track statistics of “ROCINN “red” reflectance” for 2025-04-19 to 2025-04-20	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).