

PyCAMA report generated by trop12-proc

trop12-proc

2025-05-13 (05:00)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighted* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of $1/2$ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.590 ± 0.377	18350154	5.000×10^{-3}	0.660	0.720	0.0	1.000
cloud fraction [1]	0.580 ± 0.347	18350154	0.995	0.743	0.579	5.948×10^{-3}	1.000
cloud top height [m]	$(0.385 \pm 0.266) \times 10^4$	18350154	1.425×10^3	3.654×10^3	3.299×10^3	0.0	2.000×10^4
cloud optical thickness [1]	18.7 ± 32.9	18350154	8.51	10.7	9.20	1.000	250
cloud fraction crb [1]	0.579 ± 0.347	18350154	0.995	0.744	0.577	5.336×10^{-3}	1.000
cloud height crb [m]	$(0.294 \pm 0.233) \times 10^4$	18350154	75.0	3.179×10^3	2.479×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.589 ± 0.211	18350154	0.995	0.281	0.575	0.0	1.000
surface albedo fitted [1]	0.267 ± 0.323	18350154	2.500×10^{-2}	0.445	6.611×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.258 ± 0.318	18350154	1.500×10^{-2}	0.475	5.047×10^{-2}	0.0	1.000
fitted root mean square [1]	$(7.828 \pm 11.594) \times 10^{-4}$	18350154	5.000×10^{-5}	9.456×10^{-4}	3.832×10^{-4}	1.105×10^{-6}	0.526
fitted root mean square crb [1]	$(7.009 \pm 9.679) \times 10^{-4}$	18350154	5.000×10^{-5}	9.135×10^{-4}	3.049×10^{-4}	7.159×10^{-7}	1.03
wavelength shift [nm]	$(7.346 \pm 6.890) \times 10^{-3}$	18350154	-3.000×10^{-4}	1.010×10^{-2}	6.716×10^{-3}	-6.002×10^{-2}	6.245×10^{-2}
cloud fraction apriori [1]	0.593 ± 0.353	18350154	0.995	0.752	0.610	0.0	1.000
reflectance blue ocra [1]	0.565 ± 0.225	18350154	0.265	0.388	0.543	0.143	1.91
reflectance green ocra [1]	0.514 ± 0.253	18350154	0.185	0.457	0.495	8.834×10^{-2}	2.02
reflectance continuum aband [1]	0.466 ± 0.279	18350154	4.500×10^{-2}	0.468	0.456	1.100×10^{-2}	4.92

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	0.0	0.240	0.900	1.000	1.000	1.000	1.000
cloud fraction [1]	2.729×10^{-2}	7.024×10^{-2}	0.108	0.157	0.246	0.988	1.000	1.000	1.000	1.000
cloud top height [m]	204	609	956	1.277×10^3	1.711×10^3	5.365×10^3	6.623×10^3	7.780×10^3	9.170×10^3	1.123×10^4
cloud optical thickness [1]	1.000	2.69	3.84	4.70	5.74	16.4	25.1	37.1	63.2	229
cloud fraction crb [1]	2.671×10^{-2}	6.922×10^{-2}	0.107	0.156	0.244	0.988	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	42.6	345	660	1.073×10^3	4.251×10^3	5.397×10^3	6.414×10^3	7.654×10^3	9.473×10^3
cloud albedo crb [1]	6.639×10^{-3}	0.222	0.338	0.407	0.459	0.740	0.821	0.879	0.942	1.000
surface albedo fitted [1]	0.0	9.576×10^{-3}	1.528×10^{-2}	2.058×10^{-2}	2.839×10^{-2}	0.473	0.759	0.841	0.912	0.991
surface albedo fitted crb [1]	0.0	7.102×10^{-3}	1.107×10^{-2}	1.504×10^{-2}	2.117×10^{-2}	0.496	0.746	0.815	0.870	0.942
fitted root mean square [1]	1.162×10^{-5}	2.516×10^{-5}	4.131×10^{-5}	6.531×10^{-5}	1.153×10^{-4}	1.061×10^{-3}	1.604×10^{-3}	2.138×10^{-3}	2.813×10^{-3}	4.122×10^{-3}
fitted root mean square crb [1]	6.077×10^{-6}	1.335×10^{-5}	2.348×10^{-5}	3.772×10^{-5}	6.976×10^{-5}	9.832×10^{-4}	1.507×10^{-3}	2.028×10^{-3}	2.696×10^{-3}	3.882×10^{-3}
wavelength shift [nm]	-7.768×10^{-3}	-1.088×10^{-3}	-1.320×10^{-4}	4.917×10^{-4}	1.904×10^{-3}	1.201×10^{-2}	1.440×10^{-2}	1.644×10^{-2}	1.913×10^{-2}	2.484×10^{-2}
cloud fraction apriori [1]	3.089×10^{-2}	6.683×10^{-2}	0.102	0.152	0.248	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.233	0.259	0.284	0.314	0.364	0.751	0.822	0.869	0.917	1.06
reflectance green ocra [1]	0.152	0.174	0.195	0.222	0.275	0.732	0.810	0.860	0.909	1.02
reflectance continuum aband [1]	3.045×10^{-2}	5.490×10^{-2}	8.978×10^{-2}	0.137	0.229	0.697	0.779	0.837	0.899	1.03

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.558 ± 0.371	11671349	0.770	0.690	0.0	1.000	0.130	0.900
cloud fraction [1]	0.607 ± 0.351	11671349	0.735	0.630	5.948×10^{-3}	1.000	0.264	0.999
cloud top height [m]	$(0.374 \pm 0.271) \times 10^4$	11671349	3.730×10^3	3.172×10^3	0.0	2.000×10^4	1.566×10^3	5.297×10^3
cloud optical thickness [1]	15.2 ± 27.9	11671349	8.17	8.27	1.000	250	5.24	13.4
cloud fraction crb [1]	0.607 ± 0.351	11671349	0.736	0.630	5.336×10^{-3}	1.000	0.264	1.000
cloud height crb [m]	$(0.273 \pm 0.232) \times 10^4$	11671349	3.236×10^3	2.264×10^3	0.0	2.000×10^4	801	4.037×10^3
cloud albedo crb [1]	0.601 ± 0.230	11671349	0.329	0.597	0.0	1.000	0.453	0.782
surface albedo fitted [1]	0.380 ± 0.351	11671349	0.719	0.255	0.0	1.000	3.807×10^{-2}	0.757
surface albedo fitted crb [1]	0.372 ± 0.342	11671349	0.714	0.256	0.0	1.000	3.099×10^{-2}	0.745
fitted root mean square [1]	$(1.025 \pm 1.345) \times 10^{-3}$	11671349	1.308×10^{-3}	6.349×10^{-4}	2.559×10^{-6}	0.526	1.886×10^{-4}	1.497×10^{-3}
fitted root mean square crb [1]	$(9.159 \pm 10.987) \times 10^{-4}$	11671349	1.263×10^{-3}	5.359×10^{-4}	7.159×10^{-7}	1.03	1.257×10^{-4}	1.389×10^{-3}
wavelength shift [nm]	$(8.683 \pm 6.906) \times 10^{-3}$	11671349	9.885×10^{-3}	8.584×10^{-3}	-6.002×10^{-2}	6.245×10^{-2}	3.508×10^{-3}	1.339×10^{-2}
cloud fraction apriori [1]	0.628 ± 0.354	11671349	0.722	0.687	0.0	1.000	0.278	1.000
reflectance blue ocra [1]	0.602 ± 0.237	11671349	0.432	0.629	0.143	1.91	0.371	0.803
reflectance green ocra [1]	0.562 ± 0.264	11671349	0.495	0.601	8.834×10^{-2}	1.83	0.296	0.791
reflectance continuum aband [1]	0.526 ± 0.278	11671349	0.463	0.558	1.100×10^{-2}	4.92	0.292	0.755

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.646 ± 0.381	6678805	0.670	0.880	0.0	1.000	0.330	1.000
cloud fraction [1]	0.534 ± 0.336	6678805	0.660	0.509	6.736×10^{-3}	1.000	0.216	0.875
cloud top height [m]	$(0.404 \pm 0.257) \times 10^4$	6678805	3.579×10^3	3.506×10^3	0.0	2.000×10^4	1.923×10^3	5.502×10^3
cloud optical thickness [1]	24.8 ± 39.5	6678805	16.1	11.5	1.000	250	7.08	23.1
cloud fraction crb [1]	0.531 ± 0.336	6678805	0.658	0.505	7.638×10^{-3}	1.000	0.214	0.872
cloud height crb [m]	$(0.333 \pm 0.230) \times 10^4$	6678805	3.209×10^3	2.843×10^3	0.0	1.836×10^4	1.431×10^3	4.640×10^3
cloud albedo crb [1]	0.568 ± 0.172	6678805	0.203	0.553	0.0	1.000	0.466	0.669
surface albedo fitted [1]	$(6.887 \pm 10.023) \times 10^{-2}$	6678805	4.174×10^{-2}	3.651×10^{-2}	0.0	1.000	2.152×10^{-2}	6.326×10^{-2}
surface albedo fitted crb [1]	$(5.894 \pm 9.960) \times 10^{-2}$	6678805	3.142×10^{-2}	2.610×10^{-2}	0.0	1.000	1.461×10^{-2}	4.603×10^{-2}
fitted root mean square [1]	$(3.595 \pm 4.981) \times 10^{-4}$	6678805	3.735×10^{-4}	1.786×10^{-4}	1.105×10^{-6}	5.718×10^{-2}	6.530×10^{-5}	4.388×10^{-4}
fitted root mean square crb [1]	$(3.251 \pm 4.923) \times 10^{-4}$	6678805	3.702×10^{-4}	1.170×10^{-4}	1.153×10^{-6}	2.779×10^{-2}	3.810×10^{-5}	4.083×10^{-4}
wavelength shift [nm]	$(5.009 \pm 6.204) \times 10^{-3}$	6678805	7.883×10^{-3}	3.714×10^{-3}	-4.217×10^{-2}	6.042×10^{-2}	6.304×10^{-4}	8.513×10^{-3}
cloud fraction apriori [1]	0.533 ± 0.343	6678805	0.683	0.506	0.0	1.000	0.205	0.889
reflectance blue ocra [1]	0.501 ± 0.184	6678805	0.255	0.467	0.167	1.90	0.357	0.612
reflectance green ocra [1]	0.432 ± 0.209	6678805	0.311	0.396	9.895×10^{-2}	2.02	0.257	0.568
reflectance continuum aband [1]	0.362 ± 0.247	6678805	0.368	0.332	1.253×10^{-2}	4.87	0.154	0.522

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.610 ± 0.374	12631365	0.620	0.780	0.0	1.000	0.300	0.920
cloud fraction [1]	0.547 ± 0.345	12631365	0.724	0.515	5.948×10^{-3}	1.000	0.218	0.943
cloud top height [m]	$(0.379 \pm 0.267) \times 10^4$	12631365	3.642×10^3	3.167×10^3	0.0	2.000×10^4	1.648×10^3	5.290×10^3
cloud optical thickness [1]	20.5 ± 34.7	12631365	11.9	10.0	1.000	250	6.40	18.3
cloud fraction crb [1]	0.546 ± 0.345	12631365	0.724	0.513	8.438×10^{-3}	1.000	0.217	0.941
cloud height crb [m]	$(0.297 \pm 0.239) \times 10^4$	12631365	3.215×10^3	2.454×10^3	0.0	2.000×10^4	1.063×10^3	4.278×10^3
cloud albedo crb [1]	0.573 ± 0.197	12631365	0.253	0.555	0.0	1.000	0.452	0.705
surface albedo fitted [1]	0.175 ± 0.292	12631365	5.329×10^{-2}	3.784×10^{-2}	0.0	1.000	2.184×10^{-2}	7.513×10^{-2}
surface albedo fitted crb [1]	0.164 ± 0.284	12631365	4.146×10^{-2}	2.869×10^{-2}	0.0	1.000	1.601×10^{-2}	5.747×10^{-2}
fitted root mean square [1]	$(5.718 \pm 9.488) \times 10^{-4}$	12631365	6.346×10^{-4}	2.406×10^{-4}	1.105×10^{-6}	0.234	8.309×10^{-5}	7.176×10^{-4}
fitted root mean square crb [1]	$(5.137 \pm 7.739) \times 10^{-4}$	12631365	5.870×10^{-4}	1.835×10^{-4}	7.687×10^{-7}	0.176	5.412×10^{-5}	6.411×10^{-4}
wavelength shift [nm]	$(6.604 \pm 6.748) \times 10^{-3}$	12631365	9.506×10^{-3}	5.726×10^{-3}	-6.002×10^{-2}	6.042×10^{-2}	1.480×10^{-3}	1.099×10^{-2}
cloud fraction apriori [1]	0.555 ± 0.350	12631365	0.766	0.532	0.0	1.000	0.217	0.983
reflectance blue ocra [1]	0.545 ± 0.213	12631365	0.359	0.515	0.159	1.89	0.358	0.717
reflectance green ocra [1]	0.487 ± 0.242	12631365	0.430	0.459	8.970×10^{-2}	1.90	0.261	0.691
reflectance continuum aband [1]	0.414 ± 0.276	12631365	0.493	0.395	1.147×10^{-2}	4.92	0.153	0.646

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.610 ± 0.365	3553986	0.580	0.720	0.0	1.000	0.320	0.900
cloud fraction [1]	0.633 ± 0.347	3553986	0.699	0.700	7.363×10^{-3}	1.000	0.301	0.999
cloud top height [m]	$(0.427 \pm 0.263) \times 10^4$	3553986	3.481×10^3	3.844×10^3	0.0	2.000×10^4	2.256×10^3	5.737×10^3
cloud optical thickness [1]	14.0 ± 24.3	3553986	7.97	7.80	1.000	250	4.99	13.0
cloud fraction crb [1]	0.633 ± 0.348	3553986	0.700	0.700	5.336×10^{-3}	1.000	0.300	1.000
cloud height crb [m]	$(0.315 \pm 0.220) \times 10^4$	3553986	3.035×10^3	2.705×10^3	0.0	2.000×10^4	1.442×10^3	4.478×10^3
cloud albedo crb [1]	0.621 ± 0.226	3553986	0.312	0.620	0.0	1.000	0.486	0.798
surface albedo fitted [1]	0.431 ± 0.276	3553986	0.391	0.306	2.695×10^{-4}	1.000	0.227	0.618
surface albedo fitted crb [1]	0.427 ± 0.266	3553986	0.422	0.307	2.018×10^{-3}	1.000	0.223	0.645
fitted root mean square [1]	$(1.256 \pm 1.399) \times 10^{-3}$	3553986	1.351×10^{-3}	9.128×10^{-4}	4.939×10^{-6}	0.526	4.515×10^{-4}	1.802×10^{-3}
fitted root mean square crb [1]	$(1.145 \pm 1.154) \times 10^{-3}$	3553986	1.301×10^{-3}	8.746×10^{-4}	1.280×10^{-6}	1.03	3.837×10^{-4}	1.685×10^{-3}
wavelength shift [nm]	$(8.968 \pm 6.707) \times 10^{-3}$	3553986	9.540×10^{-3}	8.888×10^{-3}	-3.727×10^{-2}	5.426×10^{-2}	4.044×10^{-3}	1.358×10^{-2}
cloud fraction apriori [1]	0.653 ± 0.352	3553986	0.687	0.751	0.0	1.000	0.313	1.000
reflectance blue ocra [1]	0.572 ± 0.243	3553986	0.434	0.553	0.143	1.90	0.347	0.782
reflectance green ocra [1]	0.536 ± 0.267	3553986	0.494	0.518	8.882×10^{-2}	2.02	0.278	0.772
reflectance continuum aband [1]	0.560 ± 0.243	3553986	0.419	0.528	1.688×10^{-2}	4.56	0.348	0.767

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 5: Map of “Cloud top height” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 6: Map of “Cloud optical thickness” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 7: Map of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12

2025-05-11





Figure 8: Map of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 9: Map of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 10: Map of “Fitted surface albedo” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 11: Map of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12

2025-05-11





Figure 12: Map of “RMS” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 13: Map of “RMS (CRB)” for 2025-05-11 to 2025-05-12

2025-05-11





Figure 14: Map of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12

2025-05-11






Figure 15: Map of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12

2025-05-11





Figure 16: Map of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12

2025-05-11





Figure 17: Map of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12

2025-05-11





Figure 18: Map of "ROCINN "red" reflectance" for 2025-05-11 to 2025-05-12

2025-05-11






Figure 19: Map of the number of observations for 2025-05-11 to 2025-05-12

7 Zonal average




Figure 20: Zonal average of “QA value” for 2025-05-11 to 2025-05-12.




Figure 21: Zonal average of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12.




Figure 22: Zonal average of “Cloud top height” for 2025-05-11 to 2025-05-12.




Figure 23: Zonal average of “Cloud optical thickness” for 2025-05-11 to 2025-05-12.




Figure 24: Zonal average of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12.




Figure 25: Zonal average of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12.




Figure 26: Zonal average of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12.




Figure 27: Zonal average of “Fitted surface albedo” for 2025-05-11 to 2025-05-12.




Figure 28: Zonal average of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12.




Figure 29: Zonal average of “RMS” for 2025-05-11 to 2025-05-12.




Figure 30: Zonal average of “RMS (CRB)” for 2025-05-11 to 2025-05-12.




Figure 31: Zonal average of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12.




Figure 32: Zonal average of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12.




Figure 33: Zonal average of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12.




Figure 34: Zonal average of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12.




Figure 35: Zonal average of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 36: Histogram of “QA value” for 2025-05-11 to 2025-05-12




Figure 37: Histogram of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12




Figure 38: Histogram of “Cloud top height” for 2025-05-11 to 2025-05-12




Figure 39: Histogram of “Cloud optical thickness” for 2025-05-11 to 2025-05-12




Figure 40: Histogram of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12




Figure 41: Histogram of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12




Figure 42: Histogram of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12




Figure 43: Histogram of “Fitted surface albedo” for 2025-05-11 to 2025-05-12




Figure 44: Histogram of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12




Figure 45: Histogram of “RMS” for 2025-05-11 to 2025-05-12




Figure 46: Histogram of “RMS (CRB)” for 2025-05-11 to 2025-05-12




Figure 47: Histogram of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12




Figure 48: Histogram of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12




Figure 49: Histogram of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12




Figure 50: Histogram of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12




Figure 51: Histogram of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 52: Along track statistics of “QA value” for 2025-05-11 to 2025-05-12




Figure 53: Along track statistics of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12




Figure 54: Along track statistics of “Cloud top height” for 2025-05-11 to 2025-05-12




Figure 55: Along track statistics of “Cloud optical thickness” for 2025-05-11 to 2025-05-12




Figure 56: Along track statistics of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12




Figure 57: Along track statistics of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12




Figure 58: Along track statistics of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12




Figure 59: Along track statistics of “Fitted surface albedo” for 2025-05-11 to 2025-05-12




Figure 60: Along track statistics of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12




Figure 61: Along track statistics of “RMS” for 2025-05-11 to 2025-05-12




Figure 62: Along track statistics of “RMS (CRB)” for 2025-05-11 to 2025-05-12




Figure 63: Along track statistics of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12




Figure 64: Along track statistics of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12




Figure 65: Along track statistics of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12




Figure 66: Along track statistics of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12




Figure 67: Along track statistics of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of ‘PyCAMA’	75

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12	11
5	Map of “Cloud top height” for 2025-05-11 to 2025-05-12	12
6	Map of “Cloud optical thickness” for 2025-05-11 to 2025-05-12	13
7	Map of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12	14
8	Map of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12	15
9	Map of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12	16
10	Map of “Fitted surface albedo” for 2025-05-11 to 2025-05-12	17
11	Map of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12	18
12	Map of “RMS” for 2025-05-11 to 2025-05-12	19
13	Map of “RMS (CRB)” for 2025-05-11 to 2025-05-12	20
14	Map of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12	21
15	Map of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12	22
16	Map of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12	23
17	Map of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12	24
18	Map of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12	25
19	Map of the number of observations for 2025-05-11 to 2025-05-12	26
20	Zonal average of “QA value” for 2025-05-11 to 2025-05-12.	27
21	Zonal average of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12.	28
22	Zonal average of “Cloud top height” for 2025-05-11 to 2025-05-12.	29
23	Zonal average of “Cloud optical thickness” for 2025-05-11 to 2025-05-12.	30
24	Zonal average of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12.	31
25	Zonal average of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12.	32
26	Zonal average of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12.	33
27	Zonal average of “Fitted surface albedo” for 2025-05-11 to 2025-05-12.	34
28	Zonal average of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12.	35
29	Zonal average of “RMS” for 2025-05-11 to 2025-05-12.	36

30	Zonal average of “RMS (CRB)” for 2025-05-11 to 2025-05-12	37
31	Zonal average of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12	38
32	Zonal average of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12	39
33	Zonal average of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12	40
34	Zonal average of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12	41
35	Zonal average of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12	42
36	Histogram of “QA value” for 2025-05-11 to 2025-05-12	43
37	Histogram of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12	44
38	Histogram of “Cloud top height” for 2025-05-11 to 2025-05-12	45
39	Histogram of “Cloud optical thickness” for 2025-05-11 to 2025-05-12	46
40	Histogram of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12	47
41	Histogram of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12	48
42	Histogram of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12	49
43	Histogram of “Fitted surface albedo” for 2025-05-11 to 2025-05-12	50
44	Histogram of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12	51
45	Histogram of “RMS” for 2025-05-11 to 2025-05-12	52
46	Histogram of “RMS (CRB)” for 2025-05-11 to 2025-05-12	53
47	Histogram of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12	54
48	Histogram of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12	55
49	Histogram of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12	56
50	Histogram of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12	57
51	Histogram of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12	58
52	Along track statistics of “QA value” for 2025-05-11 to 2025-05-12	59
53	Along track statistics of “Radiometric cloud fraction” for 2025-05-11 to 2025-05-12	60
54	Along track statistics of “Cloud top height” for 2025-05-11 to 2025-05-12	61
55	Along track statistics of “Cloud optical thickness” for 2025-05-11 to 2025-05-12	62
56	Along track statistics of “Cloud fraction (CRB)” for 2025-05-11 to 2025-05-12	63
57	Along track statistics of “Cloud height (CRB)” for 2025-05-11 to 2025-05-12	64
58	Along track statistics of “Cloud albedo (CRB)” for 2025-05-11 to 2025-05-12	65
59	Along track statistics of “Fitted surface albedo” for 2025-05-11 to 2025-05-12	66
60	Along track statistics of “Fitted surface albedo (CRB)” for 2025-05-11 to 2025-05-12	67
61	Along track statistics of “RMS” for 2025-05-11 to 2025-05-12	68
62	Along track statistics of “RMS (CRB)” for 2025-05-11 to 2025-05-12	69
63	Along track statistics of “Fitting wavelength shift” for 2025-05-11 to 2025-05-12	70
64	Along track statistics of “OCRA cloud fraction” for 2025-05-11 to 2025-05-12	71
65	Along track statistics of “OCRA “blue” reflectance” for 2025-05-11 to 2025-05-12	72
66	Along track statistics of “OCRA “green” reflectance” for 2025-05-11 to 2025-05-12	73
67	Along track statistics of “ROCINN “red” reflectance” for 2025-05-11 to 2025-05-12	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).