PyCAMA report generated by tropl2-proc

tropl2-proc

2025-05-26 (02:30)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are unweighed averages:

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance V(x), or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^{N} (x_i - \bar{x})^2$$
(2)

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \le m) = P(x \ge m) = \int_{-\infty}^{m} f(x) \, \mathrm{d}x = \frac{1}{2}$$
(3)

with f(x) the probability density function.

The median is a special case of a percentile. Instead of $\frac{1}{2}$ in equation 3, other threshold values can be used. We report results for 1%, 5%, 10%, 15.9%, 25%, 75%, 84.1%, 90%, 95% and 99%. The inter quartile range is the difference between the 75% and 25% percentiles. Similarly the minimum and maximum values correspond to the 0% and 100% percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9% and 84.1% percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^{N} (x_{(k),i} - \overline{x_{(k)}}) (x_{(l),i} - \overline{x_{(l)}})$$
(4)

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's *r* coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}}$$
(5)

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

	Table 1: I	Parameterlist ar	nd basic statistics for	the analysis			
Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.596 ± 0.372	18537606	5.000×10^{-3}	0.620	0.720	0.0	1.000
cloud fraction [1]	0.600 ± 0.350	18537606	0.995	0.736	0.620	6.225×10^{-3}	1.000
cloud top height [m]	$(0.376 \pm 0.262) imes 10^4$	18537606	$1.425 imes 10^3$	3.654×10^3	3.153×10^3	0.0	2.000×10^4
cloud optical thickness [1]	21.0 ± 37.5	18537606	8.91	12.1	9.50	1.000	250
cloud fraction crb [1]	0.599 ± 0.350	18537606	0.995	0.739	0.618	7.532×10^{-3}	1.000
cloud height crb [m]	$(0.290 \pm 0.232) \times 10^4$	18537606	75.0	3.301×10^3	2.364×10^{3}	0.0	2.000×10^4
cloud albedo crb [1]	0.581 ± 0.209	18537606	0.495	0.274	0.570	0.0	1.000
surface albedo fitted [1]	0.248 ± 0.305	18537606	2.500×10^{-2}	0.333	$6.689 imes 10^{-2}$	0.0	1.000
surface albedo fitted crb [1]	0.242 ± 0.302	18537606	$1.500 imes10^{-2}$	0.364	$5.132 imes 10^{-2}$	0.0	1.000
fitted root mean square [1]	$(8.328 \pm 13.985) \times 10^{-4}$	18537606	$5.000 imes 10^{-5}$	1.040×10^{-3}	$4.027 imes 10^{-4}$	1.010×10^{-6}	0.629
fitted root mean square crb [1]	$(7.406 \pm 12.615) \times 10^{-4}$	18537606	$5.000 imes 10^{-5}$	$1.015 imes 10^{-3}$	$3.268 imes10^{-4}$	$6.396 imes 10^{-7}$	1.08
wavelength shift [nm]	$(7.296 \pm 6.951) \times 10^{-3}$	18537606	-3.000×10^{-4}	$1.032 imes 10^{-2}$	$6.676 imes 10^{-3}$	$-5.263 imes 10^{-2}$	0.403
cloud fraction apriori [1]	0.613 ± 0.355	18537606	0.995	0.736	0.656	0.0	1.000
reflectance blue ocra [1]	0.556 ± 0.219	18537606	0.275	0.375	0.535	0.137	1.90
reflectance green ocra [1]	0.505 ± 0.247	18537606	0.185	0.443	0.485	$8.463 imes 10^{-2}$	1.88
reflectance continuum aband [1]	0.460 ± 0.273	18537606	$4.500 imes10^{-2}$	0.458	0.445	1.146×10^{-2}	6.83
	•						

			Та	ble 2. Percenti	le ranges					
Variable	1%	5%	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99%
qa value [1]	0.0	0.0	0.0	0.0	0.280	0.900	1.000	1.000	1.000	1.000
cloud fraction [1]	2.662×10^{-2}	$6.931 imes10^{-2}$	0.109	0.161	0.262	0.998	1.000	1.000	1.000	1.000
cloud top height [m]	195	589	956	1.262×10^{3}	1.669×10^{3}	5.323×10^3	6.582×10^{3}	7.649×10^{3}	$8.935 imes 10^3$	$1.102 imes 10^4$
cloud optical thickness [1]	1.000	2.57	3.76	4.70	5.86	18.0	28.2	42.9	78.6	250
cloud fraction crb [1]	2.609×10^{-2}	$6.845 imes10^{-2}$	0.108	0.160	0.261	0.999	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	34.8	330	623	$1.018 imes 10^3$	4.319×10^{3}	5.414×10^3	6.339×10^{3}	7.467×10^3	9.311×10^{3}
cloud albedo crb [1]	0.0	0.215	0.331	0.401	0.456	0.729	0.806	0.863	0.926	1.000
surface albedo fitted [1]	0.0	$8.857 imes10^{-3}$	1.450×10^{-2}	$1.987 imes10^{-2}$	$2.781 imes10^{-2}$	0.361	0.709	0.809	0.886	0.982
surface albedo fitted crb [1]	$3.735 imes10^{-5}$	$6.890 imes 10^{-3}$	1.066×10^{-2}	$1.460 imes10^{-2}$	$2.072 imes10^{-2}$	0.385	0.711	0.792	0.849	0.934
fitted root mean square [1]	$1.118 imes 10^{-5}$	$2.444 imes 10^{-5}$	4.019×10^{-5}	$6.473 imes 10^{-5}$	$1.162 imes10^{-4}$	1.156×10^{-3}	$1.707 imes 10^{-3}$	$2.217 imes 10^{-3}$	$2.878 imes 10^{-3}$	4.519×10^{-3}
fitted root mean square crb [1]	$5.712 imes10^{-6}$	$1.336 imes10^{-5}$	2.309×10^{-5}	$3.608 imes10^{-5}$	$6.672 imes10^{-5}$	$1.081 imes 10^{-3}$	$1.617 imes10^{-3}$	$2.100 imes 10^{-3}$	$2.708 imes10^{-3}$	$4.051 imes 10^{-3}$
wavelength shift [nm]	-7.830×10^{-3}	$-1.193 imes 10^{-3}$	-1.864×10^{-4}	$3.714 imes10^{-4}$	$1.728 imes 10^{-3}$	$1.205 imes 10^{-2}$	$1.442 imes 10^{-2}$	$1.643 imes 10^{-2}$	1.909×10^{-2}	2.493×10^{-2}
cloud fraction apriori [1]	$2.980 imes10^{-2}$	$6.622 imes10^{-2}$	0.103	0.156	0.264	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.230	0.259	0.283	0.312	0.361	0.736	0.811	0.859	0.908	1.02
reflectance green ocra [1]	0.150	0.173	0.194	0.221	0.273	0.715	0.798	0.850	0.899	0.999
reflectance continuum aband [1]	2.986×10^{-2}	5.429×10^{-2}	9.050×10^{-2}	0.141	0.229	0.687	0.770	0.826	0.888	1.01

	1	C .1 1	· · · 1		.1 .1	1 1 1
India 4. Decomptorlist and	boolo statistics t	tor the enclus	and tor obc	arvotione 1	n tha nartharr	hamienhara
	- DASIC STATISTICS I	וטו וווכ מוומועצ	NIN TOT ODS			
ruore er i urunteternot und	casie statistics i	ior me analys		ver vereiens n	in the monthern	. mennopmere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.581 ± 0.364	12304726	0.660	0.700	0.0	1.000	0.240	0.900
cloud fraction [1]	0.644 ± 0.348	12304726	0.691	0.722	$6.225 imes 10^{-3}$	1.000	0.309	1.000
cloud top height [m]	$(0.361 \pm 0.266) \times 10^4$	12304726	3.688×10^3	$2.970 imes 10^3$	0.0	$2.000 imes 10^4$	1.473×10^{3}	5.162×10^{3}
cloud optical thickness [1]	17.9 ± 33.6	12304726	9.71	8.80	1.000	250	5.44	15.1
cloud fraction crb [1]	0.644 ± 0.348	12304726	0.691	0.722	$7.532 imes 10^{-3}$	1.000	0.309	1.000
cloud height crb [m]	$(0.267 \pm 0.234) \times 10^4$	12304726	3.348×10^3	2.087×10^3	0.0	$2.000 imes 10^4$	733	$4.082 imes 10^3$
cloud albedo crb [1]	0.587 ± 0.224	12304726	0.312	0.580	0.0	1.000	0.448	0.760
surface albedo fitted [1]	0.340 ± 0.333	12304726	0.653	0.216	0.0	1.000	$3.427 imes 10^{-2}$	0.688
surface albedo fitted crb [1]	0.337 ± 0.328	12304726	0.667	0.217	0.0	1.000	2.822×10^{-2}	0.696
fitted root mean square [1]	$(1.089 \pm 1.627) \times 10^{-3}$	12304726	$1.391 imes 10^{-3}$	$6.853 imes10^{-4}$	$1.425 imes 10^{-6}$	0.629	$2.018 imes10^{-4}$	$1.593 imes10^{-3}$
fitted root mean square crb [1]	$(9.696 \pm 14.636) \times 10^{-4}$	12304726	$1.365 imes 10^{-3}$	$6.015 imes10^{-4}$	$6.396 imes 10^{-7}$	1.08	$1.334 imes10^{-4}$	$1.498 imes10^{-3}$
wavelength shift [nm]	$(8.555 \pm 6.950) \times 10^{-3}$	12304726	1.009×10^{-2}	$8.509 imes10^{-3}$	$-5.263 imes 10^{-2}$	0.403	3.232×10^{-3}	$1.332 imes 10^{-2}$
cloud fraction apriori [1]	0.664 ± 0.350	12304726	0.672	0.779	0.0	1.000	0.328	1.000
reflectance blue ocra [1]	0.587 ± 0.230	12304726	0.417	0.595	0.138	1.89	0.370	0.786
reflectance green ocra [1]	0.545 ± 0.256	12304726	0.478	0.562	8.473×10^{-2}	1.88	0.294	0.772
reflectance continuum aband [1]	0.513 ± 0.271	12304726	0.452	0.530	1.306×10^{-2}	5.06	0.288	0.741

Table 4: Parameterlist and	basic statistics f	for the analys	sis for obser	vations in t	he southern	hemisphere
ruble it i urumetermot une	ouble blationes	for the analys	010 101 000001	rations in t	ne boathern.	nemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.625 ± 0.385	6232880	0.700	0.850	0.0	1.000	0.300	1.000
cloud fraction [1]	0.512 ± 0.336	6232880	0.648	0.468	$7.396 imes 10^{-3}$	1.000	0.198	0.846
cloud top height [m]	$(0.407 \pm 0.251) imes 10^4$	6232880	3.653×10^3	3.478×10^3	0.0	$2.000 imes 10^4$	2.006×10^3	5.659×10^{3}
cloud optical thickness [1]	27.2 ± 43.6	6232880	18.2	11.5	1.000	250	6.84	25.0
cloud fraction crb [1]	0.510 ± 0.336	6232880	0.646	0.464	$8.279 imes10^{-3}$	1.000	0.196	0.842
cloud height crb [m]	$(0.335 \pm 0.222) \times 10^4$	6232880	3.317×10^3	2.857×10^3	0.0	$1.911 imes 10^4$	1.507×10^3	4.824×10^3
cloud albedo crb [1]	0.571 ± 0.174	6232880	0.206	0.559	0.0	1.000	0.468	0.674
surface albedo fitted [1]	$(6.630 \pm 8.650) \times 10^{-2}$	6232880	$4.231 imes 10^{-2}$	$3.771 imes 10^{-2}$	0.0	1.000	$2.224 imes 10^{-2}$	$6.455 imes10^{-2}$
surface albedo fitted crb [1]	$(5.624 \pm 8.693) \times 10^{-2}$	6232880	$3.146 imes 10^{-2}$	$2.633 imes 10^{-2}$	0.0	1.000	$1.508 imes10^{-2}$	$4.654 imes10^{-2}$
fitted root mean square [1]	$(3.264 \pm 4.494) \times 10^{-4}$	6232880	$3.381 imes10^{-4}$	$1.651 imes 10^{-4}$	$1.010 imes10^{-6}$	3.255×10^{-2}	$5.958 imes10^{-5}$	$3.976 imes10^{-4}$
fitted root mean square crb [1]	$(2.885 \pm 4.433) \times 10^{-4}$	6232880	$3.160 imes 10^{-4}$	$1.005 imes 10^{-4}$	$1.065 imes10^{-6}$	2.835×10^{-2}	$3.578 imes10^{-5}$	$3.518 imes10^{-4}$
wavelength shift [nm]	$(4.811 \pm 6.249) \times 10^{-3}$	6232880	$7.700 imes 10^{-3}$	$3.380 imes 10^{-3}$	$-4.490 imes 10^{-2}$	$6.483 imes10^{-2}$	$5.374 imes10^{-4}$	$8.238 imes10^{-3}$
cloud fraction apriori [1]	0.511 ± 0.343	6232880	0.671	0.465	0.0	1.000	0.187	0.858
reflectance blue ocra [1]	0.496 ± 0.182	6232880	0.261	0.463	0.137	1.90	0.351	0.612
reflectance green ocra [1]	0.425 ± 0.207	6232880	0.316	0.387	8.463×10^{-2}	1.86	0.250	0.566
reflectance continuum aband [1]	0.354 ± 0.246	6232880	0.375	0.318	1.146×10^{-2}	6.83	0.144	0.519

Table 5: Parameterlist and	basic statistics for t	he analysis for o	bservations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.609 ± 0.367	12527769	0.610	0.750	0.0	1.000	0.300	0.910
cloud fraction [1]	0.569 ± 0.346	12527769	0.735	0.557	$6.225 imes 10^{-3}$	1.000	0.238	0.973
cloud top height [m]	$(0.364 \pm 0.263) \times 10^4$	12527769	3.610×10^{3}	2.950×10^3	0.0	2.000×10^4	1.557×10^{3}	$5.167 imes 10^3$
cloud optical thickness [1]	22.8 ± 39.3	12527769	13.1	10.3	1.000	250	6.55	19.7
cloud fraction crb [1]	0.567 ± 0.346	12527769	0.735	0.555	$8.511 imes 10^{-3}$	1.000	0.237	0.972
cloud height crb [m]	$(0.284 \pm 0.237) \times 10^4$	12527769	$3.284 imes 10^3$	2.241×10^{3}	0.0	2.000×10^4	944	$4.228 imes 10^3$
cloud albedo crb [1]	0.576 ± 0.193	12527769	0.251	0.558	0.0	1.000	0.455	0.706
surface albedo fitted [1]	0.167 ± 0.285	12527769	$5.108 imes10^{-2}$	$3.683 imes 10^{-2}$	0.0	1.000	$2.088 imes10^{-2}$	$7.196 imes10^{-2}$
surface albedo fitted crb [1]	0.158 ± 0.279	12527769	$3.997 imes10^{-2}$	$2.775 imes 10^{-2}$	0.0	1.000	$1.535 imes 10^{-2}$	$5.532 imes 10^{-2}$
fitted root mean square [1]	$(6.276 \pm 12.777) \times 10^{-4}$	12527769	$7.334 imes 10^{-4}$	2.549×10^{-4}	$1.010 imes10^{-6}$	0.629	8.350×10^{-5}	$8.169 imes10^{-4}$
fitted root mean square crb [1]	$(5.660 \pm 12.926) \times 10^{-4}$	12527769	$6.968 imes10^{-4}$	$1.933 imes10^{-4}$	$6.396 imes 10^{-7}$	1.08	$5.230 imes 10^{-5}$	$7.491 imes10^{-4}$
wavelength shift [nm]	$(6.741 \pm 6.943) \times 10^{-3}$	12527769	$1.002 imes 10^{-2}$	$5.816 imes10^{-3}$	$-4.719 imes10^{-2}$	0.403	$1.379 imes 10^{-3}$	$1.140 imes10^{-2}$
cloud fraction apriori [1]	0.578 ± 0.351	12527769	0.763	0.579	0.0	1.000	0.237	1.000
reflectance blue ocra [1]	0.545 ± 0.209	12527769	0.351	0.517	0.160	1.89	0.362	0.713
reflectance green ocra [1]	0.487 ± 0.239	12527769	0.421	0.461	$8.996 imes 10^{-2}$	1.88	0.266	0.687
reflectance continuum aband [1]	0.417 ± 0.276	12527769	0.493	0.397	1.306×10^{-2}	6.83	0.157	0.650

	Table 6: Parar	neterlist and	basic statistics for	or the analysis for	r observations over	land		
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.621 ± 0.367	3644222	0.590	0.750	0.0	1.000	0.330	0.920
cloud fraction [1]	0.627 ± 0.357	3644222	0.726	0.695	$6.851 imes 10^{-3}$	1.000	0.274	1.000
cloud top height [m]	$(0.430 \pm 0.264) \times 10^4$	3644222	3.663×10^{3}	3.805×10^{3}	0.0	2.000×10^4	2.249×10^{3}	5.912×10^{3}
cloud optical thickness [1]	16.1 ± 29.0	3644222	9.07	7.99	1.000	250	5.01	14.1
cloud fraction crb [1]	0.627 ± 0.357	3644222	0.726	0.695	7.532×10^{-3}	1.000	0.274	1.000
cloud height crb [m]	$(0.328 \pm 0.225) \times 10^4$	3644222	3.284×10^{3}	2.780×10^{3}	0.0	2.000×10^4	1.484×10^{3}	4.768×10^{3}
cloud albedo crb [1]	0.593 ± 0.231	3644222	0.303	0.593	0.0	1.000	0.461	0.764
surface albedo fitted [1]	0.391 ± 0.254	3644222	0.255	0.288	1.081×10^{-3}	1.000	0.220	0.475
surface albedo fitted crb [1]	0.392 ± 0.248	3644222	0.295	0.290	3.936×10^{-3}	1.000	0.217	0.512
fitted root mean square [1]	$(1.279 \pm 1.464) \times 10^{-3}$	3644222	$1.395 imes 10^{-3}$	$8.851 imes10^{-4}$	$2.365 imes10^{-6}$	0.253	$4.186 imes10^{-4}$	$1.814 imes10^{-3}$
fitted root mean square crb [1]	$(1.161 \pm 1.098) \times 10^{-3}$	3644222	$1.335 imes 10^{-3}$	$8.456 imes 10^{-4}$	$9.214 imes10^{-7}$	$5.058 imes 10^{-2}$	$3.663 imes 10^{-4}$	$1.701 imes 10^{-3}$
wavelength shift [nm]	$(8.486 \pm 6.648) \times 10^{-3}$	3644222	$9.517 imes 10^{-3}$	$8.328 imes 10^{-3}$	$-3.316 imes 10^{-2}$	5.659×10^{-2}	3.490×10^{-3}	$1.301 imes 10^{-2}$
cloud fraction apriori [1]	0.646 ± 0.363	3644222	0.723	0.758	0.0	1.000	0.277	1.000
reflectance blue ocra [1]	0.547 ± 0.241	3644222	0.423	0.511	0.137	1.90	0.328	0.751
reflectance green ocra [1]	0.506 ± 0.264	3644222	0.477	0.466	$8.463 imes 10^{-2}$	1.85	0.259	0.736
reflectance continuum aband [1]	0.531 ± 0.241	3644222	0.403	0.483	1.146×10^{-2}	5.06	0.328	0.731

Granule outlines



Figure 1: Outline of the granules.

4 Input data monitoring



Figure 2: Input data per granule

5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 4: Map of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24





Figure 5: Map of "Cloud top height" for 2025-05-24 to 2025-05-24



Figure 6: Map of "Cloud optical thickness" for 2025-05-24 to 2025-05-24

2025-05-24



Figure 7: Map of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24





Figure 8: Map of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24





Figure 9: Map of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24





Figure 10: Map of "Fitted surface albedo" for 2025-05-24 to 2025-05-24





Figure 11: Map of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24





Figure 12: Map of "RMS" for 2025-05-24 to 2025-05-24





Figure 13: Map of "RMS (CRB)" for 2025-05-24 to 2025-05-24





Figure 14: Map of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24

2025-05-24



Figure 15: Map of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24





Figure 16: Map of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24





Figure 17: Map of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24





Figure 18: Map of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24



Figure 19: Map of the number of observations for 2025-05-24 to 2025-05-24

7 Zonal average



Figure 20: Zonal average of "QA value" for 2025-05-24 to 2025-05-24.



Figure 21: Zonal average of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24.



Figure 22: Zonal average of "Cloud top height" for 2025-05-24 to 2025-05-24.



Figure 23: Zonal average of "Cloud optical thickness" for 2025-05-24 to 2025-05-24.



Figure 24: Zonal average of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24.



Figure 25: Zonal average of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24.



Figure 26: Zonal average of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24.



Figure 27: Zonal average of "Fitted surface albedo" for 2025-05-24 to 2025-05-24.



Figure 28: Zonal average of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24.



Figure 29: Zonal average of "RMS" for 2025-05-24 to 2025-05-24.


Figure 30: Zonal average of "RMS (CRB)" for 2025-05-24 to 2025-05-24.



Figure 31: Zonal average of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24.



Figure 32: Zonal average of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24.



Figure 33: Zonal average of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24.



Figure 34: Zonal average of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24.



Figure 35: Zonal average of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 36: Histogram of "QA value" for 2025-05-24 to 2025-05-24



Figure 37: Histogram of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24



Figure 38: Histogram of "Cloud top height" for 2025-05-24 to 2025-05-24



Figure 39: Histogram of "Cloud optical thickness" for 2025-05-24 to 2025-05-24



Figure 40: Histogram of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24



Figure 41: Histogram of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24



Figure 42: Histogram of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24



Figure 43: Histogram of "Fitted surface albedo" for 2025-05-24 to 2025-05-24



Figure 44: Histogram of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24



Figure 45: Histogram of "RMS" for 2025-05-24 to 2025-05-24



Figure 46: Histogram of "RMS (CRB)" for 2025-05-24 to 2025-05-24



Figure 47: Histogram of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24



Figure 48: Histogram of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24



Figure 49: Histogram of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24



Figure 50: Histogram of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24



Figure 51: Histogram of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 52: Along track statistics of "QA value" for 2025-05-24 to 2025-05-24



Figure 53: Along track statistics of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24



Figure 54: Along track statistics of "Cloud top height" for 2025-05-24 to 2025-05-24



Figure 55: Along track statistics of "Cloud optical thickness" for 2025-05-24 to 2025-05-24



Figure 56: Along track statistics of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24



Figure 57: Along track statistics of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24



Figure 58: Along track statistics of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24



Figure 59: Along track statistics of "Fitted surface albedo" for 2025-05-24 to 2025-05-24



Figure 60: Along track statistics of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24



Figure 61: Along track statistics of "RMS" for 2025-05-24 to 2025-05-24



Figure 62: Along track statistics of "RMS (CRB)" for 2025-05-24 to 2025-05-24



Figure 63: Along track statistics of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24



Figure 64: Along track statistics of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24



Figure 65: Along track statistics of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24


Figure 66: Along track statistics of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24



Figure 67: Along track statistics of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
	1.1 The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of 'PyCAMA'	75

List of Figures

1	Outline of the granules	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24	11
5	Map of "Cloud top height" for 2025-05-24 to 2025-05-24	12
6	Map of "Cloud optical thickness" for 2025-05-24 to 2025-05-24	13
7	Map of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24	14
8	Map of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24	15
9	Map of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24	16
10	Map of "Fitted surface albedo" for 2025-05-24 to 2025-05-24	17
11	Map of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24	18
12	Map of "RMS" for 2025-05-24 to 2025-05-24	19
13	Map of "RMS (CRB)" for 2025-05-24 to 2025-05-24	20
14	Map of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24	21
15	Map of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24	22
16	Map of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24	23
17	Map of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24	24
18	Map of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24	25
19	Map of the number of observations for 2025-05-24 to 2025-05-24	26
20	Zonal average of "QA value" for 2025-05-24 to 2025-05-24	27
21	Zonal average of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24	28
22	Zonal average of "Cloud top height" for 2025-05-24 to 2025-05-24.	29
23	Zonal average of "Cloud optical thickness" for 2025-05-24 to 2025-05-24	30
24	Zonal average of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24	31
25	Zonal average of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24.	32
26	Zonal average of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24.	33
27	Zonal average of "Fitted surface albedo" for 2025-05-24 to 2025-05-24.	34
28	Zonal average of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24.	35
29	Zonal average of "RMS" for 2025-05-24 to 2025-05-24.	36

30	Zonal average of "RMS (CRB)" for 2025-05-24 to 2025-05-24	37
31	Zonal average of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24	38
32	Zonal average of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24.	39
33	Zonal average of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24	40
34	Zonal average of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24.	41
35	Zonal average of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24.	42
36	Histogram of "QA value" for 2025-05-24 to 2025-05-24	43
37	Histogram of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24	44
38	Histogram of "Cloud top height" for 2025-05-24 to 2025-05-24	45
39	Histogram of "Cloud optical thickness" for 2025-05-24 to 2025-05-24	46
40	Histogram of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24	47
41	Histogram of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24	48
42	Histogram of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24	49
43	Histogram of "Fitted surface albedo" for 2025-05-24 to 2025-05-24	50
44	Histogram of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24	51
45	Histogram of "RMS" for 2025-05-24 to 2025-05-24	52
46	Histogram of "RMS (CRB)" for 2025-05-24 to 2025-05-24	53
47	Histogram of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24	54
48	Histogram of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24	55
49	Histogram of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24	56
50	Histogram of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24	57
51	Histogram of "ROCINN "red" reflectance" for 2025-05-24 to 2025-05-24	58
52	Along track statistics of "QA value" for 2025-05-24 to 2025-05-24	59
53	Along track statistics of "Radiometric cloud fraction" for 2025-05-24 to 2025-05-24	60
54	Along track statistics of "Cloud top height" for 2025-05-24 to 2025-05-24	61
55	Along track statistics of "Cloud optical thickness" for 2025-05-24 to 2025-05-24	62
56	Along track statistics of "Cloud fraction (CRB)" for 2025-05-24 to 2025-05-24	63
57	Along track statistics of "Cloud height (CRB)" for 2025-05-24 to 2025-05-24	64
58	Along track statistics of "Cloud albedo (CRB)" for 2025-05-24 to 2025-05-24	65
59	Along track statistics of "Fitted surface albedo" for 2025-05-24 to 2025-05-24	66
60	Along track statistics of "Fitted surface albedo (CRB)" for 2025-05-24 to 2025-05-24	67
61	Along track statistics of "RMS" for 2025-05-24 to 2025-05-24	68
62	Along track statistics of "RMS (CRB)" for 2025-05-24 to 2025-05-24	69
63	Along track statistics of "Fitting wavelength shift" for 2025-05-24 to 2025-05-24	70
64	Along track statistics of "OCRA cloud fraction" for 2025-05-24 to 2025-05-24	71
65	Along track statistics of "OCRA "blue" reflectance" for 2025-05-24 to 2025-05-24	72
66	Along track statistics of "OCRA "green" reflectance" for 2025-05-24 to 2025-05-24	73
67	Along track statistics of "ROCINN" "red" reflectance" for 2025-05-24 to 2025-05-24	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of 'PyCAMA'

Copyright © 2005-2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).