

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-08-06 (02:45)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.649 ± 0.367	18841907	0.995	0.580	0.810	0.0	1.000
cloud fraction [1]	0.607 ± 0.345	18841907	0.995	0.719	0.636	6.484×10^{-3}	1.000
cloud top height [m]	$(0.381 \pm 0.264) \times 10^4$	18841907	1.425×10^3	3.644×10^3	3.221×10^3	0.0	2.000×10^4
cloud optical thickness [1]	24.1 ± 40.7	18841907	9.77	14.5	10.9	1.000	250
cloud fraction crb [1]	0.605 ± 0.345	18841907	0.995	0.720	0.633	7.601×10^{-3}	1.000
cloud height crb [m]	$(0.305 \pm 0.229) \times 10^4$	18841907	975	3.306×10^3	2.551×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.567 ± 0.193	18841907	0.505	0.229	0.555	0.0	1.000
surface albedo fitted [1]	0.158 ± 0.199	18841907	2.500×10^{-2}	0.218	5.077×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.151 ± 0.196	18841907	1.500×10^{-2}	0.223	3.958×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.542 \pm 9.095) \times 10^{-4}$	18841907	5.000×10^{-5}	7.505×10^{-4}	3.234×10^{-4}	8.381×10^{-7}	0.486
fitted root mean square crb [1]	$(5.968 \pm 8.321) \times 10^{-4}$	18841907	5.000×10^{-5}	7.282×10^{-4}	2.598×10^{-4}	9.460×10^{-7}	0.318
wavelength shift [nm]	$(7.197 \pm 6.658) \times 10^{-3}$	18841907	-3.000×10^{-4}	9.426×10^{-3}	6.617×10^{-3}	-5.138×10^{-2}	6.868×10^{-2}
cloud fraction apriori [1]	0.609 ± 0.350	18841907	0.995	0.726	0.643	0.0	1.000
reflectance blue ocra [1]	0.525 ± 0.200	18841907	0.265	0.315	0.504	0.142	1.89
reflectance green ocra [1]	0.471 ± 0.225	18841907	0.185	0.373	0.452	7.725×10^{-2}	1.96
reflectance continuum aband [1]	0.430 ± 0.255	18841907	3.500×10^{-2}	0.382	0.415	1.169×10^{-2}	7.41

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	7.000×10^{-2}	0.370	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	2.676×10^{-2}	7.024×10^{-2}	0.111	0.168	0.279	0.998	1.000	1.000	1.000	1.000
cloud top height [m]	162	642	998	1.296×10^3	1.707×10^3	5.351×10^3	6.551×10^3	7.631×10^3	8.956×10^3	1.126×10^4
cloud optical thickness [1]	1.07	3.07	4.24	5.25	6.79	21.3	33.6	51.2	92.6	250
cloud fraction crb [1]	2.616×10^{-2}	6.915×10^{-2}	0.110	0.167	0.278	0.998	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	242	539	813	1.173×10^3	4.479×10^3	5.513×10^3	6.406×10^3	7.482×10^3	9.274×10^3
cloud albedo crb [1]	5.728×10^{-2}	0.234	0.338	0.404	0.456	0.686	0.761	0.827	0.910	1.000
surface albedo fitted [1]	0.0	8.351×10^{-3}	1.308×10^{-2}	1.759×10^{-2}	2.435×10^{-2}	0.243	0.324	0.445	0.590	0.906
surface albedo fitted crb [1]	1.440×10^{-4}	6.096×10^{-3}	9.285×10^{-3}	1.255×10^{-2}	1.745×10^{-2}	0.241	0.326	0.441	0.567	0.858
fitted root mean square [1]	1.181×10^{-5}	2.557×10^{-5}	4.188×10^{-5}	6.448×10^{-5}	1.085×10^{-4}	8.591×10^{-4}	1.284×10^{-3}	1.741×10^{-3}	2.398×10^{-3}	3.820×10^{-3}
fitted root mean square crb [1]	6.129×10^{-6}	1.510×10^{-5}	2.644×10^{-5}	4.062×10^{-5}	7.102×10^{-5}	7.992×10^{-4}	1.231×10^{-3}	1.677×10^{-3}	2.318×10^{-3}	3.620×10^{-3}
wavelength shift [nm]	-7.373×10^{-3}	-9.544×10^{-4}	-1.290×10^{-4}	6.057×10^{-4}	2.075×10^{-3}	1.150×10^{-2}	1.384×10^{-2}	1.589×10^{-2}	1.864×10^{-2}	2.483×10^{-2}
cloud fraction apriori [1]	2.887×10^{-2}	6.628×10^{-2}	0.104	0.160	0.274	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.231	0.257	0.280	0.308	0.354	0.669	0.741	0.797	0.867	1.02
reflectance green ocra [1]	0.150	0.172	0.192	0.217	0.267	0.640	0.719	0.779	0.856	0.998
reflectance continuum aband [1]	2.988×10^{-2}	5.599×10^{-2}	9.250×10^{-2}	0.141	0.230	0.612	0.700	0.774	0.860	1.01

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.630 ± 0.363	11977411	0.600	0.800	0.0	1.000	0.320	0.920
cloud fraction [1]	0.626 ± 0.351	11977411	0.711	0.680	8.060×10^{-3}	1.000	0.289	1.000
cloud top height [m]	$(0.379 \pm 0.255) \times 10^4$	11977411	3.542×10^3	3.409×10^3	0.0	2.000×10^4	1.765×10^3	5.307×10^3
cloud optical thickness [1]	21.2 ± 37.2	11977411	12.3	10.1	1.000	250	6.21	18.5
cloud fraction crb [1]	0.625 ± 0.351	11977411	0.712	0.678	8.236×10^{-3}	1.000	0.288	1.000
cloud height crb [m]	$(0.303 \pm 0.222) \times 10^4$	11977411	3.202×10^3	2.704×10^3	0.0	2.000×10^4	1.208×10^3	4.410×10^3
cloud albedo crb [1]	0.554 ± 0.204	11977411	0.251	0.546	0.0	1.000	0.435	0.687
surface albedo fitted [1]	0.195 ± 0.211	11977411	0.262	0.138	0.0	1.000	2.665×10^{-2}	0.289
surface albedo fitted crb [1]	0.190 ± 0.207	11977411	0.269	0.137	0.0	1.000	2.076×10^{-2}	0.290
fitted root mean square [1]	$(7.798 \pm 10.215) \times 10^{-4}$	11977411	9.580×10^{-4}	4.352×10^{-4}	1.465×10^{-6}	0.486	1.213×10^{-4}	1.079×10^{-3}
fitted root mean square crb [1]	$(7.286 \pm 9.332) \times 10^{-4}$	11977411	9.573×10^{-4}	3.739×10^{-4}	9.460×10^{-7}	0.318	8.858×10^{-5}	1.046×10^{-3}
wavelength shift [nm]	$(7.592 \pm 6.643) \times 10^{-3}$	11977411	9.563×10^{-3}	7.237×10^{-3}	-5.138×10^{-2}	6.868×10^{-2}	2.424×10^{-3}	1.199×10^{-2}
cloud fraction apriori [1]	0.631 ± 0.355	11977411	0.711	0.691	0.0	1.000	0.289	1.000
reflectance blue ocra [1]	0.526 ± 0.204	11977411	0.337	0.510	0.142	1.82	0.344	0.681
reflectance green ocra [1]	0.476 ± 0.229	11977411	0.395	0.462	7.855×10^{-2}	1.96	0.262	0.657
reflectance continuum aband [1]	0.447 ± 0.256	11977411	0.381	0.434	1.169×10^{-2}	7.41	0.250	0.632

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.680 ± 0.371	6864496	0.600	0.900	0.0	1.000	0.400	1.000
cloud fraction [1]	0.572 ± 0.331	6864496	0.647	0.580	6.484×10^{-3}	1.000	0.265	0.912
cloud top height [m]	$(0.384 \pm 0.280) \times 10^4$	6864496	3.819×10^3	2.882×10^3	0.0	2.000×10^4	1.653×10^3	5.471×10^3
cloud optical thickness [1]	29.2 ± 45.6	6864496	19.0	12.7	1.000	250	7.89	26.9
cloud fraction crb [1]	0.570 ± 0.331	6864496	0.646	0.576	7.601×10^{-3}	1.000	0.262	0.908
cloud height crb [m]	$(0.308 \pm 0.240) \times 10^4$	6864496	3.523×10^3	2.235×10^3	0.0	2.000×10^4	1.141×10^3	4.664×10^3
cloud albedo crb [1]	0.589 ± 0.170	6864496	0.199	0.567	0.0	1.000	0.485	0.684
surface albedo fitted [1]	$(9.415 \pm 15.850) \times 10^{-2}$	6864496	3.884×10^{-2}	3.587×10^{-2}	0.0	1.000	2.244×10^{-2}	6.129×10^{-2}
surface albedo fitted crb [1]	$(8.332 \pm 15.266) \times 10^{-2}$	6864496	3.252×10^{-2}	2.505×10^{-2}	0.0	1.000	1.508×10^{-2}	4.761×10^{-2}
fitted root mean square [1]	$(4.351 \pm 6.119) \times 10^{-4}$	6864496	4.183×10^{-4}	2.220×10^{-4}	8.381×10^{-7}	0.126	9.560×10^{-5}	5.139×10^{-4}
fitted root mean square crb [1]	$(3.668 \pm 5.455) \times 10^{-4}$	6864496	3.763×10^{-4}	1.555×10^{-4}	1.128×10^{-6}	4.476×10^{-2}	5.730×10^{-5}	4.336×10^{-4}
wavelength shift [nm]	$(6.509 \pm 6.628) \times 10^{-3}$	6864496	8.818×10^{-3}	5.564×10^{-3}	-4.161×10^{-2}	5.849×10^{-2}	1.672×10^{-3}	1.049×10^{-2}
cloud fraction apriori [1]	0.571 ± 0.338	6864496	0.675	0.580	0.0	1.000	0.253	0.929
reflectance blue oca [1]	0.523 ± 0.193	6864496	0.276	0.497	0.142	1.89	0.369	0.645
reflectance green oca [1]	0.462 ± 0.218	6864496	0.334	0.438	7.725×10^{-2}	1.86	0.276	0.610
reflectance continuum aband [1]	0.401 ± 0.250	6864496	0.380	0.384	1.238×10^{-2}	3.41	0.194	0.575

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.645 ± 0.365	13302993	0.590	0.800	0.0	1.000	0.360	0.950
cloud fraction [1]	0.585 ± 0.340	13302993	0.704	0.597	6.484×10^{-3}	1.000	0.264	0.968
cloud top height [m]	$(0.373 \pm 0.269) \times 10^4$	13302993	3.627×10^3	3.023×10^3	0.0	2.000×10^4	1.613×10^3	5.240×10^3
cloud optical thickness [1]	26.1 ± 43.2	13302993	15.3	11.6	1.000	250	7.44	22.7
cloud fraction crb [1]	0.584 ± 0.340	13302993	0.704	0.593	8.484×10^{-3}	1.000	0.262	0.966
cloud height crb [m]	$(0.298 \pm 0.235) \times 10^4$	13302993	3.305×10^3	2.387×10^3	0.0	1.841×10^4	1.083×10^3	4.388×10^3
cloud albedo crb [1]	0.559 ± 0.186	13302993	0.215	0.545	0.0	1.000	0.453	0.668
surface albedo fitted [1]	0.104 ± 0.176	13302993	4.032×10^{-2}	3.322×10^{-2}	0.0	1.000	1.910×10^{-2}	5.942×10^{-2}
surface albedo fitted crb [1]	$(9.578 \pm 17.183) \times 10^{-2}$	13302993	3.377×10^{-2}	2.424×10^{-2}	0.0	1.000	1.361×10^{-2}	4.738×10^{-2}
fitted root mean square [1]	$(5.053 \pm 7.942) \times 10^{-4}$	13302993	5.209×10^{-4}	2.289×10^{-4}	8.381×10^{-7}	0.486	8.548×10^{-5}	6.064×10^{-4}
fitted root mean square crb [1]	$(4.433 \pm 7.105) \times 10^{-4}$	13302993	4.532×10^{-4}	1.732×10^{-4}	9.460×10^{-7}	0.318	5.851×10^{-5}	5.118×10^{-4}
wavelength shift [nm]	$(6.804 \pm 6.655) \times 10^{-3}$	13302993	9.151×10^{-3}	5.997×10^{-3}	-4.259×10^{-2}	6.868×10^{-2}	1.816×10^{-3}	1.097×10^{-2}
cloud fraction apriori [1]	0.586 ± 0.345	13302993	0.741	0.599	0.0	1.000	0.259	1.000
reflectance blue oca [1]	0.520 ± 0.190	13302993	0.297	0.504	0.160	1.87	0.359	0.656
reflectance green oca [1]	0.463 ± 0.216	13302993	0.358	0.450	8.875×10^{-2}	1.96	0.267	0.625
reflectance continuum aband [1]	0.394 ± 0.253	13302993	0.416	0.384	1.169×10^{-2}	7.41	0.166	0.582

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.677 ± 0.353	3391199	0.460	0.840	0.0	1.000	0.490	0.950
cloud fraction [1]	0.631 ± 0.354	3391199	0.711	0.695	8.210×10^{-3}	1.000	0.289	1.000
cloud top height [m]	$(0.425 \pm 0.259) \times 10^4$	3391199	3.558×10^3	3.873×10^3	0.0	2.000×10^4	2.248×10^3	5.805×10^3
cloud optical thickness [1]	17.8 ± 30.0	3391199	11.0	9.00	1.000	250	5.63	16.7
cloud fraction crb [1]	0.630 ± 0.355	3391199	0.712	0.695	8.236×10^{-3}	1.000	0.288	1.000
cloud height crb [m]	$(0.331 \pm 0.217) \times 10^4$	3391199	3.179×10^3	2.889×10^3	0.0	2.000×10^4	1.586×10^3	4.765×10^3
cloud albedo crb [1]	0.606 ± 0.209	3391199	0.271	0.600	0.0	1.000	0.486	0.757
surface albedo fitted [1]	0.342 ± 0.215	3391199	0.126	0.269	0.0	1.000	0.219	0.346
surface albedo fitted crb [1]	0.337 ± 0.207	3391199	0.128	0.266	1.747×10^{-3}	1.000	0.216	0.345
fitted root mean square [1]	$(1.178 \pm 1.103) \times 10^{-3}$	3391199	1.215×10^{-3}	8.807×10^{-4}	2.681×10^{-6}	0.203	4.255×10^{-4}	1.640×10^{-3}
fitted root mean square crb [1]	$(1.130 \pm 1.019) \times 10^{-3}$	3391199	1.219×10^{-3}	8.647×10^{-4}	1.345×10^{-6}	3.797×10^{-2}	3.854×10^{-4}	1.604×10^{-3}
wavelength shift [nm]	$(8.507 \pm 6.371) \times 10^{-3}$	3391199	8.671×10^{-3}	8.455×10^{-3}	-3.420×10^{-2}	5.083×10^{-2}	4.028×10^{-3}	1.270×10^{-2}
cloud fraction apriori [1]	0.640 ± 0.361	3391199	0.714	0.728	0.0	1.000	0.286	1.000
reflectance blue ocra [1]	0.541 ± 0.236	3391199	0.406	0.500	0.142	1.89	0.330	0.736
reflectance green ocra [1]	0.499 ± 0.260	3391199	0.461	0.456	7.725×10^{-2}	1.92	0.259	0.719
reflectance continuum aband [1]	0.537 ± 0.236	3391199	0.385	0.495	1.740×10^{-2}	4.88	0.339	0.725

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05




Figure 5: Map of “Cloud top height” for 2025-08-04 to 2025-08-05




Figure 6: Map of “Cloud optical thickness” for 2025-08-04 to 2025-08-05




Figure 7: Map of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05




Figure 8: Map of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05




Figure 9: Map of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05




Figure 10: Map of “Fitted surface albedo” for 2025-08-04 to 2025-08-05




Figure 11: Map of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05




Figure 12: Map of “RMS” for 2025-08-04 to 2025-08-05




Figure 13: Map of “RMS (CRB)” for 2025-08-04 to 2025-08-05




Figure 14: Map of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05





Figure 15: Map of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05






Figure 17: Map of "OCRA "green" reflectance" for 2025-08-04 to 2025-08-05




Figure 18: Map of "ROCINN "red" reflectance" for 2025-08-04 to 2025-08-05




Figure 19: Map of the number of observations for 2025-08-04 to 2025-08-05

7 Zonal average




Figure 20: Zonal average of “QA value” for 2025-08-04 to 2025-08-05.




Figure 21: Zonal average of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05.




Figure 22: Zonal average of “Cloud top height” for 2025-08-04 to 2025-08-05.




Figure 23: Zonal average of “Cloud optical thickness” for 2025-08-04 to 2025-08-05.




Figure 24: Zonal average of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05.




Figure 25: Zonal average of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05.




Figure 26: Zonal average of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05.




Figure 27: Zonal average of “Fitted surface albedo” for 2025-08-04 to 2025-08-05.




Figure 28: Zonal average of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05.




Figure 29: Zonal average of “RMS” for 2025-08-04 to 2025-08-05.




Figure 30: Zonal average of “RMS (CRB)” for 2025-08-04 to 2025-08-05.




Figure 31: Zonal average of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05.




Figure 32: Zonal average of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05.




Figure 33: Zonal average of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05.




Figure 34: Zonal average of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05.




Figure 35: Zonal average of “ROCINN “red” reflectance” for 2025-08-04 to 2025-08-05.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 36: Histogram of “QA value” for 2025-08-04 to 2025-08-05




Figure 37: Histogram of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05




Figure 38: Histogram of “Cloud top height” for 2025-08-04 to 2025-08-05




Figure 39: Histogram of “Cloud optical thickness” for 2025-08-04 to 2025-08-05




Figure 40: Histogram of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05




Figure 41: Histogram of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05




Figure 42: Histogram of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05




Figure 43: Histogram of “Fitted surface albedo” for 2025-08-04 to 2025-08-05




Figure 44: Histogram of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05




Figure 45: Histogram of “RMS” for 2025-08-04 to 2025-08-05




Figure 46: Histogram of “RMS (CRB)” for 2025-08-04 to 2025-08-05




Figure 47: Histogram of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05




Figure 48: Histogram of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05




Figure 49: Histogram of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05




Figure 50: Histogram of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05




Figure 51: Histogram of “ROCINN “red” reflectance” for 2025-08-04 to 2025-08-05

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 52: Along track statistics of “QA value” for 2025-08-04 to 2025-08-05




Figure 53: Along track statistics of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05




Figure 54: Along track statistics of “Cloud top height” for 2025-08-04 to 2025-08-05




Figure 55: Along track statistics of “Cloud optical thickness” for 2025-08-04 to 2025-08-05




Figure 56: Along track statistics of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05




Figure 57: Along track statistics of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05




Figure 58: Along track statistics of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05




Figure 59: Along track statistics of “Fitted surface albedo” for 2025-08-04 to 2025-08-05




Figure 60: Along track statistics of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05




Figure 61: Along track statistics of “RMS” for 2025-08-04 to 2025-08-05




Figure 62: Along track statistics of “RMS (CRB)” for 2025-08-04 to 2025-08-05




Figure 63: Along track statistics of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05




Figure 64: Along track statistics of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05




Figure 65: Along track statistics of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05




Figure 66: Along track statistics of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05




Figure 67: Along track statistics of "ROCINN "red" reflectance" for 2025-08-04 to 2025-08-05

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of ‘PyCAMA’	75

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05	11
5	Map of “Cloud top height” for 2025-08-04 to 2025-08-05	12
6	Map of “Cloud optical thickness” for 2025-08-04 to 2025-08-05	13
7	Map of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05	14
8	Map of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05	15
9	Map of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05	16
10	Map of “Fitted surface albedo” for 2025-08-04 to 2025-08-05	17
11	Map of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05	18
12	Map of “RMS” for 2025-08-04 to 2025-08-05	19
13	Map of “RMS (CRB)” for 2025-08-04 to 2025-08-05	20
14	Map of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05	21
15	Map of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05	22
16	Map of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05	23
17	Map of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05	24
18	Map of “ROCINN “red” reflectance” for 2025-08-04 to 2025-08-05	25
19	Map of the number of observations for 2025-08-04 to 2025-08-05	26
20	Zonal average of “QA value” for 2025-08-04 to 2025-08-05.	27
21	Zonal average of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05.	28
22	Zonal average of “Cloud top height” for 2025-08-04 to 2025-08-05.	29
23	Zonal average of “Cloud optical thickness” for 2025-08-04 to 2025-08-05.	30
24	Zonal average of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05.	31
25	Zonal average of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05.	32
26	Zonal average of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05.	33
27	Zonal average of “Fitted surface albedo” for 2025-08-04 to 2025-08-05.	34
28	Zonal average of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05.	35
29	Zonal average of “RMS” for 2025-08-04 to 2025-08-05.	36

30	Zonal average of “RMS (CRB)” for 2025-08-04 to 2025-08-05.	37
31	Zonal average of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05.	38
32	Zonal average of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05.	39
33	Zonal average of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05.	40
34	Zonal average of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05.	41
35	Zonal average of “ROCINN “red” reflectance” for 2025-08-04 to 2025-08-05.	42
36	Histogram of “QA value” for 2025-08-04 to 2025-08-05	43
37	Histogram of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05	44
38	Histogram of “Cloud top height” for 2025-08-04 to 2025-08-05	45
39	Histogram of “Cloud optical thickness” for 2025-08-04 to 2025-08-05	46
40	Histogram of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05	47
41	Histogram of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05	48
42	Histogram of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05	49
43	Histogram of “Fitted surface albedo” for 2025-08-04 to 2025-08-05	50
44	Histogram of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05	51
45	Histogram of “RMS” for 2025-08-04 to 2025-08-05	52
46	Histogram of “RMS (CRB)” for 2025-08-04 to 2025-08-05	53
47	Histogram of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05	54
48	Histogram of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05	55
49	Histogram of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05	56
50	Histogram of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05	57
51	Histogram of “ROCINN “red” reflectance” for 2025-08-04 to 2025-08-05	58
52	Along track statistics of “QA value” for 2025-08-04 to 2025-08-05	59
53	Along track statistics of “Radiometric cloud fraction” for 2025-08-04 to 2025-08-05	60
54	Along track statistics of “Cloud top height” for 2025-08-04 to 2025-08-05	61
55	Along track statistics of “Cloud optical thickness” for 2025-08-04 to 2025-08-05	62
56	Along track statistics of “Cloud fraction (CRB)” for 2025-08-04 to 2025-08-05	63
57	Along track statistics of “Cloud height (CRB)” for 2025-08-04 to 2025-08-05	64
58	Along track statistics of “Cloud albedo (CRB)” for 2025-08-04 to 2025-08-05	65
59	Along track statistics of “Fitted surface albedo” for 2025-08-04 to 2025-08-05	66
60	Along track statistics of “Fitted surface albedo (CRB)” for 2025-08-04 to 2025-08-05	67
61	Along track statistics of “RMS” for 2025-08-04 to 2025-08-05	68
62	Along track statistics of “RMS (CRB)” for 2025-08-04 to 2025-08-05	69
63	Along track statistics of “Fitting wavelength shift” for 2025-08-04 to 2025-08-05	70
64	Along track statistics of “OCRA cloud fraction” for 2025-08-04 to 2025-08-05	71
65	Along track statistics of “OCRA “blue” reflectance” for 2025-08-04 to 2025-08-05	72
66	Along track statistics of “OCRA “green” reflectance” for 2025-08-04 to 2025-08-05	73
67	Along track statistics of “ROCINN “red” reflectance” for 2025-08-04 to 2025-08-05	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).