

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-08-11 (02:45)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.630 ± 0.372	18702628	0.995	0.650	0.800	0.0	1.000
cloud fraction [1]	0.581 ± 0.345	18702628	0.995	0.727	0.583	9.491×10^{-4}	1.000
cloud top height [m]	$(0.379 \pm 0.264) \times 10^4$	18702628	1.425×10^3	3.515×10^3	3.233×10^3	0.0	2.000×10^4
cloud optical thickness [1]	20.8 ± 35.7	18702628	9.77	11.8	10.2	1.000	250
cloud fraction crb [1]	0.580 ± 0.345	18702628	0.995	0.728	0.581	1.232×10^{-3}	1.000
cloud height crb [m]	$(0.300 \pm 0.226) \times 10^4$	18702628	75.0	3.103×10^3	2.539×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.557 ± 0.191	18702628	0.505	0.220	0.547	0.0	1.000
surface albedo fitted [1]	0.164 ± 0.207	18702628	2.500×10^{-2}	0.222	5.190×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.156 ± 0.205	18702628	1.500×10^{-2}	0.226	3.915×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.368 \pm 30.923) \times 10^{-4}$	18702628	5.000×10^{-5}	7.188×10^{-4}	2.950×10^{-4}	1.011×10^{-6}	1.49
fitted root mean square crb [1]	$(5.844 \pm 43.700) \times 10^{-4}$	18702628	5.000×10^{-5}	6.875×10^{-4}	2.308×10^{-4}	9.223×10^{-7}	4.61
wavelength shift [nm]	$(7.068 \pm 6.786) \times 10^{-3}$	18702628	-3.000×10^{-4}	9.467×10^{-3}	6.375×10^{-3}	-0.352	0.779
cloud fraction apriori [1]	0.583 ± 0.351	18702628	0.995	0.755	0.589	0.0	1.000
reflectance blue ocra [1]	0.515 ± 0.199	18702628	0.285	0.305	0.488	0.134	1.92
reflectance green ocra [1]	0.457 ± 0.223	18702628	0.185	0.364	0.429	7.916×10^{-2}	1.95
reflectance continuum aband [1]	0.411 ± 0.252	18702628	4.500×10^{-2}	0.383	0.393	9.503×10^{-3}	5.58

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	5.000×10^{-2}	0.300	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	2.607×10^{-2}	6.769×10^{-2}	0.105	0.155	0.251	0.979	1.000	1.000	1.000	1.000
cloud top height [m]	153	622	968	1.270×10^3	1.708×10^3	5.223×10^3	6.412×10^3	7.571×10^3	9.036×10^3	1.146×10^4
cloud optical thickness [1]	1.14	3.05	4.18	5.11	6.45	18.3	27.8	41.6	73.1	250
cloud fraction crb [1]	2.548×10^{-2}	6.658×10^{-2}	0.104	0.154	0.250	0.978	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	239	535	791	1.175×10^3	4.279×10^3	5.267×10^3	6.252×10^3	7.518×10^3	9.388×10^3
cloud albedo crb [1]	6.444×10^{-2}	0.232	0.327	0.395	0.450	0.670	0.742	0.811	0.903	1.000
surface albedo fitted [1]	0.0	8.282×10^{-3}	1.300×10^{-2}	1.754×10^{-2}	2.439×10^{-2}	0.246	0.342	0.472	0.619	0.912
surface albedo fitted crb [1]	0.0	5.641×10^{-3}	8.747×10^{-3}	1.202×10^{-2}	1.711×10^{-2}	0.243	0.341	0.464	0.595	0.880
fitted root mean square [1]	9.249×10^{-6}	2.162×10^{-5}	3.565×10^{-5}	5.497×10^{-5}	9.486×10^{-5}	8.136×10^{-4}	1.216×10^{-3}	1.651×10^{-3}	2.284×10^{-3}	3.654×10^{-3}
fitted root mean square crb [1]	5.648×10^{-6}	1.236×10^{-5}	2.246×10^{-5}	3.564×10^{-5}	6.251×10^{-5}	7.500×10^{-4}	1.158×10^{-3}	1.580×10^{-3}	2.180×10^{-3}	3.419×10^{-3}
wavelength shift [nm]	-7.274×10^{-3}	-9.071×10^{-4}	-1.327×10^{-4}	5.160×10^{-4}	1.877×10^{-3}	1.134×10^{-2}	1.374×10^{-2}	1.585×10^{-2}	1.870×10^{-2}	2.495×10^{-2}
cloud fraction apriori [1]	2.724×10^{-2}	6.399×10^{-2}	9.807×10^{-2}	0.147	0.245	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.231	0.256	0.279	0.305	0.347	0.652	0.726	0.787	0.866	1.03
reflectance green ocra [1]	0.150	0.172	0.191	0.214	0.258	0.622	0.701	0.766	0.849	1.00
reflectance continuum aband [1]	2.934×10^{-2}	5.346×10^{-2}	8.622×10^{-2}	0.127	0.206	0.589	0.673	0.747	0.843	1.01

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.624 ± 0.367	11933709	0.620	0.800	0.0	1.000	0.300	0.920
cloud fraction [1]	0.613 ± 0.349	11933709	0.725	0.650	9.491×10^{-4}	1.000	0.275	1.000
cloud top height [m]	$(0.384 \pm 0.263) \times 10^4$	11933709	3.588×10^3	3.422×10^3	0.0	2.000×10^4	1.758×10^3	5.346×10^3
cloud optical thickness [1]	18.9 ± 33.0	11933709	10.6	9.69	1.000	250	6.11	16.7
cloud fraction crb [1]	0.612 ± 0.350	11933709	0.727	0.649	1.232×10^{-3}	1.000	0.273	1.000
cloud height crb [m]	$(0.304 \pm 0.227) \times 10^4$	11933709	3.156×10^3	2.710×10^3	0.0	2.000×10^4	1.201×10^3	4.357×10^3
cloud albedo crb [1]	0.547 ± 0.198	11933709	0.238	0.539	0.0	1.000	0.432	0.671
surface albedo fitted [1]	0.196 ± 0.218	11933709	0.264	0.122	0.0	1.000	2.618×10^{-2}	0.290
surface albedo fitted crb [1]	0.191 ± 0.216	11933709	0.269	0.120	0.0	1.000	1.982×10^{-2}	0.288
fitted root mean square [1]	$(7.593 \pm 38.396) \times 10^{-4}$	11933709	8.851×10^{-4}	3.896×10^{-4}	1.329×10^{-6}	1.49	1.113×10^{-4}	9.964×10^{-4}
fitted root mean square crb [1]	$(7.193 \pm 54.518) \times 10^{-4}$	11933709	8.782×10^{-4}	3.319×10^{-4}	9.223×10^{-7}	4.61	8.285×10^{-5}	9.611×10^{-4}
wavelength shift [nm]	$(7.533 \pm 6.818) \times 10^{-3}$	11933709	9.562×10^{-3}	7.102×10^{-3}	-0.352	0.779	2.318×10^{-3}	1.188×10^{-2}
cloud fraction apriori [1]	0.617 ± 0.354	11933709	0.729	0.660	0.0	1.000	0.271	1.000
reflectance blue ocra [1]	0.517 ± 0.200	11933709	0.322	0.497	0.134	1.89	0.342	0.664
reflectance green ocra [1]	0.464 ± 0.224	11933709	0.380	0.445	7.916×10^{-2}	1.85	0.257	0.638
reflectance continuum aband [1]	0.432 ± 0.247	11933709	0.372	0.419	9.503×10^{-3}	4.56	0.238	0.610

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.641 ± 0.382	6768919	0.700	0.850	0.0	1.000	0.300	1.000
cloud fraction [1]	0.525 ± 0.330	6768919	0.625	0.493	6.367×10^{-3}	1.000	0.221	0.845
cloud top height [m]	$(0.369 \pm 0.266) \times 10^4$	6768919	3.315×10^3	2.911×10^3	0.0	2.000×10^4	1.654×10^3	4.969×10^3
cloud optical thickness [1]	24.2 ± 39.8	6768919	14.3	11.3	1.000	250	7.10	21.4
cloud fraction crb [1]	0.523 ± 0.330	6768919	0.623	0.490	7.907×10^{-3}	1.000	0.219	0.842
cloud height crb [m]	$(0.292 \pm 0.223) \times 10^4$	6768919	2.945×10^3	2.245×10^3	0.0	2.000×10^4	1.148×10^3	4.093×10^3
cloud albedo crb [1]	0.576 ± 0.174	6768919	0.194	0.557	0.0	1.000	0.474	0.669
surface albedo fitted [1]	0.107 ± 0.173	6768919	4.701×10^{-2}	3.765×10^{-2}	0.0	1.000	2.265×10^{-2}	6.965×10^{-2}
surface albedo fitted crb [1]	$(9.451 \pm 16.616) \times 10^{-2}$	6768919	3.717×10^{-2}	2.550×10^{-2}	0.0	1.000	1.489×10^{-2}	5.206×10^{-2}
fitted root mean square [1]	$(4.209 \pm 5.970) \times 10^{-4}$	6768919	4.324×10^{-4}	1.986×10^{-4}	1.011×10^{-6}	4.963×10^{-2}	7.569×10^{-5}	5.080×10^{-4}
fitted root mean square crb [1]	$(3.466 \pm 5.235) \times 10^{-4}$	6768919	3.542×10^{-4}	1.311×10^{-4}	1.242×10^{-6}	2.789×10^{-2}	4.830×10^{-5}	4.025×10^{-4}
wavelength shift [nm]	$(6.249 \pm 6.650) \times 10^{-3}$	6768919	8.777×10^{-3}	5.075×10^{-3}	-4.288×10^{-2}	6.498×10^{-2}	1.407×10^{-3}	1.018×10^{-2}
cloud fraction apriori [1]	0.524 ± 0.337	6768919	0.646	0.492	0.0	1.000	0.210	0.856
reflectance blue oca [1]	0.511 ± 0.197	6768919	0.274	0.475	0.174	1.92	0.355	0.629
reflectance green oca [1]	0.445 ± 0.222	6768919	0.333	0.407	9.947×10^{-2}	1.95	0.258	0.591
reflectance continuum aband [1]	0.375 ± 0.255	6768919	0.386	0.345	1.150×10^{-2}	5.58	0.160	0.547

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.624 ± 0.370	13225614	0.650	0.800	0.0	1.000	0.300	0.950
cloud fraction [1]	0.557 ± 0.341	13225614	0.698	0.540	6.367×10^{-3}	1.000	0.234	0.932
cloud top height [m]	$(0.365 \pm 0.262) \times 10^4$	13225614	3.396×10^3	3.041×10^3	0.0	2.000×10^4	1.607×10^3	5.002×10^3
cloud optical thickness [1]	22.6 ± 38.1	13225614	12.5	10.8	1.000	250	7.02	19.5
cloud fraction crb [1]	0.555 ± 0.341	13225614	0.698	0.537	1.232×10^{-3}	1.000	0.232	0.930
cloud height crb [m]	$(0.289 \pm 0.228) \times 10^4$	13225614	3.016×10^3	2.373×10^3	0.0	2.000×10^4	1.080×10^3	4.096×10^3
cloud albedo crb [1]	0.550 ± 0.183	13225614	0.208	0.538	0.0	1.000	0.448	0.656
surface albedo fitted [1]	0.108 ± 0.180	13225614	4.221×10^{-2}	3.358×10^{-2}	0.0	1.000	1.909×10^{-2}	6.130×10^{-2}
surface albedo fitted crb [1]	$(9.813 \pm 17.566) \times 10^{-2}$	13225614	3.411×10^{-2}	2.405×10^{-2}	0.0	1.000	1.312×10^{-2}	4.723×10^{-2}
fitted root mean square [1]	$(5.021 \pm 34.437) \times 10^{-4}$	13225614	4.914×10^{-4}	2.050×10^{-4}	1.011×10^{-6}	1.49	7.418×10^{-5}	5.655×10^{-4}
fitted root mean square crb [1]	$(4.496 \pm 46.767) \times 10^{-4}$	13225614	4.225×10^{-4}	1.540×10^{-4}	9.223×10^{-7}	4.61	5.217×10^{-5}	4.747×10^{-4}
wavelength shift [nm]	$(6.653 \pm 6.825) \times 10^{-3}$	13225614	9.129×10^{-3}	5.710×10^{-3}	-0.352	0.779	1.630×10^{-3}	1.076×10^{-2}
cloud fraction apriori [1]	0.557 ± 0.346	13225614	0.726	0.543	0.0	1.000	0.227	0.952
reflectance blue ocra [1]	0.509 ± 0.189	13225614	0.291	0.486	0.169	1.85	0.350	0.640
reflectance green ocra [1]	0.448 ± 0.213	13225614	0.352	0.425	9.025×10^{-2}	1.93	0.255	0.607
reflectance continuum aband [1]	0.373 ± 0.249	13225614	0.413	0.354	9.503×10^{-3}	4.97	0.146	0.560

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.666 ± 0.366	3427262	0.530	0.850	0.0	1.000	0.420	0.950
cloud fraction [1]	0.617 ± 0.352	3427262	0.719	0.658	9.491×10^{-4}	1.000	0.280	1.000
cloud top height [m]	$(0.444 \pm 0.275) \times 10^4$	3427262	3.779×10^3	3.983×10^3	0.0	2.000×10^4	2.317×10^3	6.096×10^3
cloud optical thickness [1]	16.2 ± 28.3	3427262	9.05	8.55	1.000	250	5.54	14.6
cloud fraction crb [1]	0.617 ± 0.352	3427262	0.720	0.658	1.249×10^{-3}	1.000	0.279	0.999
cloud height crb [m]	$(0.342 \pm 0.225) \times 10^4$	3427262	3.248×10^3	2.993×10^3	0.0	2.000×10^4	1.636×10^3	4.884×10^3
cloud albedo crb [1]	0.597 ± 0.209	3427262	0.257	0.589	0.0	1.000	0.478	0.735
surface albedo fitted [1]	0.356 ± 0.227	3427262	0.144	0.271	0.0	1.000	0.218	0.362
surface albedo fitted crb [1]	0.351 ± 0.222	3427262	0.147	0.268	0.0	1.000	0.215	0.362
fitted root mean square [1]	$(1.103 \pm 2.206) \times 10^{-3}$	3427262	1.140×10^{-3}	8.385×10^{-4}	2.483×10^{-6}	1.29	3.875×10^{-4}	1.528×10^{-3}
fitted root mean square crb [1]	$(1.046 \pm 4.323) \times 10^{-3}$	3427262	1.158×10^{-3}	8.025×10^{-4}	1.767×10^{-6}	2.17	3.233×10^{-4}	1.482×10^{-3}
wavelength shift [nm]	$(8.409 \pm 6.389) \times 10^{-3}$	3427262	8.796×10^{-3}	8.328×10^{-3}	-0.181	9.138×10^{-2}	3.805×10^{-3}	1.260×10^{-2}
cloud fraction apriori [1]	0.625 ± 0.358	3427262	0.724	0.681	0.0	1.000	0.276	1.000
reflectance blue ocra [1]	0.539 ± 0.238	3427262	0.398	0.494	0.134	1.92	0.331	0.729
reflectance green ocra [1]	0.495 ± 0.261	3427262	0.447	0.448	7.916×10^{-2}	1.95	0.258	0.705
reflectance continuum aband [1]	0.529 ± 0.235	3427262	0.357	0.485	1.611×10^{-2}	5.58	0.339	0.695

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10




Figure 5: Map of “Cloud top height” for 2025-08-09 to 2025-08-10




Figure 6: Map of “Cloud optical thickness” for 2025-08-09 to 2025-08-10




Figure 7: Map of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10




Figure 8: Map of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10




Figure 9: Map of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10




Figure 10: Map of “Fitted surface albedo” for 2025-08-09 to 2025-08-10




Figure 11: Map of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10




Figure 12: Map of “RMS” for 2025-08-09 to 2025-08-10




Figure 13: Map of “RMS (CRB)” for 2025-08-09 to 2025-08-10




Figure 14: Map of "Fitting wavelength shift" for 2025-08-09 to 2025-08-10




Figure 15: Map of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10




Figure 16: Map of "OCRA "blue" reflectance" for 2025-08-09 to 2025-08-10




Figure 17: Map of "OCRA "green" reflectance" for 2025-08-09 to 2025-08-10




Figure 18: Map of "ROCINN "red" reflectance" for 2025-08-09 to 2025-08-10




Figure 19: Map of the number of observations for 2025-08-09 to 2025-08-10

7 Zonal average




Figure 20: Zonal average of “QA value” for 2025-08-09 to 2025-08-10.




Figure 21: Zonal average of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10.




Figure 22: Zonal average of “Cloud top height” for 2025-08-09 to 2025-08-10.




Figure 23: Zonal average of “Cloud optical thickness” for 2025-08-09 to 2025-08-10.




Figure 24: Zonal average of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10.




Figure 25: Zonal average of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10.




Figure 26: Zonal average of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10.




Figure 27: Zonal average of “Fitted surface albedo” for 2025-08-09 to 2025-08-10.




Figure 28: Zonal average of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10.




Figure 29: Zonal average of “RMS” for 2025-08-09 to 2025-08-10.




Figure 30: Zonal average of “RMS (CRB)” for 2025-08-09 to 2025-08-10.




Figure 31: Zonal average of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10.




Figure 32: Zonal average of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10.




Figure 33: Zonal average of "OCRA "blue" reflectance" for 2025-08-09 to 2025-08-10.




Figure 34: Zonal average of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10.




Figure 35: Zonal average of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 36: Histogram of “QA value” for 2025-08-09 to 2025-08-10




Figure 37: Histogram of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10




Figure 38: Histogram of “Cloud top height” for 2025-08-09 to 2025-08-10




Figure 39: Histogram of “Cloud optical thickness” for 2025-08-09 to 2025-08-10




Figure 40: Histogram of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10




Figure 41: Histogram of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10




Figure 42: Histogram of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10




Figure 43: Histogram of “Fitted surface albedo” for 2025-08-09 to 2025-08-10




Figure 44: Histogram of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10




Figure 45: Histogram of “RMS” for 2025-08-09 to 2025-08-10




Figure 46: Histogram of “RMS (CRB)” for 2025-08-09 to 2025-08-10




Figure 47: Histogram of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10




Figure 48: Histogram of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10




Figure 49: Histogram of “OCRA “blue” reflectance” for 2025-08-09 to 2025-08-10




Figure 50: Histogram of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10




Figure 51: Histogram of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 52: Along track statistics of “QA value” for 2025-08-09 to 2025-08-10




Figure 53: Along track statistics of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10




Figure 54: Along track statistics of “Cloud top height” for 2025-08-09 to 2025-08-10




Figure 55: Along track statistics of “Cloud optical thickness” for 2025-08-09 to 2025-08-10




Figure 56: Along track statistics of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10




Figure 57: Along track statistics of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10




Figure 58: Along track statistics of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10




Figure 59: Along track statistics of “Fitted surface albedo” for 2025-08-09 to 2025-08-10




Figure 60: Along track statistics of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10




Figure 61: Along track statistics of “RMS” for 2025-08-09 to 2025-08-10




Figure 62: Along track statistics of “RMS (CRB)” for 2025-08-09 to 2025-08-10




Figure 63: Along track statistics of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10




Figure 64: Along track statistics of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10




Figure 65: Along track statistics of “OCRA “blue” reflectance” for 2025-08-09 to 2025-08-10




Figure 66: Along track statistics of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10




Figure 67: Along track statistics of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of ‘PyCAMA’	75

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10	11
5	Map of “Cloud top height” for 2025-08-09 to 2025-08-10	12
6	Map of “Cloud optical thickness” for 2025-08-09 to 2025-08-10	13
7	Map of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10	14
8	Map of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10	15
9	Map of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10	16
10	Map of “Fitted surface albedo” for 2025-08-09 to 2025-08-10	17
11	Map of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10	18
12	Map of “RMS” for 2025-08-09 to 2025-08-10	19
13	Map of “RMS (CRB)” for 2025-08-09 to 2025-08-10	20
14	Map of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10	21
15	Map of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10	22
16	Map of “OCRA “blue” reflectance” for 2025-08-09 to 2025-08-10	23
17	Map of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10	24
18	Map of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10	25
19	Map of the number of observations for 2025-08-09 to 2025-08-10	26
20	Zonal average of “QA value” for 2025-08-09 to 2025-08-10.	27
21	Zonal average of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10.	28
22	Zonal average of “Cloud top height” for 2025-08-09 to 2025-08-10.	29
23	Zonal average of “Cloud optical thickness” for 2025-08-09 to 2025-08-10.	30
24	Zonal average of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10.	31
25	Zonal average of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10.	32
26	Zonal average of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10.	33
27	Zonal average of “Fitted surface albedo” for 2025-08-09 to 2025-08-10.	34
28	Zonal average of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10.	35
29	Zonal average of “RMS” for 2025-08-09 to 2025-08-10.	36

30	Zonal average of “RMS (CRB)” for 2025-08-09 to 2025-08-10	37
31	Zonal average of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10	38
32	Zonal average of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10	39
33	Zonal average of “OCRA “blue” reflectance” for 2025-08-09 to 2025-08-10	40
34	Zonal average of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10	41
35	Zonal average of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10	42
36	Histogram of “QA value” for 2025-08-09 to 2025-08-10	43
37	Histogram of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10	44
38	Histogram of “Cloud top height” for 2025-08-09 to 2025-08-10	45
39	Histogram of “Cloud optical thickness” for 2025-08-09 to 2025-08-10	46
40	Histogram of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10	47
41	Histogram of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10	48
42	Histogram of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10	49
43	Histogram of “Fitted surface albedo” for 2025-08-09 to 2025-08-10	50
44	Histogram of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10	51
45	Histogram of “RMS” for 2025-08-09 to 2025-08-10	52
46	Histogram of “RMS (CRB)” for 2025-08-09 to 2025-08-10	53
47	Histogram of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10	54
48	Histogram of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10	55
49	Histogram of “OCRA “blue” reflectance” for 2025-08-09 to 2025-08-10	56
50	Histogram of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10	57
51	Histogram of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10	58
52	Along track statistics of “QA value” for 2025-08-09 to 2025-08-10	59
53	Along track statistics of “Radiometric cloud fraction” for 2025-08-09 to 2025-08-10	60
54	Along track statistics of “Cloud top height” for 2025-08-09 to 2025-08-10	61
55	Along track statistics of “Cloud optical thickness” for 2025-08-09 to 2025-08-10	62
56	Along track statistics of “Cloud fraction (CRB)” for 2025-08-09 to 2025-08-10	63
57	Along track statistics of “Cloud height (CRB)” for 2025-08-09 to 2025-08-10	64
58	Along track statistics of “Cloud albedo (CRB)” for 2025-08-09 to 2025-08-10	65
59	Along track statistics of “Fitted surface albedo” for 2025-08-09 to 2025-08-10	66
60	Along track statistics of “Fitted surface albedo (CRB)” for 2025-08-09 to 2025-08-10	67
61	Along track statistics of “RMS” for 2025-08-09 to 2025-08-10	68
62	Along track statistics of “RMS (CRB)” for 2025-08-09 to 2025-08-10	69
63	Along track statistics of “Fitting wavelength shift” for 2025-08-09 to 2025-08-10	70
64	Along track statistics of “OCRA cloud fraction” for 2025-08-09 to 2025-08-10	71
65	Along track statistics of “OCRA “blue” reflectance” for 2025-08-09 to 2025-08-10	72
66	Along track statistics of “OCRA “green” reflectance” for 2025-08-09 to 2025-08-10	73
67	Along track statistics of “ROCINN “red” reflectance” for 2025-08-09 to 2025-08-10	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).