

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-08-29 (02:45)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.639 ± 0.376	18672437	0.995	0.620	0.830	0.0	1.000
cloud fraction [1]	0.586 ± 0.348	18672437	0.995	0.737	0.592	6.026×10^{-3}	1.000
cloud top height [m]	$(0.388 \pm 0.261) \times 10^4$	18672437	1.575×10^3	3.581×10^3	3.353×10^3	0.0	2.000×10^4
cloud optical thickness [1]	23.4 ± 41.6	18672437	9.77	13.0	10.5	1.000	250
cloud fraction crb [1]	0.585 ± 0.348	18672437	0.995	0.737	0.590	8.242×10^{-3}	1.000
cloud height crb [m]	$(0.308 \pm 0.222) \times 10^4$	18672437	1.125×10^3	3.173×10^3	2.664×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.575 ± 0.198	18672437	0.995	0.231	0.560	0.0	1.000
surface albedo fitted [1]	0.176 ± 0.220	18672437	2.500×10^{-2}	0.232	5.331×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.166 ± 0.211	18672437	1.500×10^{-2}	0.235	4.272×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.098 \pm 8.739) \times 10^{-4}$	18672437	5.000×10^{-5}	6.963×10^{-4}	3.241×10^{-4}	1.091×10^{-6}	0.854
fitted root mean square crb [1]	$(5.407 \pm 8.970) \times 10^{-4}$	18672437	5.000×10^{-5}	6.287×10^{-4}	2.377×10^{-4}	1.204×10^{-6}	0.916
wavelength shift [nm]	$(7.632 \pm 6.855) \times 10^{-3}$	18672437	-3.000×10^{-4}	9.757×10^{-3}	7.037×10^{-3}	-7.947×10^{-2}	0.103
cloud fraction apriori [1]	0.588 ± 0.353	18672437	0.995	0.755	0.598	0.0	1.000
reflectance blue ocra [1]	0.536 ± 0.210	18672437	0.275	0.333	0.513	0.124	1.94
reflectance green ocra [1]	0.480 ± 0.235	18672437	0.185	0.397	0.461	7.772×10^{-2}	2.05
reflectance continuum aband [1]	0.435 ± 0.263	18672437	4.500×10^{-2}	0.402	0.425	1.183×10^{-2}	7.13

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	1.000×10^{-2}	0.330	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	2.603×10^{-2}	6.765×10^{-2}	0.105	0.156	0.252	0.989	1.000	1.000	1.000	1.000
cloud top height [m]	232	728	1.087×10^3	1.395×10^3	1.811×10^3	5.392×10^3	6.522×10^3	7.549×10^3	8.938×10^3	1.145×10^4
cloud optical thickness [1]	1.16	3.03	4.14	5.11	6.53	19.5	30.1	46.6	89.3	250
cloud fraction crb [1]	2.549×10^{-2}	6.671×10^{-2}	0.104	0.155	0.250	0.988	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	355	636	895	1.248×10^3	4.421×10^3	5.399×10^3	6.275×10^3	7.415×10^3	9.330×10^3
cloud albedo crb [1]	6.432×10^{-2}	0.240	0.344	0.410	0.461	0.692	0.771	0.847	0.954	1.000
surface albedo fitted [1]	0.0	8.288×10^{-3}	1.346×10^{-2}	1.812×10^{-2}	2.496×10^{-2}	0.257	0.395	0.546	0.661	0.890
surface albedo fitted crb [1]	0.0	6.425×10^{-3}	9.826×10^{-3}	1.322×10^{-2}	1.851×10^{-2}	0.254	0.386	0.524	0.624	0.845
fitted root mean square [1]	1.266×10^{-5}	2.553×10^{-5}	4.167×10^{-5}	6.489×10^{-5}	1.112×10^{-4}	8.075×10^{-4}	1.181×10^{-3}	1.578×10^{-3}	2.151×10^{-3}	3.499×10^{-3}
fitted root mean square crb [1]	6.437×10^{-6}	1.426×10^{-5}	2.518×10^{-5}	4.112×10^{-5}	7.292×10^{-5}	7.016×10^{-4}	1.090×10^{-3}	1.508×10^{-3}	2.097×10^{-3}	3.382×10^{-3}
wavelength shift [nm]	-7.160×10^{-3}	-7.113×10^{-4}	-3.508×10^{-5}	7.814×10^{-4}	2.330×10^{-3}	1.209×10^{-2}	1.450×10^{-2}	1.660×10^{-2}	1.944×10^{-2}	2.569×10^{-2}
cloud fraction apriori [1]	2.744×10^{-2}	6.412×10^{-2}	9.833×10^{-2}	0.147	0.245	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.230	0.256	0.280	0.309	0.356	0.689	0.759	0.816	0.889	1.07
reflectance green ocra [1]	0.150	0.171	0.191	0.216	0.265	0.661	0.738	0.799	0.875	1.04
reflectance continuum aband [1]	2.941×10^{-2}	5.340×10^{-2}	8.679×10^{-2}	0.134	0.220	0.623	0.711	0.783	0.868	1.05

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.632 ± 0.373	11208720	0.640	0.800	0.0	1.000	0.310	0.950
cloud fraction [1]	0.617 ± 0.353	11208720	0.730	0.669	8.069×10^{-3}	1.000	0.270	1.000
cloud top height [m]	$(0.395 \pm 0.261) \times 10^4$	11208720	3.520×10^3	3.526×10^3	0.0	2.000×10^4	1.911×10^3	5.431×10^3
cloud optical thickness [1]	21.5 ± 38.3	11208720	12.1	10.2	1.000	250	6.36	18.4
cloud fraction crb [1]	0.616 ± 0.353	11208720	0.732	0.667	8.319×10^{-3}	1.000	0.268	1.000
cloud height crb [m]	$(0.314 \pm 0.222) \times 10^4$	11208720	3.083×10^3	2.842×10^3	0.0	2.000×10^4	1.333×10^3	4.417×10^3
cloud albedo crb [1]	0.567 ± 0.198	11208720	0.240	0.557	0.0	1.000	0.451	0.690
surface albedo fitted [1]	0.192 ± 0.212	11208720	0.253	0.116	0.0	1.000	2.738×10^{-2}	0.280
surface albedo fitted crb [1]	0.185 ± 0.207	11208720	0.256	0.112	0.0	1.000	2.122×10^{-2}	0.277
fitted root mean square [1]	$(6.917 \pm 9.929) \times 10^{-4}$	11208720	8.187×10^{-4}	3.703×10^{-4}	1.091×10^{-6}	0.854	1.224×10^{-4}	9.411×10^{-4}
fitted root mean square crb [1]	$(6.416 \pm 10.613) \times 10^{-4}$	11208720	8.060×10^{-4}	2.934×10^{-4}	1.204×10^{-6}	0.916	8.161×10^{-5}	8.877×10^{-4}
wavelength shift [nm]	$(7.717 \pm 6.783) \times 10^{-3}$	11208720	9.711×10^{-3}	7.248×10^{-3}	-7.947×10^{-2}	0.103	2.430×10^{-3}	1.214×10^{-2}
cloud fraction apriori [1]	0.620 ± 0.358	11208720	0.736	0.678	0.0	1.000	0.264	1.000
reflectance blue oca [1]	0.531 ± 0.206	11208720	0.331	0.517	0.124	1.88	0.351	0.682
reflectance green oca [1]	0.479 ± 0.230	11208720	0.392	0.469	7.772×10^{-2}	2.05	0.264	0.656
reflectance continuum aband [1]	0.447 ± 0.256	11208720	0.381	0.438	1.244×10^{-2}	7.13	0.247	0.627

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.650 ± 0.380	7463717	0.650	0.880	0.0	1.000	0.350	1.000
cloud fraction [1]	0.539 ± 0.334	7463717	0.658	0.504	6.026×10^{-3}	1.000	0.232	0.890
cloud top height [m]	$(0.378 \pm 0.260) \times 10^4$	7463717	3.609×10^3	3.057×10^3	0.0	2.000×10^4	1.721×10^3	5.330×10^3
cloud optical thickness [1]	26.2 ± 46.0	7463717	14.5	11.1	1.000	250	6.81	21.3
cloud fraction crb [1]	0.537 ± 0.334	7463717	0.657	0.501	8.242×10^{-3}	1.000	0.231	0.888
cloud height crb [m]	$(0.300 \pm 0.223) \times 10^4$	7463717	3.253×10^3	2.344×10^3	0.0	2.000×10^4	1.175×10^3	4.428×10^3
cloud albedo crb [1]	0.587 ± 0.196	7463717	0.221	0.563	0.0	1.000	0.474	0.695
surface albedo fitted [1]	0.152 ± 0.228	7463717	0.135	3.907×10^{-2}	0.0	1.000	2.285×10^{-2}	0.157
surface albedo fitted crb [1]	0.139 ± 0.214	7463717	0.133	2.955×10^{-2}	0.0	1.000	1.628×10^{-2}	0.150
fitted root mean square [1]	$(4.868 \pm 6.361) \times 10^{-4}$	7463717	5.501×10^{-4}	2.718×10^{-4}	1.277×10^{-6}	9.064×10^{-2}	9.686×10^{-5}	6.470×10^{-4}
fitted root mean square crb [1]	$(3.891 \pm 5.323) \times 10^{-4}$	7463717	4.223×10^{-4}	1.820×10^{-4}	1.514×10^{-6}	2.994×10^{-2}	6.527×10^{-5}	4.876×10^{-4}
wavelength shift [nm]	$(7.504 \pm 6.960) \times 10^{-3}$	7463717	9.785×10^{-3}	6.704×10^{-3}	-4.402×10^{-2}	6.413×10^{-2}	2.214×10^{-3}	1.200×10^{-2}
cloud fraction apriori [1]	0.540 ± 0.341	7463717	0.684	0.505	0.0	1.000	0.223	0.907
reflectance blue ocr [1]	0.542 ± 0.215	7463717	0.340	0.507	0.140	1.94	0.362	0.702
reflectance green ocr [1]	0.483 ± 0.243	7463717	0.406	0.449	8.563×10^{-2}	1.94	0.266	0.671
reflectance continuum aband [1]	0.417 ± 0.272	7463717	0.434	0.400	1.183×10^{-2}	4.15	0.182	0.616

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.634 ± 0.373	13316545	0.610	0.810	0.0	1.000	0.340	0.950
cloud fraction [1]	0.574 ± 0.344	13316545	0.720	0.572	6.026×10^{-3}	1.000	0.246	0.966
cloud top height [m]	$(0.373 \pm 0.254) \times 10^4$	13316545	3.468×10^3	3.149×10^3	0.0	2.000×10^4	1.709×10^3	5.177×10^3
cloud optical thickness [1]	25.0 ± 43.4	13316545	13.6	11.2	1.000	250	7.25	20.8
cloud fraction crb [1]	0.573 ± 0.344	13316545	0.720	0.569	8.427×10^{-3}	1.000	0.244	0.965
cloud height crb [m]	$(0.296 \pm 0.221) \times 10^4$	13316545	3.117×10^3	2.488×10^3	0.0	2.000×10^4	1.144×10^3	4.261×10^3
cloud albedo crb [1]	0.562 ± 0.189	13316545	0.215	0.547	0.0	1.000	0.455	0.670
surface albedo fitted [1]	0.123 ± 0.200	13316545	4.632×10^{-2}	3.439×10^{-2}	0.0	1.000	1.975×10^{-2}	6.607×10^{-2}
surface albedo fitted crb [1]	0.112 ± 0.191	13316545	3.991×10^{-2}	2.613×10^{-2}	0.0	1.000	1.442×10^{-2}	5.434×10^{-2}
fitted root mean square [1]	$(4.916 \pm 6.802) \times 10^{-4}$	13316545	5.259×10^{-4}	2.384×10^{-4}	1.091×10^{-6}	5.728×10^{-2}	8.379×10^{-5}	6.097×10^{-4}
fitted root mean square crb [1]	$(4.241 \pm 6.364) \times 10^{-4}$	13316545	4.253×10^{-4}	1.702×10^{-4}	1.204×10^{-6}	4.460×10^{-2}	5.930×10^{-5}	4.846×10^{-4}
wavelength shift [nm]	$(7.298 \pm 6.924) \times 10^{-3}$	13316545	9.716×10^{-3}	6.484×10^{-3}	-4.402×10^{-2}	6.678×10^{-2}	2.017×10^{-3}	1.173×10^{-2}
cloud fraction apriori [1]	0.575 ± 0.349	13316545	0.762	0.575	0.0	1.000	0.238	1.000
reflectance blue oca [1]	0.530 ± 0.197	13316545	0.316	0.512	0.155	1.94	0.360	0.676
reflectance green oca [1]	0.470 ± 0.223	13316545	0.382	0.457	8.563×10^{-2}	2.05	0.264	0.646
reflectance continuum aband [1]	0.398 ± 0.259	13316545	0.434	0.393	1.183×10^{-2}	5.28	0.158	0.593

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.646 ± 0.384	3520637	0.640	0.840	0.0	1.000	0.310	0.950
cloud fraction [1]	0.584 ± 0.352	3520637	0.751	0.576	8.069×10^{-3}	1.000	0.246	0.997
cloud top height [m]	$(0.462 \pm 0.284) \times 10^4$	3520637	3.836×10^3	4.202×10^3	0.0	2.000×10^4	2.442×10^3	6.278×10^3
cloud optical thickness [1]	17.8 ± 35.3	3520637	9.30	8.18	1.000	250	5.13	14.4
cloud fraction crb [1]	0.583 ± 0.352	3520637	0.750	0.575	8.242×10^{-3}	1.000	0.246	0.997
cloud height crb [m]	$(0.360 \pm 0.232) \times 10^4$	3520637	3.341×10^3	3.172×10^3	0.0	2.000×10^4	1.744×10^3	5.085×10^3
cloud albedo crb [1]	0.625 ± 0.221	3520637	0.290	0.616	0.0	1.000	0.493	0.783
surface albedo fitted [1]	0.365 ± 0.227	3520637	0.195	0.274	0.0	1.000	0.215	0.410
surface albedo fitted crb [1]	0.355 ± 0.211	3520637	0.198	0.271	0.0	1.000	0.212	0.410
fitted root mean square [1]	$(1.030 \pm 1.135) \times 10^{-3}$	3520637	1.032×10^{-3}	7.678×10^{-4}	1.967×10^{-6}	0.539	3.662×10^{-4}	1.399×10^{-3}
fitted root mean square crb [1]	$(9.328 \pm 13.129) \times 10^{-4}$	3520637	1.061×10^{-3}	6.707×10^{-4}	1.581×10^{-6}	0.886	2.520×10^{-4}	1.313×10^{-3}
wavelength shift [nm]	$(8.542 \pm 6.458) \times 10^{-3}$	3520637	8.937×10^{-3}	8.355×10^{-3}	-7.947×10^{-2}	6.712×10^{-2}	3.792×10^{-3}	1.273×10^{-2}
cloud fraction apriori [1]	0.591 ± 0.359	3520637	0.760	0.594	0.0	1.000	0.240	1.000
reflectance blue oca [1]	0.560 ± 0.255	3520637	0.433	0.514	0.124	1.88	0.336	0.769
reflectance green oca [1]	0.519 ± 0.278	3520637	0.496	0.472	7.772×10^{-2}	1.94	0.262	0.757
reflectance continuum aband [1]	0.549 ± 0.253	3520637	0.401	0.510	1.723×10^{-2}	7.13	0.339	0.740

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28




Figure 5: Map of “Cloud top height” for 2025-08-27 to 2025-08-28




Figure 6: Map of “Cloud optical thickness” for 2025-08-27 to 2025-08-28




Figure 7: Map of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28




Figure 8: Map of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28




Figure 9: Map of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28




Figure 10: Map of “Fitted surface albedo” for 2025-08-27 to 2025-08-28




Figure 11: Map of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28




Figure 12: Map of “RMS” for 2025-08-27 to 2025-08-28




Figure 13: Map of “RMS (CRB)” for 2025-08-27 to 2025-08-28




Figure 14: Map of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28




Figure 15: Map of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28




Figure 16: Map of "OCRA "blue" reflectance" for 2025-08-27 to 2025-08-28




Figure 17: Map of "OCRA "green" reflectance" for 2025-08-27 to 2025-08-28




Figure 18: Map of "ROCINN "red" reflectance" for 2025-08-27 to 2025-08-28




Figure 19: Map of the number of observations for 2025-08-27 to 2025-08-28

7 Zonal average




Figure 20: Zonal average of “QA value” for 2025-08-27 to 2025-08-28.




Figure 21: Zonal average of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28.




Figure 22: Zonal average of “Cloud top height” for 2025-08-27 to 2025-08-28.




Figure 23: Zonal average of “Cloud optical thickness” for 2025-08-27 to 2025-08-28.




Figure 24: Zonal average of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28.




Figure 25: Zonal average of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28.




Figure 26: Zonal average of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28.




Figure 27: Zonal average of “Fitted surface albedo” for 2025-08-27 to 2025-08-28.




Figure 28: Zonal average of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28.




Figure 29: Zonal average of “RMS” for 2025-08-27 to 2025-08-28.




Figure 30: Zonal average of “RMS (CRB)” for 2025-08-27 to 2025-08-28.




Figure 31: Zonal average of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28.




Figure 32: Zonal average of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28.




Figure 33: Zonal average of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28.




Figure 34: Zonal average of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28.




Figure 35: Zonal average of "ROCINN "red" reflectance" for 2025-08-27 to 2025-08-28.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 36: Histogram of “QA value” for 2025-08-27 to 2025-08-28




Figure 37: Histogram of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28




Figure 38: Histogram of “Cloud top height” for 2025-08-27 to 2025-08-28




Figure 39: Histogram of “Cloud optical thickness” for 2025-08-27 to 2025-08-28




Figure 40: Histogram of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28




Figure 41: Histogram of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28




Figure 42: Histogram of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28




Figure 43: Histogram of “Fitted surface albedo” for 2025-08-27 to 2025-08-28




Figure 44: Histogram of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28




Figure 45: Histogram of “RMS” for 2025-08-27 to 2025-08-28




Figure 46: Histogram of “RMS (CRB)” for 2025-08-27 to 2025-08-28




Figure 47: Histogram of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28




Figure 48: Histogram of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28




Figure 49: Histogram of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28




Figure 50: Histogram of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28




Figure 51: Histogram of “ROCINN “red” reflectance” for 2025-08-27 to 2025-08-28

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 52: Along track statistics of "QA value" for 2025-08-27 to 2025-08-28




Figure 53: Along track statistics of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28




Figure 54: Along track statistics of “Cloud top height” for 2025-08-27 to 2025-08-28




Figure 55: Along track statistics of “Cloud optical thickness” for 2025-08-27 to 2025-08-28




Figure 56: Along track statistics of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28




Figure 57: Along track statistics of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28




Figure 58: Along track statistics of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28




Figure 59: Along track statistics of “Fitted surface albedo” for 2025-08-27 to 2025-08-28




Figure 60: Along track statistics of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28




Figure 61: Along track statistics of “RMS” for 2025-08-27 to 2025-08-28




Figure 62: Along track statistics of “RMS (CRB)” for 2025-08-27 to 2025-08-28




Figure 63: Along track statistics of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28




Figure 64: Along track statistics of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28




Figure 65: Along track statistics of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28




Figure 66: Along track statistics of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28




Figure 67: Along track statistics of "ROCINN "red" reflectance" for 2025-08-27 to 2025-08-28

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	27
8	Histograms	43
9	Along track statistics	59
10	Coincidence density	75
11	Copyright information of ‘PyCAMA’	75

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28	11
5	Map of “Cloud top height” for 2025-08-27 to 2025-08-28	12
6	Map of “Cloud optical thickness” for 2025-08-27 to 2025-08-28	13
7	Map of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28	14
8	Map of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28	15
9	Map of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28	16
10	Map of “Fitted surface albedo” for 2025-08-27 to 2025-08-28	17
11	Map of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28	18
12	Map of “RMS” for 2025-08-27 to 2025-08-28	19
13	Map of “RMS (CRB)” for 2025-08-27 to 2025-08-28	20
14	Map of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28	21
15	Map of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28	22
16	Map of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28	23
17	Map of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28	24
18	Map of “ROCINN “red” reflectance” for 2025-08-27 to 2025-08-28	25
19	Map of the number of observations for 2025-08-27 to 2025-08-28	26
20	Zonal average of “QA value” for 2025-08-27 to 2025-08-28.	27
21	Zonal average of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28.	28
22	Zonal average of “Cloud top height” for 2025-08-27 to 2025-08-28.	29
23	Zonal average of “Cloud optical thickness” for 2025-08-27 to 2025-08-28.	30
24	Zonal average of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28.	31
25	Zonal average of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28.	32
26	Zonal average of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28.	33
27	Zonal average of “Fitted surface albedo” for 2025-08-27 to 2025-08-28.	34
28	Zonal average of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28.	35
29	Zonal average of “RMS” for 2025-08-27 to 2025-08-28.	36

30	Zonal average of “RMS (CRB)” for 2025-08-27 to 2025-08-28.	37
31	Zonal average of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28.	38
32	Zonal average of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28.	39
33	Zonal average of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28.	40
34	Zonal average of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28.	41
35	Zonal average of “ROCINN “red” reflectance” for 2025-08-27 to 2025-08-28.	42
36	Histogram of “QA value” for 2025-08-27 to 2025-08-28	43
37	Histogram of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28	44
38	Histogram of “Cloud top height” for 2025-08-27 to 2025-08-28	45
39	Histogram of “Cloud optical thickness” for 2025-08-27 to 2025-08-28	46
40	Histogram of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28	47
41	Histogram of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28	48
42	Histogram of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28	49
43	Histogram of “Fitted surface albedo” for 2025-08-27 to 2025-08-28	50
44	Histogram of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28	51
45	Histogram of “RMS” for 2025-08-27 to 2025-08-28	52
46	Histogram of “RMS (CRB)” for 2025-08-27 to 2025-08-28	53
47	Histogram of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28	54
48	Histogram of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28	55
49	Histogram of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28	56
50	Histogram of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28	57
51	Histogram of “ROCINN “red” reflectance” for 2025-08-27 to 2025-08-28	58
52	Along track statistics of “QA value” for 2025-08-27 to 2025-08-28	59
53	Along track statistics of “Radiometric cloud fraction” for 2025-08-27 to 2025-08-28	60
54	Along track statistics of “Cloud top height” for 2025-08-27 to 2025-08-28	61
55	Along track statistics of “Cloud optical thickness” for 2025-08-27 to 2025-08-28	62
56	Along track statistics of “Cloud fraction (CRB)” for 2025-08-27 to 2025-08-28	63
57	Along track statistics of “Cloud height (CRB)” for 2025-08-27 to 2025-08-28	64
58	Along track statistics of “Cloud albedo (CRB)” for 2025-08-27 to 2025-08-28	65
59	Along track statistics of “Fitted surface albedo” for 2025-08-27 to 2025-08-28	66
60	Along track statistics of “Fitted surface albedo (CRB)” for 2025-08-27 to 2025-08-28	67
61	Along track statistics of “RMS” for 2025-08-27 to 2025-08-28	68
62	Along track statistics of “RMS (CRB)” for 2025-08-27 to 2025-08-28	69
63	Along track statistics of “Fitting wavelength shift” for 2025-08-27 to 2025-08-28	70
64	Along track statistics of “OCRA cloud fraction” for 2025-08-27 to 2025-08-28	71
65	Along track statistics of “OCRA “blue” reflectance” for 2025-08-27 to 2025-08-28	72
66	Along track statistics of “OCRA “green” reflectance” for 2025-08-27 to 2025-08-28	73
67	Along track statistics of “ROCINN “red” reflectance” for 2025-08-27 to 2025-08-28	74

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).