## PyCAMA report generated by tropl2-proc

#### tropl2-proc

#### 2024-12-05 (04:15)

#### **1** Short Introduction

#### 1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

#### 2 Definitions

The averages shown here are unweighed averages:

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance V(x), or rather the standard deviation  $\sigma(x) = \sqrt{V(x)}$ .

$$V(x) = \frac{1}{N-1} \sum_{i=1}^{N} (x_i - \bar{x})^2$$
(2)

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \le m) = P(x \ge m) = \int_{-\infty}^{m} f(x) \, \mathrm{d}x = \frac{1}{2}$$
(3)

with f(x) the probability density function.

The median is a special case of a percentile. Instead of  $\frac{1}{2}$  in equation 3, other threshold values can be used. We report results for 1%, 5%, 10%, 15.9%, 25%, 75%, 84.1%, 90%, 95% and 99%. The inter quartile range is the difference between the 75% and 25% percentiles. Similarly the minimum and maximum values correspond to the 0% and 100% percentiles respectively.

For normally distributed parameters the mean and median are the same, while the  $\mu \pm \sigma$  values and the 15.9% and 84.1% percentiles coincide.

To get a measure for the relation of one variable  $x_{(k)}$  with another  $x_{(l)}$ , we calculate the covariance matrix  $C_{kl}$ .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^{N} (x_{(k),i} - \overline{x_{(k)}}) (x_{(l),i} - \overline{x_{(l)}})$$
(4)

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix  $R_{kl}$ , a matrix of Pearson's *r* coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}}$$
(5)

The diagonal elements of the covariance matrix are the variances of the elements,  $V(x_{(k)}) = C_{kk}$  and obviously  $R_{kk} = 1$ .

Table 1: Parameterlist and basic stat	istics	for t	he ana	lysis
---------------------------------------	--------	-------	--------	-------

	Table 1: Parameter	list and basic	statistics for the a	nalysis			
Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	$0.904 \pm 0.187$	21436580	0.995	0.1000	1.000	0.350	1.000
cloud pressure crb [hPa]	$777 \pm 199$	21436580	$1.005 \times 10^3$	293	832	130	$1.069 \times 10^3$
cloud pressure crb precision [hPa]	$2.35 \pm 8.94$	21436580	0.750	1.14	0.499	$4.272 imes10^{-4}$	$1.506 \times 10^3$
cloud fraction crb [1]	$0.496 \pm 0.392$	21436580	0.996	0.904	0.439	0.0	1.000
cloud fraction crb precision [1]	$(1.565 \pm 7.675) \times 10^{-4}$	21436580	$2.500 imes10^{-4}$	$5.775  imes 10^{-5}$	$7.984 imes10^{-5}$	$2.841 imes10^{-9}$	0.525
scene albedo [1]	$0.479 \pm 0.342$	21436580	$1.500 imes10^{-2}$	0.633	0.451	$-3.222 \times 10^{-3}$	5.59
scene albedo precision [1]	$(8.129 \pm 8.918) \times 10^{-5}$	21436580	$2.500 imes10^{-4}$	$6.158 imes10^{-5}$	$5.434  imes 10^{-5}$	$1.077\times 10^{-5}$	$1.032 \times 10^{-2}$
apparent scene pressure [hPa]	$805\pm178$	21436580	$1.008 \times 10^3$	270	856	130	$1.068 \times 10^3$
apparent scene pressure precision [hPa]	$0.895 \pm 1.532$	21436580	0.500	0.452	0.413	$6.128 imes10^{-2}$	60.4
chi square [1]	$(0.254 \pm 3.786) \times 10^5$	21436580	0.150	$2.967  imes 10^4$	$1.623  imes 10^4$	47.9	$9.668  imes 10^8$
number of iterations [1]	$3.40 \pm 1.05$	21436580	3.23	1.000	3.00	1.000	14.0
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.829 \pm 6.096) \times 10^{-9}$	21436580	$7.500  imes 10^{-10}$	$5.363 \times 10^{-9}$	$1.525\times10^{-9}$	$-1.504\times10^{-6}$	$2.108 \times 10^{-6}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.764 \pm 0.713) \times 10^{-9}$	21436580	$8.500  imes 10^{-10}$	$1.062 \times 10^{-9}$	$1.687 \times 10^{-9}$	$4.294  imes 10^{-10}$	$5.590 \times 10^{-9}$
chi square fluorescence [1]	$(0.512 \pm 0.989) \times 10^5$	21436580	$1.250 \times 10^3$	$4.627  imes 10^4$	$1.558  imes 10^4$	99.8	$2.884 imes10^6$
degrees of freedom fluorescence [1]	$6.00 \pm 0.00$	21436580	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	21436580	49.7	0.0	50.0	46.0	50.0
wavelength calibration offset [nm]	$  (4.725 \pm 8.214) \times 10^{-3}$	21436580	$4.400\times10^{-3}$	$5.239 \times 10^{-3}$	$4.741\times10^{-3}$	-0.116	0.113

			Table 2:	Percentile rang	ges					
Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.500	0.500	0.500	0.900	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	247	380	472	563	650	942	973	992	$1.007 \times 10^{3}$	$1.018 \times 10^{3}$
cloud pressure crb precision [hPa]	0.184	0.229	0.248	0.266	0.298	1.44	2.64	4.57	9.13	30.6
cloud fraction crb [1]	$6.520 \times 10^{-4}$	$1.153 \times 10^{-2}$	$2.465 \times 10^{-2}$	$4.596 \times 10^{-2}$	$9.627 \times 10^{-2}$	1.000	1.000	1.000	1.000	1.000
cloud fraction crb precision [1]	$2.068  imes 10^{-5}$	$2.422 \times 10^{-5}$	$2.728  imes 10^{-5}$	$3.135  imes 10^{-5}$	$4.225 \times 10^{-5}$	$1.000 \times 10^{-4}$	$1.229  imes 10^{-4}$	$2.031  imes 10^{-4}$	$5.203  imes 10^{-4}$	$1.736 \times 10^{-3}$
scene albedo [1]	$9.524 \times 10^{-3}$	$2.245 \times 10^{-2}$	$4.063 \times 10^{-2}$	$7.288 \times 10^{-2}$	0.154	0.786	0.893	0.941	0.992	1.14
scene albedo precision [1]	$1.345 \times 10^{-5}$	$1.610 \times 10^{-5}$	$1.963 \times 10^{-5}$	$2.432 \times 10^{-5}$	$3.263 \times 10^{-5}$	$9.421 \times 10^{-5}$	$1.232 \times 10^{-4}$	$1.625 \times 10^{-4}$	$2.404 \times 10^{-4}$	$4.724 \times 10^{-4}$
apparent scene pressure [hPa]	333	447	538	610	684	954	980	995	$1.008 \times 10^{3}$	$1.018 \times 10^{3}$
apparent scene pressure precision [hPa]	0.209	0.234	0.251	0.267	0.295	0.747	1.18	1.93	3.38	7.64
chi square [1]	301	745	$1.575 \times 10^{3}$	$3.107 \times 10^{3}$	$5.856 \times 10^{3}$	$3.552 \times 10^{4}$	$4.708 \times 10^{4}$	$5.702 \times 10^{4}$	$6.858  imes 10^4$	$9.197  imes 10^4$
number of iterations [1]	2.00	2.00	2.00	3.00	3.00	4.00	4.00	5.00	5.00	7.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$-1.414 \times 10^{-8}$	$-6.248 \times 10^{-9}$	$-3.571 \times 10^{-9}$	$-2.115 \times 10^{-9}$	$-8.185 \times 10^{-10}$	$4.545 \times 10^{-9}$	$6.420 \times 10^{-9}$	$8.224 \times 10^{-9}$	$1.078 \times 10^{-8}$	$1.624 \times 10^{-8}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$7.122 \times 10^{-10}$	$8.120 \times 10^{-10}$	$8.895 \times 10^{-10}$	$9.881 \times 10^{-10}$	$1.170 \times 10^{-9}$	$2.232 \times 10^{-9}$	$2.524 \times 10^{-9}$	$2.682 \times 10^{-9}$	$2.994 \times 10^{-9}$	$3.724 \times 10^{-9}$
chi square fluorescence [1]	418	903	$1.405 \times 10^{3}$	$2.164 \times 10^{3}$	$4.133 \times 10^{3}$	$5.040 \times 10^{4}$	$8.583 \times 10^{4}$	$1.341 \times 10^{5}$	$2.328 \times 10^{5}$	$5.055 \times 10^{5}$
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$-2.200 \times 10^{-2}$	$-7.216 \times 10^{-3}$	$-2.351 \times 10^{-3}$	$1.545  imes 10^{-4}$	$2.094 \times 10^{-3}$	$7.334 \times 10^{-3}$	$9.274 \times 10^{-3}$	$1.182 \times 10^{-2}$	$1.674  imes 10^{-2}$	$3.132 \times 10^{-2}$

Table	3: Parameterlist and basic s	tatistics for	the analysis for	observations in	the northern hen	nisphere		
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	$0.989 \pm 0.052$	8396620	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	$746 \pm 221$	8396620	367	808	130	$1.069 \times 10^{3}$	570	936
cloud pressure crb precision [hPa]	$3.48 \pm 11.07$	8396620	2.18	0.937	$4.272  imes 10^{-4}$	$1.506 \times 10^{3}$	0.433	2.61
cloud fraction crb [1]	$0.359 \pm 0.346$	8396620	0.582	0.221	0.0	1.000	$5.353  imes 10^{-2}$	0.635
cloud fraction crb precision [1]	$(1.586 \pm 9.112) \times 10^{-4}$	8396620	$7.975  imes 10^{-5}$	$8.508 imes10^{-5}$	$7.338 imes10^{-8}$	0.525	$4.640 \times 10^{-5}$	$1.262  imes 10^{-4}$
scene albedo [1]	$0.386 \pm 0.298$	8396620	0.475	0.337	$-3.222 \times 10^{-3}$	5.59	0.121	0.596
scene albedo precision [1]	$(8.724 \pm 10.112) \times 10^{-5}$	8396620	$6.247 \times 10^{-5}$	$5.396  imes 10^{-5}$	$1.124 imes10^{-5}$	$1.032 \times 10^{-2}$	$3.461 \times 10^{-5}$	$9.708 imes10^{-5}$
apparent scene pressure [hPa]	$787 \pm 195$	8396620	306	847	130	$1.068 \times 10^{3}$	645	950
apparent scene pressure precision [hPa]	$1.11 \pm 1.78$	8396620	0.601	0.529	$6.128  imes 10^{-2}$	60.4	0.372	0.973
chi square [1]	$(0.135 \pm 0.725) \times 10^5$	8396620	$1.472 \times 10^{4}$	$9.772 \times 10^{3}$	47.9	$4.665 \times 10^{7}$	$3.800 \times 10^{3}$	$1.852 \times 10^{4}$
number of iterations [1]	$3.39 \pm 1.05$	8396620	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(8.700 \pm 44.509) \times 10^{-10}$	8396620	$3.584 \times 10^{-9}$	$9.614 \times 10^{-10}$	$-9.190 \times 10^{-7}$	$9.831 \times 10^{-7}$	$-7.514 \times 10^{-10}$	$2.833 \times 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.487 \pm 0.609) \times 10^{-9}$	8396620	$8.109 \times 10^{-10}$	$1.380 \times 10^{-9}$	$4.294  imes 10^{-10}$	$5.590  imes 10^{-9}$	$1.003 \times 10^{-9}$	$1.814  imes 10^{-9}$
chi square fluorescence [1]	$(0.471 \pm 0.960) \times 10^5$	8396620	$4.051  imes 10^4$	$1.279  imes 10^4$	103	$2.085  imes 10^6$	$3.812 \times 10^{3}$	$4.433 \times 10^4$
degrees of freedom fluorescence [1]	$6.00 \pm 0.00$	8396620	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	8396620	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.844 \pm 9.035) \times 10^{-3}$	8396620	$6.477 \times 10^{-3}$	$4.774 \times 10^{-3}$	$-8.400 \times 10^{-2}$	$8.998 \times 10^{-2}$	$1.550 \times 10^{-3}$	$8.027  imes 10^{-3}$

Table 4: Parameterlist and	basic statistics for the ana	lysis for observations	in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	$0.849 \pm 0.219$	13039960	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	$798 \pm 180$	13039960	267	846	130	$1.032 \times 10^3$	679	946
cloud pressure crb precision [hPa]	$1.63\pm7.15$	13039960	0.570	0.363	$1.648  imes 10^{-3}$	$1.036 \times 10^3$	0.270	0.840
cloud fraction crb [1]	$0.584 \pm 0.394$	13039960	0.842	0.646	0.0	1.000	0.158	1.000
cloud fraction crb precision [1]	$(1.551 \pm 6.586) \times 10^{-4}$	13039960	$5.962  imes 10^{-5}$	$7.462 \times 10^{-5}$	$2.841 \times 10^{-9}$	0.168	$4.038  imes 10^{-5}$	$1.000  imes 10^{-4}$
scene albedo [1]	$0.539 \pm 0.354$	13039960	0.694	0.578	$-2.883  imes 10^{-3}$	3.38	0.180	0.874
scene albedo precision [1]	$(7.745\pm 8.034)  imes 10^{-5}$	13039960	$6.165  imes 10^{-5}$	$5.461  imes 10^{-5}$	$1.077 imes10^{-5}$	$1.696 \times 10^{-3}$	$3.122  imes 10^{-5}$	$9.287 imes10^{-5}$
apparent scene pressure [hPa]	$816\pm165$	13039960	258	862	130	$1.032 \times 10^{3}$	698	955
apparent scene pressure precision [hPa]	$0.756 \pm 1.333$	13039960	0.339	0.345	0.105	47.4	0.272	0.611
chi square [1]	$(0.331 \pm 4.817) \times 10^{5}$	13039960	$3.820 \times 10^4$	$2.572 \times 10^4$	86.2	$9.668  imes 10^{8}$	$8.692 \times 10^{3}$	$4.689  imes 10^4$
number of iterations [1]	$3.40 \pm 1.05$	13039960	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(2.447 \pm 6.882)  imes 10^{-9}$	13039960	$6.744  imes 10^{-9}$	$2.229  imes 10^{-9}$	$-1.504  imes 10^{-6}$	$2.108  imes 10^{-6}$	$-8.785  imes 10^{-10}$	$5.866  imes 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.941\pm0.718) imes10^{-9}$	13039960	$1.104 imes10^{-9}$	$1.964  imes 10^{-9}$	$4.363  imes 10^{-10}$	$5.559  imes 10^{-9}$	$1.353 imes10^{-9}$	$2.457 \times 10^{-9}$
chi square fluorescence [1]	$(0.538 \pm 1.006) \times 10^5$	13039960	$4.980  imes 10^4$	$1.759  imes 10^4$	99.8	$2.884  imes 10^6$	$4.420 \times 10^{3}$	$5.422 \times 10^{4}$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	13039960	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0\pm0.1$	13039960	0.0	50.0	46.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.648 \pm 7.638) \times 10^{-3}$	13039960	$4.583 \times 10^{-3}$	$4.726 \times 10^{-3}$	-0.116	0.113	$2.390 \times 10^{-3}$	$6.973 \times 10^{-3}$

	Table 5: Parameterlist and	d basic statis	stics for the ana	lysis for observa	tions over water			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75% percentile
qa value [1]	$0.977 \pm 0.064$	13503759	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	$809 \pm 195$	13503759	266	881	130	$1.069 \times 10^{3}$	695	960
cloud pressure crb precision [hPa]	$2.23 \pm 8.68$	13503759	1.11	0.551	$1.648 \times 10^{-3}$	942	0.320	1.43
cloud fraction crb [1]	$0.411 \pm 0.353$	13503759	0.650	0.316	0.0	1.000	$7.763 imes10^{-2}$	0.728
cloud fraction crb precision [1]	$(1.005\pm5.242)\times10^{-4}$	13503759	$6.019 imes10^{-5}$	$5.291  imes 10^{-5}$	$7.540 imes10^{-9}$	0.168	$3.130 imes10^{-5}$	$9.149 imes10^{-5}$
scene albedo [1]	$0.359 \pm 0.306$	13503759	0.547	0.280	$-3.222 \times 10^{-3}$	4.81	$7.265 imes10^{-2}$	0.620
scene albedo precision [1]	$(5.964 \pm 7.283) \times 10^{-5}$	13503759	$4.090  imes 10^{-5}$	$4.326  imes 10^{-5}$	$1.077 imes10^{-5}$	$1.032\times10^{-2}$	$2.434 imes10^{-5}$	$6.524 imes10^{-5}$
apparent scene pressure [hPa]	$827 \pm 184$	13503759	243	894	130	$1.059 \times 10^{3}$	728	971
apparent scene pressure precision [hPa]	$1.18 \pm 1.86$	13503759	0.860	0.505	$6.964 imes10^{-2}$	60.4	0.308	1.17
chi square [1]	$(0.214 \pm 4.646) \times 10^5$	13503759	$2.648 \times 10^4$	$1.109  imes 10^4$	47.9	$9.668  imes 10^{8}$	$3.277 \times 10^{3}$	$2.976  imes 10^4$
number of iterations [1]	$3.01 \pm 0.84$	13503759	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(9.640\pm59.340)\times10^{-10}$	13503759	$4.849  imes 10^{-9}$	$5.377  imes 10^{-10}$	$-1.291  imes 10^{-6}$	$1.480 imes10^{-6}$	$-1.490 \times 10^{-9}$	$3.360 \times 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.717 \pm 0.748) \times 10^{-9}$	13503759	$1.195 imes10^{-9}$	$1.589 imes10^{-9}$	$4.363  imes 10^{-10}$	$5.590  imes 10^{-9}$	$1.055 imes10^{-9}$	$2.250\times10^{-9}$
chi square fluorescence [1]	$(0.521\pm 0.948)\times 10^5$	13503759	$4.941  imes 10^4$	$1.960  imes 10^4$	99.8	$2.884  imes 10^6$	$6.077 \times 10^3$	$5.548  imes 10^4$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	13503759	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	13503759	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.677 \pm 9.667) \times 10^{-3}$	13503759	$6.684  imes 10^{-3}$	$4.693  imes 10^{-3}$	-0.116	0.113	$1.316  imes 10^{-3}$	$8.001 \times 10^{-3}$

	Table 6: Parameterlist an	d basic stat	istics for the ana	alysis for observ	vations over land			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	$0.734 \pm 0.253$	6484314	0.500	0.500	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	$724 \pm 186$	6484314	243	731	130	$1.056 \times 10^{3}$	627	870
cloud pressure crb precision [hPa]	$2.38 \pm 9.09$	6484314	0.964	0.348	$4.272 imes10^{-4}$	$1.453 \times 10^{3}$	0.268	1.23
cloud fraction crb [1]	$0.685 \pm 0.407$	6484314	0.789	1.000	0.0	1.000	0.211	1.000
cloud fraction crb precision [1]	$(2.552 \pm 10.082) \times 10^{-4}$	6484314	$2.205  imes 10^{-5}$	$1.000  imes 10^{-4}$	$2.841 \times 10^{-9}$	0.525	$1.000  imes 10^{-4}$	$1.220  imes 10^{-4}$
scene albedo [1]	$0.720 \pm 0.292$	6484314	0.492	0.830	$3.305  imes 10^{-3}$	5.59	0.453	0.945
scene albedo precision [1]	$(1.201 \pm 0.984) \times 10^{-4}$	6484314	$8.134 imes10^{-5}$	$9.477  imes 10^{-5}$	$1.354 imes10^{-5}$	$1.891  imes 10^{-3}$	$5.742  imes 10^{-5}$	$1.388 imes10^{-4}$
apparent scene pressure [hPa]	$760\pm156$	6484314	241	762	130	$1.050 \times 10^{3}$	652	893
apparent scene pressure precision [hPa]	$0.390 \pm 0.190$	6484314	0.175	0.335	$6.128 imes10^{-2}$	23.3	0.275	0.450
chi square [1]	$(0.346 \pm 1.371) \times 10^5$	6484314	$3.339  imes 10^4$	$2.703  imes 10^4$	147	$1.095  imes 10^8$	$1.379  imes 10^4$	$4.718 imes10^4$
number of iterations [1]	$4.09 \pm 1.02$	6484314	0.0	4.00	1.000	14.0	4.00	4.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(3.579 \pm 5.705) \times 10^{-9}$	6484314	$4.847  imes 10^{-9}$	$3.294 \times 10^{-9}$	$-1.504  imes 10^{-6}$	$1.556  imes 10^{-6}$	$1.223 \times 10^{-9}$	$6.070  imes 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.870 \pm 0.632) \times 10^{-9}$	6484314	$8.116  imes 10^{-10}$	$1.806  imes 10^{-9}$	$4.367  imes 10^{-10}$	$5.559 \times 10^{-9}$	$1.417 imes10^{-9}$	$2.229\times10^{-9}$
chi square fluorescence [1]	$(0.419 \pm 0.938) \times 10^5$	6484314	$2.938  imes 10^4$	$7.374 \times 10^3$	122	$2.133  imes 10^6$	$1.947 \times 10^{3}$	$3.132  imes 10^4$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	6484314	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0\pm0.1$	6484314	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.762 \pm 4.089) \times 10^{-3}$	6484314	$3.317  imes 10^{-3}$	$4.771 \times 10^{-3}$	$-8.274 \times 10^{-2}$	$6.344 \times 10^{-2}$	$3.102 \times 10^{-3}$	$6.418  imes 10^{-3}$

# Granule outlines



Figure 1: Outline of the granules.

## 4 Input data monitoring



Figure 2: Input data per granule

# 5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

# 6 World maps



2024-12-03

Figure 4: Map of "Cloud pressure" for 2024-12-03 to 2024-12-03

2024-12-03



Figure 5: Map of "Cloud fraction" for 2024-12-03 to 2024-12-03





Figure 6: Map of "Scene albedo" for 2024-12-03 to 2024-12-03





Figure 7: Map of "Apparent scene pressure" for 2024-12-03 to 2024-12-03

2024-12-03



Figure 8: Map of "Fluorescence" for 2024-12-03 to 2024-12-03



Figure 9: Map of the number of observations for 2024-12-03 to 2024-12-03

# 7 Zonal average



Figure 10: Zonal average of "QA value" for 2024-12-03 to 2024-12-03.



Figure 11: Zonal average of "Cloud pressure" for 2024-12-03 to 2024-12-03.



Figure 12: Zonal average of "Cloud pressure precision" for 2024-12-03 to 2024-12-03.



Figure 13: Zonal average of "Cloud fraction" for 2024-12-03 to 2024-12-03.



Figure 14: Zonal average of "Cloud fraction precision" for 2024-12-03 to 2024-12-03.



Figure 15: Zonal average of "Scene albedo" for 2024-12-03 to 2024-12-03.



Figure 16: Zonal average of "Scene albedo precision" for 2024-12-03 to 2024-12-03.

![](_page_23_Figure_0.jpeg)

Figure 17: Zonal average of "Apparent scene pressure" for 2024-12-03 to 2024-12-03.

![](_page_24_Figure_0.jpeg)

Figure 18: Zonal average of "Apparent scene pressure precision" for 2024-12-03 to 2024-12-03.

![](_page_25_Figure_0.jpeg)

Figure 19: Zonal average of " $\chi^2$ " for 2024-12-03 to 2024-12-03.

![](_page_26_Figure_0.jpeg)

Figure 20: Zonal average of "Number of iterations" for 2024-12-03 to 2024-12-03.

![](_page_27_Figure_0.jpeg)

Figure 21: Zonal average of "Fluorescence" for 2024-12-03 to 2024-12-03.

![](_page_28_Figure_0.jpeg)

Figure 22: Zonal average of "Fluorescence precision" for 2024-12-03 to 2024-12-03.

![](_page_29_Figure_0.jpeg)

Figure 23: Zonal average of " $\chi^2$  of fluorescence retrieval" for 2024-12-03 to 2024-12-03.

![](_page_30_Figure_0.jpeg)

Figure 24: Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-03 to 2024-12-03.

![](_page_31_Figure_0.jpeg)

Figure 25: Zonal average of "Number of points in the spectrum" for 2024-12-03 to 2024-12-03.

![](_page_32_Figure_0.jpeg)

Figure 26: Zonal average of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-03 to 2024-12-03.

## 8 Histograms

The definitions of the parameters given in this section can be found in section 2.

![](_page_33_Figure_2.jpeg)

Figure 27: Histogram of "QA value" for 2024-12-03 to 2024-12-03

![](_page_34_Figure_0.jpeg)

Figure 28: Histogram of "Cloud pressure" for 2024-12-03 to 2024-12-03

![](_page_35_Figure_0.jpeg)

Figure 29: Histogram of "Cloud pressure precision" for 2024-12-03 to 2024-12-03

![](_page_36_Figure_0.jpeg)

Figure 30: Histogram of "Cloud fraction" for 2024-12-03 to 2024-12-03

![](_page_37_Figure_0.jpeg)

Figure 31: Histogram of "Cloud fraction precision" for 2024-12-03 to 2024-12-03

![](_page_38_Figure_0.jpeg)

Figure 32: Histogram of "Scene albedo" for 2024-12-03 to 2024-12-03

![](_page_39_Figure_0.jpeg)

Figure 33: Histogram of "Scene albedo precision" for 2024-12-03 to 2024-12-03

![](_page_40_Figure_0.jpeg)

Figure 34: Histogram of "Apparent scene pressure" for 2024-12-03 to 2024-12-03

![](_page_41_Figure_0.jpeg)

Figure 35: Histogram of "Apparent scene pressure precision" for 2024-12-03 to 2024-12-03

![](_page_42_Figure_0.jpeg)

Figure 36: Histogram of " $\chi^2$ " for 2024-12-03 to 2024-12-03

![](_page_43_Figure_0.jpeg)

Figure 37: Histogram of "Number of iterations" for 2024-12-03 to 2024-12-03

![](_page_44_Figure_0.jpeg)

Figure 38: Histogram of "Fluorescence" for 2024-12-03 to 2024-12-03

![](_page_45_Figure_0.jpeg)

Figure 39: Histogram of "Fluorescence precision" for 2024-12-03 to 2024-12-03

![](_page_46_Figure_0.jpeg)

Figure 40: Histogram of " $\chi^2$  of fluorescence retrieval" for 2024-12-03 to 2024-12-03

![](_page_47_Figure_0.jpeg)

Figure 41: Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-03 to 2024-12-03

![](_page_48_Figure_0.jpeg)

Figure 42: Histogram of "Number of points in the spectrum" for 2024-12-03 to 2024-12-03

![](_page_49_Figure_0.jpeg)

Figure 43: Histogram of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-03 to 2024-12-03

## 9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.

![](_page_50_Figure_2.jpeg)

Figure 44: Along track statistics of "QA value" for 2024-12-03 to 2024-12-03

![](_page_51_Figure_0.jpeg)

Figure 45: Along track statistics of "Cloud pressure" for 2024-12-03 to 2024-12-03

![](_page_52_Figure_0.jpeg)

Figure 46: Along track statistics of "Cloud pressure precision" for 2024-12-03 to 2024-12-03

![](_page_53_Figure_0.jpeg)

Figure 47: Along track statistics of "Cloud fraction" for 2024-12-03 to 2024-12-03

![](_page_54_Figure_0.jpeg)

Figure 48: Along track statistics of "Cloud fraction precision" for 2024-12-03 to 2024-12-03

![](_page_55_Figure_0.jpeg)

Figure 49: Along track statistics of "Scene albedo" for 2024-12-03 to 2024-12-03

![](_page_56_Figure_0.jpeg)

Figure 50: Along track statistics of "Scene albedo precision" for 2024-12-03 to 2024-12-03

![](_page_57_Figure_0.jpeg)

Figure 51: Along track statistics of "Apparent scene pressure" for 2024-12-03 to 2024-12-03

![](_page_58_Figure_0.jpeg)

Figure 52: Along track statistics of "Apparent scene pressure precision" for 2024-12-03 to 2024-12-03

![](_page_59_Figure_0.jpeg)

Figure 53: Along track statistics of " $\chi^2$ " for 2024-12-03 to 2024-12-03

![](_page_60_Figure_0.jpeg)

Figure 54: Along track statistics of "Number of iterations" for 2024-12-03 to 2024-12-03

![](_page_61_Figure_0.jpeg)

Figure 55: Along track statistics of "Fluorescence" for 2024-12-03 to 2024-12-03

![](_page_62_Figure_0.jpeg)

Figure 56: Along track statistics of "Fluorescence precision" for 2024-12-03 to 2024-12-03

![](_page_63_Figure_0.jpeg)

Figure 57: Along track statistics of " $\chi^2$  of fluorescence retrieval" for 2024-12-03 to 2024-12-03

![](_page_64_Figure_0.jpeg)

Figure 58: Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-03 to 2024-12-03

![](_page_65_Figure_0.jpeg)

Figure 59: Along track statistics of "Number of points in the spectrum" for 2024-12-03 to 2024-12-03

![](_page_66_Figure_0.jpeg)

Figure 60: Along track statistics of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-03 to 2024-12-03

## 10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

### Contents

1	Short Introduction   1.1 The list of parameters	<b>1</b> 1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	17
8	Histograms	34
9	Along track statistics	51
10	Coincidence density	68
11	Copyright information of 'PyCAMA'	68

## **List of Figures**

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of "Cloud pressure" for 2024-12-03 to 2024-12-03	11
5	Map of "Cloud fraction" for 2024-12-03 to 2024-12-03	12
6	Map of "Scene albedo" for 2024-12-03 to 2024-12-03	13
7	Map of "Apparent scene pressure" for 2024-12-03 to 2024-12-03	14
8	Map of "Fluorescence" for 2024-12-03 to 2024-12-03	15
9	Map of the number of observations for 2024-12-03 to 2024-12-03	16
10	Zonal average of "QA value" for 2024-12-03 to 2024-12-03.	17
11	Zonal average of "Cloud pressure" for 2024-12-03 to 2024-12-03.	18
12	Zonal average of "Cloud pressure precision" for 2024-12-03 to 2024-12-03.	19
13	Zonal average of "Cloud fraction" for 2024-12-03 to 2024-12-03.	20
14	Zonal average of "Cloud fraction precision" for 2024-12-03 to 2024-12-03.	21
15	Zonal average of "Scene albedo" for 2024-12-03 to 2024-12-03.	22
16	Zonal average of "Scene albedo precision" for 2024-12-03 to 2024-12-03.	23
17	Zonal average of "Apparent scene pressure" for 2024-12-03 to 2024-12-03.	24
18	Zonal average of "Apparent scene pressure precision" for 2024-12-03 to 2024-12-03.	25
19	Zonal average of " $\chi^2$ " for 2024-12-03 to 2024-12-03	26
20	Zonal average of "Number of iterations" for 2024-12-03 to 2024-12-03.	27
21	Zonal average of "Fluorescence" for 2024-12-03 to 2024-12-03.	28
22	Zonal average of "Fluorescence precision" for 2024-12-03 to 2024-12-03	29
23	Zonal average of " $\chi^2$ of fluorescence retrieval" for 2024-12-03 to 2024-12-03	30
24	Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-03 to 2024-12-03.	31
25	Zonal average of "Number of points in the spectrum" for 2024-12-03 to 2024-12-03.	32
26	Zonal average of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-03 to 2024-12-03	33
27	Histogram of "QA value" for 2024-12-03 to 2024-12-03	34
28	Histogram of "Cloud pressure" for 2024-12-03 to 2024-12-03	35
29	Histogram of "Cloud pressure precision" for 2024-12-03 to 2024-12-03	36

30	Histogram of "Cloud fraction" for 2024-12-03 to 2024-12-03	37
31	Histogram of "Cloud fraction precision" for 2024-12-03 to 2024-12-03	38
32	Histogram of "Scene albedo" for 2024-12-03 to 2024-12-03	39
33	Histogram of "Scene albedo precision" for 2024-12-03 to 2024-12-03	40
34	Histogram of "Apparent scene pressure" for 2024-12-03 to 2024-12-03	41
35	Histogram of "Apparent scene pressure precision" for 2024-12-03 to 2024-12-03	42
36	Histogram of " $\chi^2$ " for 2024-12-03 to 2024-12-03	43
37	Histogram of "Number of iterations" for 2024-12-03 to 2024-12-03	44
38	Histogram of "Fluorescence" for 2024-12-03 to 2024-12-03	45
39	Histogram of "Fluorescence precision" for 2024-12-03 to 2024-12-03	46
40	Histogram of " $\chi^2$ of fluorescence retrieval" for 2024-12-03 to 2024-12-03	47
41	Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-03 to 2024-12-03	48
42	Histogram of "Number of points in the spectrum" for 2024-12-03 to 2024-12-03	49
43	Histogram of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-03 to 2024-12-03	50
44	Along track statistics of "QA value" for 2024-12-03 to 2024-12-03	51
45	Along track statistics of "Cloud pressure" for 2024-12-03 to 2024-12-03	52
46	Along track statistics of "Cloud pressure precision" for 2024-12-03 to 2024-12-03	53
47	Along track statistics of "Cloud fraction" for 2024-12-03 to 2024-12-03	54
48	Along track statistics of "Cloud fraction precision" for 2024-12-03 to 2024-12-03	55
49	Along track statistics of "Scene albedo" for 2024-12-03 to 2024-12-03	56
50	Along track statistics of "Scene albedo precision" for 2024-12-03 to 2024-12-03	57
51	Along track statistics of "Apparent scene pressure" for 2024-12-03 to 2024-12-03	58
52	Along track statistics of "Apparent scene pressure precision" for 2024-12-03 to 2024-12-03	59
53	Along track statistics of " $\chi^2$ " for 2024-12-03 to 2024-12-03	60
54	Along track statistics of "Number of iterations" for 2024-12-03 to 2024-12-03	61
55	Along track statistics of "Fluorescence" for 2024-12-03 to 2024-12-03	62
56	Along track statistics of "Fluorescence precision" for 2024-12-03 to 2024-12-03	63
57	Along track statistics of " $\chi^2$ of fluorescence retrieval" for 2024-12-03 to 2024-12-03	64
58	Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-03 to 2024-12-03	65
59	Along track statistics of "Number of points in the spectrum" for 2024-12-03 to 2024-12-03	66
60	Along track statistics of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-03 to 2024-12-03	67

### **List of Tables**

1	Parameterlist and basic statistics for the analysis
2	Percentile ranges
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere
5	Parameterlist and basic statistics for the analysis for observations over water
6	Parameterlist and basic statistics for the analysis for observations over land

### 11 Copyright information of 'PyCAMA'

Copyright © 2005-2023, Maarten Sneep (KNMI).

#### All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).