## PyCAMA report generated by tropl2-proc

#### tropl2-proc

#### 2024-12-25 (02:15)

#### **1** Short Introduction

#### 1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

#### 2 Definitions

The averages shown here are unweighed averages:

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance V(x), or rather the standard deviation  $\sigma(x) = \sqrt{V(x)}$ .

$$V(x) = \frac{1}{N-1} \sum_{i=1}^{N} (x_i - \bar{x})^2$$
(2)

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \le m) = P(x \ge m) = \int_{-\infty}^{m} f(x) \, \mathrm{d}x = \frac{1}{2}$$
(3)

with f(x) the probability density function.

The median is a special case of a percentile. Instead of  $\frac{1}{2}$  in equation 3, other threshold values can be used. We report results for 1%, 5%, 10%, 15.9%, 25%, 75%, 84.1%, 90%, 95% and 99%. The inter quartile range is the difference between the 75% and 25% percentiles. Similarly the minimum and maximum values correspond to the 0% and 100% percentiles respectively.

For normally distributed parameters the mean and median are the same, while the  $\mu \pm \sigma$  values and the 15.9% and 84.1% percentiles coincide.

To get a measure for the relation of one variable  $x_{(k)}$  with another  $x_{(l)}$ , we calculate the covariance matrix  $C_{kl}$ .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^{N} (x_{(k),i} - \overline{x_{(k)}}) (x_{(l),i} - \overline{x_{(l)}})$$
(4)

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix  $R_{kl}$ , a matrix of Pearson's *r* coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}}$$
(5)

The diagonal elements of the covariance matrix are the variances of the elements,  $V(x_{(k)}) = C_{kk}$  and obviously  $R_{kk} = 1$ .

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	$0.906 \pm 0.186$	23226196	0.995	0.1000	1.000	0.350	1.000
cloud pressure crb [hPa]	$777 \pm 197$	23226196	$1.015  imes 10^3$	286	830	130	$1.067 \times 10^3$
cloud pressure crb precision [hPa]	$2.17\pm8.37$	23226196	0.750	1.05	0.494	$7.935 imes10^{-4}$	$1.176 \times 10^3$
cloud fraction crb [1]	$0.501 \pm 0.386$	23226196	0.996	0.880	0.452	0.0	1.000
cloud fraction crb precision [1]	$(1.621 \pm 6.287) \times 10^{-4}$	23226196	$2.500 imes10^{-4}$	$5.562  imes 10^{-5}$	$8.075 imes10^{-5}$	$2.352\times10^{-9}$	0.687
scene albedo [1]	$0.483 \pm 0.331$	23226196	$1.500 imes10^{-2}$	0.597	0.468	$-5.396  imes 10^{-2}$	4.84
scene albedo precision [1]	$(8.222 \pm 8.886) \times 10^{-5}$	23226196	$2.500 imes10^{-4}$	$6.275 imes10^{-5}$	$5.505  imes 10^{-5}$	$1.079 imes10^{-5}$	$5.105 \times 10^{-3}$
apparent scene pressure [hPa]	$805\pm176$	23226196	$1.008 \times 10^3$	264	855	130	$1.068 \times 10^3$
apparent scene pressure precision [hPa]	$0.831 \pm 1.380$	23226196	0.500	0.420	0.406	$7.150 imes10^{-2}$	61.0
chi square [1]	$(0.239 \pm 1.489) \times 10^5$	23226196	0.150	$2.817 imes10^4$	$1.672  imes 10^4$	52.8	$2.560  imes 10^8$
number of iterations [1]	$3.36 \pm 1.04$	23226196	3.23	1.000	3.00	1.000	14.0
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.725 \pm 6.634) \times 10^{-9}$	23226196	$7.500  imes 10^{-10}$	$5.353 \times 10^{-9}$	$1.476  imes 10^{-9}$	$-1.819\times10^{-6}$	$1.913 \times 10^{-6}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.772 \pm 0.712) \times 10^{-9}$	23226196	$8.500  imes 10^{-10}$	$1.061 \times 10^{-9}$	$1.705  imes 10^{-9}$	$3.920 \times 10^{-10}$	$5.539 \times 10^{-9}$
chi square fluorescence [1]	$(0.529 \pm 0.984) \times 10^5$	23226196	$1.250 \times 10^{3}$	$4.916  imes 10^4$	$1.754  imes 10^4$	102	$2.168  imes 10^6$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	23226196	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	23226196	49.7	0.0	50.0	45.0	50.0
wavelength calibration offset [nm]	$(4.313 \pm 8.099) \times 10^{-3}$	23226196	$4.400 \times 10^{-3}$	$5.203 \times 10^{-3}$	$4.312 \times 10^{-3}$	-0.108	0.103

			Table 2:	Percentile rang	ges					
Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.500	0.500	0.500	0.900	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	253	383	477	568	653	939	971	991	$1.008 \times 10^3$	$1.020 \times 10^3$
cloud pressure crb precision [hPa]	0.168	0.226	0.246	0.263	0.296	1.34	2.36	4.05	8.21	27.6
cloud fraction crb [1]	$1.456 \times 10^{-3}$	$1.265 imes10^{-2}$	$2.825 imes10^{-2}$	$5.352 imes10^{-2}$	0.109	0.989	1.000	1.000	1.000	1.000
cloud fraction crb precision [1]	$2.039  imes 10^{-5}$	$2.415  imes 10^{-5}$	$2.739  imes 10^{-5}$	$3.226  imes 10^{-5}$	$4.438  imes 10^{-5}$	$1.000 \times 10^{-4}$	$1.426  imes 10^{-4}$	$2.714  imes 10^{-4}$	$6.178 imes10^{-4}$	$1.670 \times 10^{-3}$
scene albedo [1]	$1.006  imes 10^{-2}$	$2.437 imes10^{-2}$	$4.689  imes 10^{-2}$	$8.546  imes 10^{-2}$	0.175	0.772	0.877	0.928	0.977	1.13
scene albedo precision [1]	$1.331 \times 10^{-5}$	$1.603 \times 10^{-5}$	$1.960  imes 10^{-5}$	$2.459  imes 10^{-5}$	$3.283  imes 10^{-5}$	$9.558 \times 10^{-5}$	$1.243 \times 10^{-4}$	$1.647  imes 10^{-4}$	$2.468  imes 10^{-4}$	$4.711 \times 10^{-4}$
apparent scene pressure [hPa]	331	451	545	618	686	950	978	995	$1.010 \times 10^{3}$	$1.020 \times 10^{3}$
apparent scene pressure precision [hPa]	0.209	0.233	0.250	0.266	0.294	0.714	1.07	1.69	3.05	6.94
chi square [1]	336	823	$1.824 \times 10^{3}$	$3.396 \times 10^{3}$	$6.134 \times 10^{3}$	$3.431 \times 10^{4}$	$4.420 \times 10^{4}$	$5.281 \times 10^{4}$	$6.323 \times 10^{4}$	$8.363 \times 10^{4}$
number of iterations [1]	2.00	2.00	2.00	3.00	3.00	4.00	4.00	4.00	5.00	7.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$-1.385  imes 10^{-8}$	$-6.295  imes 10^{-9}$	$-3.720 \times 10^{-9}$	$-2.266  imes 10^{-9}$	$-9.302 \times 10^{-10}$	$4.423 \times 10^{-9}$	$6.242 \times 10^{-9}$	$8.004  imes 10^{-9}$	$1.053 imes10^{-8}$	$1.599  imes 10^{-8}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$7.127  imes 10^{-10}$	$8.133  imes 10^{-10}$	$8.918  imes 10^{-10}$	$9.930  imes 10^{-10}$	$1.175  imes 10^{-9}$	$2.236 \times 10^{-9}$	$2.528  imes 10^{-9}$	$2.679 \times 10^{-9}$	$3.019 \times 10^{-9}$	$3.686 \times 10^{-9}$
chi square fluorescence [1]	539	$1.117 \times 10^{3}$	$1.726 \times 10^{3}$	$2.551 \times 10^{3}$	$4.558 \times 10^{3}$	$5.372 \times 10^{4}$	$8.834 \times 10^4$	$1.361 \times 10^{5}$	$2.398 \times 10^{5}$	$5.042 \times 10^{5}$
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$-2.196  imes 10^{-2}$	$-7.498 \times 10^{-3}$	$-2.697 \times 10^{-3}$	$-2.281  imes 10^{-4}$	$1.697 \times 10^{-3}$	$6.900 \times 10^{-3}$	$8.853 \times 10^{-3}$	$1.139  imes 10^{-2}$	$1.624  imes 10^{-2}$	$3.048 \times 10^{-2}$

Table 3: Parameterlist	and basic sta	tistics for the	e analysis fo	or observations	in the norther	n hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	$0.989 \pm 0.056$	8989576	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	$750 \pm 218$	8989576	352	811	130	$1.067 \times 10^3$	584	936
cloud pressure crb precision [hPa]	$3.03 \pm 9.94$	8989576	1.82	0.855	$1.465 imes10^{-3}$	$1.176  imes 10^3$	0.423	2.24
cloud fraction crb [1]	$0.384 \pm 0.349$	8989576	0.606	0.263	0.0	1.000	$6.769  imes 10^{-2}$	0.673
cloud fraction crb precision [1]	$(1.686 \pm 7.684) \times 10^{-4}$	8989576	$9.323 imes10^{-5}$	$9.320  imes 10^{-5}$	$1.865 imes10^{-8}$	0.687	$5.000  imes 10^{-5}$	$1.432  imes 10^{-4}$
scene albedo [1]	$0.409 \pm 0.300$	8989576	0.467	0.373	$-2.321 \times 10^{-3}$	4.84	0.152	0.619
scene albedo precision [1]	$(9.304 \pm 10.220) \times 10^{-5}$	8989576	$7.191 imes10^{-5}$	$5.805  imes 10^{-5}$	$1.176\times10^{-5}$	$4.333  imes 10^{-3}$	$3.542  imes 10^{-5}$	$1.073 imes10^{-4}$
apparent scene pressure [hPa]	$792 \pm 191$	8989576	282	849	130	$1.068 \times 10^3$	666	949
apparent scene pressure precision [hPa]	$1.01 \pm 1.59$	8989576	0.525	0.518	$7.150\times10^{-2}$	61.0	0.365	0.890
chi square [1]	$(0.141 \pm 1.018) \times 10^5$	8989576	$1.526  imes 10^4$	$1.015  imes 10^4$	52.8	$9.421  imes 10^7$	$4.139 \times 10^{3}$	$1.940  imes 10^4$
number of iterations [1]	$3.38 \pm 1.07$	8989576	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(8.736 \pm 43.809) \times 10^{-10}$	8989576	$3.624  imes 10^{-9}$	$1.000  imes 10^{-9}$	$-8.501 imes10^{-7}$	$1.111 imes10^{-6}$	$-7.649  imes 10^{-10}$	$2.859\times10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.491 \pm 0.607) \times 10^{-9}$	8989576	$8.336  imes 10^{-10}$	$1.390  imes 10^{-9}$	$4.016  imes 10^{-10}$	$5.487 imes10^{-9}$	$9.938 \times 10^{-10}$	$1.827 imes10^{-9}$
chi square fluorescence [1]	$(0.461 \pm 0.951) \times 10^5$	8989576	$4.035  imes 10^4$	$1.314  imes 10^4$	102	$1.799  imes 10^6$	$3.857 \times 10^3$	$4.421  imes 10^4$
degrees of freedom fluorescence [1]	$6.00 \pm 0.00$	8989576	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	8989576	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	(4.408 ± 8.893) × 10 <sup>-3</sup>	8989576	$6.412\times10^{-3}$	$4.305\times10^{-3}$	-0.108	$9.379 \times 10^{-2}$	$1.142\times10^{-3}$	$7.554\times10^{-3}$

Table 4. Parameterlist and basic statistics for the anal	vsis for observations in the southern hemisphere
Tuble 1. I diameternist and busic statistics for the anal	ysis for observations in the southern hermisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	$0.853 \pm 0.217$	14236620	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	$794 \pm 179$	14236620	266	841	130	$1.033 \times 10^3$	675	941
cloud pressure crb precision [hPa]	$1.62 \pm 7.16$	14236620	0.600	0.365	$7.935 imes10^{-4}$	934	0.269	0.869
cloud fraction crb [1]	$0.575 \pm 0.390$	14236620	0.843	0.623	0.0	1.000	0.157	1.000
cloud fraction crb precision [1]	$(1.579 \pm 5.215) \times 10^{-4}$	14236620	$5.875 imes10^{-5}$	$7.202  imes 10^{-5}$	$2.352  imes 10^{-9}$	0.116	$4.125  imes 10^{-5}$	$1.000  imes 10^{-4}$
scene albedo [1]	$0.529 \pm 0.342$	14236620	0.652	0.560	$-5.396  imes 10^{-2}$	3.80	0.196	0.848
scene albedo precision [1]	$(7.538 \pm 7.853) \times 10^{-5}$	14236620	$5.854 imes10^{-5}$	$5.340 imes10^{-5}$	$1.079 imes10^{-5}$	$5.105  imes 10^{-3}$	$3.113  imes 10^{-5}$	$8.967 imes10^{-5}$
apparent scene pressure [hPa]	$813\pm165$	14236620	258	859	130	$1.033 \times 10^{3}$	693	951
apparent scene pressure precision [hPa]	$0.716 \pm 1.220$	14236620	0.317	0.347	0.143	52.3	0.273	0.590
chi square [1]	$(0.301 \pm 1.718) \times 10^5$	14236620	$3.467 \times 10^{4}$	$2.458  imes 10^4$	77.9	$2.560 \times 10^{8}$	$8.973 \times 10^{3}$	$4.364 \times 10^{4}$
number of iterations [1]	$3.35 \pm 1.02$	14236620	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(2.262\pm7.676)\times10^{-9}$	14236620	$6.707 imes10^{-9}$	$2.056\times10^{-9}$	$-1.819 imes10^{-6}$	$1.913 imes10^{-6}$	$-1.071  imes 10^{-9}$	$5.636 \times 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.950\pm0.716)\times10^{-9}$	14236620	$1.088  imes 10^{-9}$	$1.968  imes 10^{-9}$	$3.920 \times 10^{-10}$	$5.539  imes 10^{-9}$	$1.369 \times 10^{-9}$	$2.457 imes10^{-9}$
chi square fluorescence [1]	$(0.572 \pm 1.003) \times 10^5$	14236620	$5.479  imes 10^4$	$2.081  imes 10^4$	117	$2.168  imes 10^6$	$5.290 \times 10^{3}$	$6.008  imes 10^4$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	14236620	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0\pm0.1$	14236620	0.0	50.0	45.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$  (4.252 \pm 7.555) \times 10^{-3}$	14236620	$4.560 \times 10^{-3}$	$4.315 \times 10^{-3}$	$-9.290 \times 10^{-2}$	0.103	$2.002 \times 10^{-3}$	$6.562 \times 10^{-3}$

	Table 5: Parameterlist and	d basic statis	stics for the ana	lysis for observa	tions over water			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75% percentile
qa value [1]	$0.980 \pm 0.052$	14344385	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	$809 \pm 195$	14344385	254	880	130	$1.038 \times 10^3$	702	957
cloud pressure crb precision [hPa]	$2.00\pm7.89$	14344385	0.994	0.540	$7.935 imes10^{-4}$	611	0.320	1.31
cloud fraction crb [1]	$0.417 \pm 0.345$	14344385	0.635	0.338	0.0	1.000	$8.983 imes10^{-2}$	0.724
cloud fraction crb precision [1]	$(9.887 \pm 35.245) \times 10^{-5}$	14344385	$5.936 \times 10^{-5}$	$5.431  imes 10^{-5}$	$1.865 imes10^{-8}$	0.116	$3.185 imes10^{-5}$	$9.120 imes10^{-5}$
scene albedo [1]	$0.363 \pm 0.297$	14344385	0.532	0.304	$-5.396  imes 10^{-2}$	4.83	$8.297 imes10^{-2}$	0.615
scene albedo precision [1]	$(6.204 \pm 7.646) \times 10^{-5}$	14344385	$4.043  imes 10^{-5}$	$4.391 \times 10^{-5}$	$1.079\times10^{-5}$	$5.105  imes 10^{-3}$	$2.442  imes 10^{-5}$	$6.485 imes10^{-5}$
apparent scene pressure [hPa]	$827 \pm 184$	14344385	232	891	130	$1.067 \times 10^{3}$	735	967
apparent scene pressure precision [hPa]	$1.09 \pm 1.70$	14344385	0.757	0.496	$7.150 imes10^{-2}$	61.0	0.310	1.07
chi square [1]	$(0.195 \pm 1.596) \times 10^5$	14344385	$2.573  imes 10^4$	$1.146 \times 10^4$	52.8	$2.560 \times 10^{8}$	$3.533 \times 10^{3}$	$2.926  imes 10^4$
number of iterations [1]	$2.96 \pm 0.81$	14344385	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(7.265 \pm 57.600) \times 10^{-10}$	14344385	$4.778 imes10^{-9}$	$4.257  imes 10^{-10}$	$-1.668 imes10^{-6}$	$1.578 imes10^{-6}$	$-1.689  imes 10^{-9}$	$3.089 \times 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.719 \pm 0.747) \times 10^{-9}$	14344385	$1.175 imes10^{-9}$	$1.597 imes10^{-9}$	$3.920 \times 10^{-10}$	$5.458  imes 10^{-9}$	$1.063 \times 10^{-9}$	$2.238 \times 10^{-9}$
chi square fluorescence [1]	$(0.553\pm 0.974)\times 10^5$	14344385	$5.284  imes 10^4$	$2.151  imes 10^4$	102	$2.168  imes 10^6$	$6.403 \times 10^{3}$	$5.924  imes 10^4$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	14344385	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	14344385	0.0	50.0	47.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.264 \pm 9.597) \times 10^{-3}$	14344385	$6.643 \times 10^{-3}$	$4.276 \times 10^{-3}$	-0.108	0.103	$9.279  imes 10^{-4}$	$7.571 \times 10^{-3}$

	Table 6: Parameterlist an	nd basic sta	tistics for the an	alysis for obser	vations over land			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75% percentile
qa value [1]	$0.739 \pm 0.252$	7247270	0.500	0.500	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	$727 \pm 182$	7247270	242	725	130	$1.059 \times 10^{3}$	632	874
cloud pressure crb precision [hPa]	$2.28 \pm 8.83$	7247270	0.972	0.345	$1.465  imes 10^{-3}$	$1.176 \times 10^3$	0.262	1.23
cloud fraction crb [1]	$0.678 \pm 0.408$	7247270	0.798	1.000	0.0	1.000	0.202	1.000
cloud fraction crb precision [1]	$(2.698 \pm 8.614) \times 10^{-4}$	7247270	$3.764  imes 10^{-5}$	$1.000  imes 10^{-4}$	$2.352  imes 10^{-9}$	0.332	$1.000  imes 10^{-4}$	$1.376 imes10^{-4}$
scene albedo [1]	$0.707 \pm 0.285$	7247270	0.477	0.805	$1.600  imes 10^{-2}$	4.40	0.453	0.930
scene albedo precision [1]	$(1.151 \pm 0.926) \times 10^{-4}$	7247270	$7.419 imes10^{-5}$	$9.145 \times 10^{-5}$	$1.366 \times 10^{-5}$	$3.208 \times 10^{-3}$	$5.808 \times 10^{-5}$	$1.323  imes 10^{-4}$
apparent scene pressure [hPa]	$765\pm150$	7247270	240	757	130	$1.054 \times 10^3$	658	898
apparent scene pressure precision [hPa]	$0.388 \pm 0.190$	7247270	0.173	0.333	$8.838 imes10^{-2}$	16.6	0.272	0.445
chi square [1]	$(0.334 \pm 1.322) \times 10^5$	7247270	$2.983  imes 10^4$	$2.648 \times 10^4$	147	$9.421 \times 10^{7}$	$1.414  imes 10^4$	$4.397  imes 10^4$
number of iterations [1]	$4.06 \pm 1.02$	7247270	0.0	4.00	1.000	14.0	4.00	4.00
fluorescence [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(3.641 \pm 7.213) \times 10^{-9}$	7247270	$4.959  imes 10^{-9}$	$3.349 \times 10^{-9}$	$-1.819 imes10^{-6}$	$1.913 imes10^{-6}$	$1.206  imes 10^{-9}$	$6.165  imes 10^{-9}$
fluorescence precision [mol s <sup><math>-1</math></sup> m <sup><math>-2</math></sup> nm <sup><math>-1</math></sup> sr <sup><math>-1</math></sup> ]	$(1.893 \pm 0.635) \times 10^{-9}$	7247270	$8.452 \times 10^{-10}$	$1.845  imes 10^{-9}$	$4.662  imes 10^{-10}$	$5.505\times10^{-9}$	$1.439  imes 10^{-9}$	$2.284 imes10^{-9}$
chi square fluorescence [1]	$(0.429 \pm 0.908) \times 10^5$	7247270	$3.542 \times 10^4$	$9.179  imes 10^3$	139	$2.006  imes 10^6$	$2.428  imes 10^3$	$3.784  imes 10^4$
degrees of freedom fluorescence [1]	$6.00\pm0.00$	7247270	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	$50.0 \pm 0.1$	7247270	0.0	50.0	45.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.345 \pm 4.167) \times 10^{-3}$	7247270	$3.358\times10^{-3}$	$4.326\times10^{-3}$	$-6.675\times10^{-2}$	$6.670\times10^{-2}$	$2.643\times10^{-3}$	$6.000  imes 10^{-3}$

 $\neg$ 

## Granule outlines



Figure 1: Outline of the granules.

## 4 Input data monitoring



Figure 2: Input data per granule

## 5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

# 6 World maps



Figure 4: Map of "Cloud pressure" for 2024-12-23 to 2024-12-24

2024-12-23



Figure 5: Map of "Cloud fraction" for 2024-12-23 to 2024-12-24





Figure 6: Map of "Scene albedo" for 2024-12-23 to 2024-12-24

2024-12-23



Figure 7: Map of "Apparent scene pressure" for 2024-12-23 to 2024-12-24

2024-12-23



Figure 8: Map of "Fluorescence" for 2024-12-23 to 2024-12-24



Figure 9: Map of the number of observations for 2024-12-23 to 2024-12-24

# 7 Zonal average



Figure 10: Zonal average of "QA value" for 2024-12-23 to 2024-12-24.



Figure 11: Zonal average of "Cloud pressure" for 2024-12-23 to 2024-12-24.



Figure 12: Zonal average of "Cloud pressure precision" for 2024-12-23 to 2024-12-24.



Figure 13: Zonal average of "Cloud fraction" for 2024-12-23 to 2024-12-24.



Figure 14: Zonal average of "Cloud fraction precision" for 2024-12-23 to 2024-12-24.



Figure 15: Zonal average of "Scene albedo" for 2024-12-23 to 2024-12-24.



Figure 16: Zonal average of "Scene albedo precision" for 2024-12-23 to 2024-12-24.



Figure 17: Zonal average of "Apparent scene pressure" for 2024-12-23 to 2024-12-24.



Figure 18: Zonal average of "Apparent scene pressure precision" for 2024-12-23 to 2024-12-24.



Figure 19: Zonal average of " $\chi^2$ " for 2024-12-23 to 2024-12-24.



Figure 20: Zonal average of "Number of iterations" for 2024-12-23 to 2024-12-24.



Figure 21: Zonal average of "Fluorescence" for 2024-12-23 to 2024-12-24.



Figure 22: Zonal average of "Fluorescence precision" for 2024-12-23 to 2024-12-24.



Figure 23: Zonal average of " $\chi^2$  of fluorescence retrieval" for 2024-12-23 to 2024-12-24.



Figure 24: Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-23 to 2024-12-24.



Figure 25: Zonal average of "Number of points in the spectrum" for 2024-12-23 to 2024-12-24.



Figure 26: Zonal average of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-23 to 2024-12-24.

## 8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 27: Histogram of "QA value" for 2024-12-23 to 2024-12-24



Figure 28: Histogram of "Cloud pressure" for 2024-12-23 to 2024-12-24



Figure 29: Histogram of "Cloud pressure precision" for 2024-12-23 to 2024-12-24



Figure 30: Histogram of "Cloud fraction" for 2024-12-23 to 2024-12-24



Figure 31: Histogram of "Cloud fraction precision" for 2024-12-23 to 2024-12-24



Figure 32: Histogram of "Scene albedo" for 2024-12-23 to 2024-12-24



Figure 33: Histogram of "Scene albedo precision" for 2024-12-23 to 2024-12-24



Figure 34: Histogram of "Apparent scene pressure" for 2024-12-23 to 2024-12-24



Figure 35: Histogram of "Apparent scene pressure precision" for 2024-12-23 to 2024-12-24



Figure 36: Histogram of " $\chi^2$ " for 2024-12-23 to 2024-12-24



Figure 37: Histogram of "Number of iterations" for 2024-12-23 to 2024-12-24



Figure 38: Histogram of "Fluorescence" for 2024-12-23 to 2024-12-24



Figure 39: Histogram of "Fluorescence precision" for 2024-12-23 to 2024-12-24



Figure 40: Histogram of " $\chi^2$  of fluorescence retrieval" for 2024-12-23 to 2024-12-24



Figure 41: Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-23 to 2024-12-24



Figure 42: Histogram of "Number of points in the spectrum" for 2024-12-23 to 2024-12-24



Figure 43: Histogram of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-23 to 2024-12-24

## 9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 44: Along track statistics of "QA value" for 2024-12-23 to 2024-12-24



Figure 45: Along track statistics of "Cloud pressure" for 2024-12-23 to 2024-12-24



Figure 46: Along track statistics of "Cloud pressure precision" for 2024-12-23 to 2024-12-24



Figure 47: Along track statistics of "Cloud fraction" for 2024-12-23 to 2024-12-24



Figure 48: Along track statistics of "Cloud fraction precision" for 2024-12-23 to 2024-12-24



Figure 49: Along track statistics of "Scene albedo" for 2024-12-23 to 2024-12-24



Figure 50: Along track statistics of "Scene albedo precision" for 2024-12-23 to 2024-12-24



Figure 51: Along track statistics of "Apparent scene pressure" for 2024-12-23 to 2024-12-24



Figure 52: Along track statistics of "Apparent scene pressure precision" for 2024-12-23 to 2024-12-24



Figure 53: Along track statistics of " $\chi^2$ " for 2024-12-23 to 2024-12-24



Figure 54: Along track statistics of "Number of iterations" for 2024-12-23 to 2024-12-24



Figure 55: Along track statistics of "Fluorescence" for 2024-12-23 to 2024-12-24



Figure 56: Along track statistics of "Fluorescence precision" for 2024-12-23 to 2024-12-24



Figure 57: Along track statistics of " $\chi^2$  of fluorescence retrieval" for 2024-12-23 to 2024-12-24



Figure 58: Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-23 to 2024-12-24



Figure 59: Along track statistics of "Number of points in the spectrum" for 2024-12-23 to 2024-12-24



Figure 60: Along track statistics of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-23 to 2024-12-24

## 10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

### Contents

1	Short Introduction	1
	1.1 The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	17
8	Histograms	34
9	Along track statistics	51
10	Coincidence density	68
11	Copyright information of 'PyCAMA'	68

## **List of Figures**

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of "Cloud pressure" for 2024-12-23 to 2024-12-24	11
5	Map of "Cloud fraction" for 2024-12-23 to 2024-12-24	12
6	Map of "Scene albedo" for 2024-12-23 to 2024-12-24	13
7	Map of "Apparent scene pressure" for 2024-12-23 to 2024-12-24	14
8	Map of "Fluorescence" for 2024-12-23 to 2024-12-24	15
9	Map of the number of observations for 2024-12-23 to 2024-12-24	16
10	Zonal average of "QA value" for 2024-12-23 to 2024-12-24.	17
11	Zonal average of "Cloud pressure" for 2024-12-23 to 2024-12-24.	18
12	Zonal average of "Cloud pressure precision" for 2024-12-23 to 2024-12-24.	19
13	Zonal average of "Cloud fraction" for 2024-12-23 to 2024-12-24.	20
14	Zonal average of "Cloud fraction precision" for 2024-12-23 to 2024-12-24.	21
15	Zonal average of "Scene albedo" for 2024-12-23 to 2024-12-24.	22
16	Zonal average of "Scene albedo precision" for 2024-12-23 to 2024-12-24.	23
17	Zonal average of "Apparent scene pressure" for 2024-12-23 to 2024-12-24.	24
18	Zonal average of "Apparent scene pressure precision" for 2024-12-23 to 2024-12-24.	25
19	Zonal average of " $\chi^2$ " for 2024-12-23 to 2024-12-24	26
20	Zonal average of "Number of iterations" for 2024-12-23 to 2024-12-24.	27
21	Zonal average of "Fluorescence" for 2024-12-23 to 2024-12-24.	28
22	Zonal average of "Fluorescence precision" for 2024-12-23 to 2024-12-24.	29
23	Zonal average of " $\chi^2$ of fluorescence retrieval" for 2024-12-23 to 2024-12-24	30
24	Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-23 to 2024-12-24.	31
25	Zonal average of "Number of points in the spectrum" for 2024-12-23 to 2024-12-24.	32
26	Zonal average of "Spectral offset ( $\lambda_{true} - \lambda_{nominal}$ )" for 2024-12-23 to 2024-12-24	33
27	Histogram of "QA value" for 2024-12-23 to 2024-12-24	34
28	Histogram of "Cloud pressure" for 2024-12-23 to 2024-12-24	35
29	Histogram of "Cloud pressure precision" for 2024-12-23 to 2024-12-24	36

30	Histogram of "Cloud fraction" for 2024-12-23 to 2024-12-24	37
31	Histogram of "Cloud fraction precision" for 2024-12-23 to 2024-12-24	38
32	Histogram of "Scene albedo" for 2024-12-23 to 2024-12-24	39
33	Histogram of "Scene albedo precision" for 2024-12-23 to 2024-12-24	40
34	Histogram of "Apparent scene pressure" for 2024-12-23 to 2024-12-24	41
35	Histogram of "Apparent scene pressure precision" for 2024-12-23 to 2024-12-24	42
36	Histogram of " $\chi^2$ " for 2024-12-23 to 2024-12-24	43
37	Histogram of "Number of iterations" for 2024-12-23 to 2024-12-24	44
38	Histogram of "Fluorescence" for 2024-12-23 to 2024-12-24	45
39	Histogram of "Fluorescence precision" for 2024-12-23 to 2024-12-24	46
40	Histogram of " $\chi^2$ of fluorescence retrieval" for 2024-12-23 to 2024-12-24	47
41	Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-23 to 2024-12-24	48
42	Histogram of "Number of points in the spectrum" for 2024-12-23 to 2024-12-24	49
43	Histogram of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2024-12-23 to 2024-12-24	50
44	Along track statistics of "QA value" for 2024-12-23 to 2024-12-24	51
45	Along track statistics of "Cloud pressure" for 2024-12-23 to 2024-12-24	52
46	Along track statistics of "Cloud pressure precision" for 2024-12-23 to 2024-12-24	53
47	Along track statistics of "Cloud fraction" for 2024-12-23 to 2024-12-24	54
48	Along track statistics of "Cloud fraction precision" for 2024-12-23 to 2024-12-24	55
49	Along track statistics of "Scene albedo" for 2024-12-23 to 2024-12-24	56
50	Along track statistics of "Scene albedo precision" for 2024-12-23 to 2024-12-24	57
51	Along track statistics of "Apparent scene pressure" for 2024-12-23 to 2024-12-24	58
52	Along track statistics of "Apparent scene pressure precision" for 2024-12-23 to 2024-12-24	59
53	Along track statistics of " $\chi^2$ " for 2024-12-23 to 2024-12-24	60
54	Along track statistics of "Number of iterations" for 2024-12-23 to 2024-12-24	61
55	Along track statistics of "Fluorescence" for 2024-12-23 to 2024-12-24	62
56	Along track statistics of "Fluorescence precision" for 2024-12-23 to 2024-12-24	63
57	Along track statistics of " $\chi^2$ of fluorescence retrieval" for 2024-12-23 to 2024-12-24	64
58	Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2024-12-23 to 2024-12-24	65
59	Along track statistics of "Number of points in the spectrum" for 2024-12-23 to 2024-12-24	66
60	Along track statistics of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2024-12-23 to 2024-12-24	67

### **List of Tables**

1	Parameterlist and basic statistics for the analysis
2	Percentile ranges
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere
5	Parameterlist and basic statistics for the analysis for observations over water
6	Parameterlist and basic statistics for the analysis for observations over land

### 11 Copyright information of 'PyCAMA'

Copyright © 2005-2023, Maarten Sneep (KNMI).

#### All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).