PyCAMA report generated by tropl2-proc

tropl2-proc

2025-01-10 (02:15)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\overline{x} = \frac{1}{N}\sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1}\sum_{i=1}^{N}(x_i - \overline{x})^2 \tag{2}$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^{m} f(x)\,\mathrm{d}x = \frac{1}{2} \tag{3}$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of ½ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl}.

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1}\sum_{i=1}^{N}(x_{(k),i} - \overline{x_{(k)}})(x_{(l),i} - \overline{x_{(l)}}) \tag{4}$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl}, a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \tag{5}$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm\sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.907 ± 0.184	23457526	0.995	0.1000	1.000	0.350	1.000
cloud pressure crb [hPa]	772 ± 199	23457526	1.015×10^{3}	293	823	130	1.075×10^{3}
cloud pressure crb precision [hPa]	2.44 ± 9.37	23457526	0.750	1.17	0.526	6.104×10^{-4}	1.511×10^{3}
cloud fraction crb [1]	0.485 ± 0.389	23457526	0.996	0.872	0.417	0.0	1.000
cloud fraction crb precision [1]	$(1.638 \pm 6.264) \times 10^{-4}$	23457526	2.500×10^{-4}	5.817×10^{-5}	7.822×10^{-5}	1.922×10^{-8}	0.310
scene albedo [1]	0.468 ± 0.335	23457526	1.500×10^{-2}	0.610	0.446	-4.057×10^{-2}	4.16
scene albedo precision [1]	$(8.363 \pm 9.613) \times 10^{-5}$	23457526	2.500×10^{-4}	6.480×10^{-5}	5.413×10^{-5}	1.020×10^{-5}	1.589×10^{-2}
apparent scene pressure [hPa]	802 ± 176	23457526	1.008×10^{3}	270	851	130	1.075×10^{3}
apparent scene pressure precision [hPa]	0.937 ± 1.705	23457526	0.500	0.471	0.420	7.030×10^{-2}	61.4
chi square [1]	$(0.227 \pm 2.021) \times 10^{5}$	23457526	0.150	2.600×10^{4}	1.546×10^{4}	57.0	3.556×10^{8}
number of iterations [1]	3.38 ± 1.03	23457526	3.23	1.000	3.00	1.000	14.0
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.506 \pm 6.612) \times 10^{-9}$	23457526	7.500×10^{-10}	5.032×10^{-9}	1.341×10^{-9}	-1.671×10^{-6}	2.011×10^{-6}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.732 \pm 0.703) \times 10^{-9}$	23457526	8.500×10^{-10}	1.053×10^{-9}	1.657×10^{-9}	4.279×10^{-10}	5.555×10^{-9}
chi square fluorescence [1]	$(0.480 \pm 0.920) \times 10^{5}$	23457526	1.250×10^{3}	4.236×10^{4}	1.439×10^{4}	101	7.703×10^{6}
degrees of freedom fluorescence [1]	6.00 ± 0.00	23457526	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	23457526	49.7	0.0	50.0	45.0	50.0
wavelength calibration offset [nm]	$(3.999 \pm 8.532) \times 10^{-3}$	23457526	3.600×10^{-3}	5.448×10^{-3}	3.998×10^{-3}	-9.405×10^{-2}	0.297

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.500	0.500	0.500	0.900	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	244	378	472	559	643	936	971	990	1.008×10^{3}	1.020×10^{3}
cloud pressure crb precision [hPa]	0.154	0.227	0.248	0.267	0.302	1.47	2.66	4.61	9.41	32.1
cloud fraction crb [1]	0.0	1.059×10^{-2}	2.406×10^{-2}	4.520×10^{-2}	9.378×10^{-2}	0.965	1.000	1.000	1.000	1.000
cloud fraction crb precision [1]	1.954×10^{-5}	2.327×10^{-5}	2.642×10^{-5}	3.073×10^{-5}	4.183×10^{-5}	1.000×10^{-4}	1.387×10^{-4}	2.541×10^{-4}	6.380×10^{-4}	1.814×10^{-3}
scene albedo [1]	8.239×10^{-3}	2.097×10^{-2}	3.936×10^{-2}	7.090×10^{-2}	0.149	0.759	0.873	0.927	0.975	1.12
scene albedo precision [1]	1.300×10^{-5}	1.556×10^{-5}	1.899×10^{-5}	2.370×10^{-5}	3.170×10^{-5}	9.650×10^{-5}	1.261×10^{-4}	1.699×10^{-4}	2.599×10^{-4}	5.003×10^{-4}
apparent scene pressure [hPa]	337	455	543	614	679	949	978	994	1.009×10^{3}	1.019×10^{3}
apparent scene pressure precision [hPa]	0.209	0.235	0.252	0.270	0.300	0.770	1.21	1.96	3.53	8.40
chi square [1]	283	691	1.496×10^{3}	2.950×10^{3}	5.589×10^{3}	3.159×10^{4}	4.101×10^{4}	4.935×10^{4}	5.994×10^{4}	8.084×10^{4}
number of iterations [1]	2.00	2.00	2.00	3.00	3.00	4.00	4.00	4.00	5.00	7.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	-1.394×10^{-8}	-6.346×10^{-9}	-3.741×10^{-9}	-2.286×10^{-9}	-9.664×10^{-10}	4.066×10^{-9}	5.762×10^{-9}	7.436×10^{-9}	9.865×10^{-9}	1.524×10^{-8}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	7.002×10^{-10}	8.033×10^{-10}	8.765×10^{-10}	9.662×10^{-10}	1.140×10^{-9}	2.193×10^{-9}	2.487×10^{-9}	2.661×10^{-9}	2.987×10^{-9}	3.616×10^{-9}
chi square fluorescence [1]	426	1.088×10^{3}	1.640×10^{3}	2.371×10^{3}	4.020×10^{3}	4.638×10^{4}	7.930×10^{4}	1.279×10^{5}	2.234×10^{5}	4.691×10^{5}
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	-2.366×10^{-2}	-8.528×10^{-3}	-3.429×10^{-3}	-7.863×10^{-4}	1.271×10^{-3}	6.719×10^{-3}	8.779×10^{-3}	1.144×10^{-2}	1.658×10^{-2}	3.167×10^{-2}

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.987 ± 0.064	9390904	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	748 ± 219	9390904	355	810	130	1.075×10^3	579	934
cloud pressure crb precision [hPa]	3.33 ± 11.08	9390904	1.97	0.895	6.104×10^{-4}	1.511×10^3	0.423	2.39
cloud fraction crb [1]	0.381 ± 0.354	9390904	0.618	0.251	0.0	1.000	6.110×10^{-2}	0.679
cloud fraction crb precision [1]	$(1.750 \pm 7.406) \times 10^{-4}$	9390904	9.120×10^{-5}	9.355×10^{-5}	1.282×10^{-7}	0.310	4.844×10^{-5}	1.396×10^{-4}
scene albedo [1]	0.411 ± 0.309	9390904	0.495	0.371	-2.872×10^{-3}	4.16	0.139	0.634
scene albedo precision [1]	$(9.506 \pm 10.740) \times 10^{-5}$	9390904	7.264×10^{-5}	5.808×10^{-5}	1.137×10^{-5}	1.964×10^{-3}	3.479×10^{-5}	1.074×10^{-4}
apparent scene pressure [hPa]	795 ± 187	9390904	283	851	130	1.075×10^3	666	948
apparent scene pressure precision [hPa]	1.09 ± 1.83	9390904	0.550	0.516	7.030×10^{-2}	61.4	0.362	0.911
chi square [1]	$(0.154 \pm 1.579) \times 10^5$	9390904	1.526×10^4	1.046×10^4	57.0	8.121×10^7	4.269×10^3	1.953×10^4
number of iterations [1]	3.45 ± 1.11	9390904	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(9.030 \pm 44.246) \times 10^{-10}$	9390904	3.643×10^{-9}	1.024×10^{-9}	-1.068×10^{-6}	1.164×10^{-6}	-7.504×10^{-10}	2.892×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.487 \pm 0.603) \times 10^{-9}$	9390904	8.320×10^{-10}	1.389×10^{-9}	4.328×10^{-10}	5.555×10^{-9}	9.937×10^{-10}	1.826×10^{-9}
chi square fluorescence [1]	$(0.395 \pm 0.824) \times 10^5$	9390904	3.305×10^4	1.091×10^4	101	1.635×10^6	3.375×10^3	3.643×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	9390904	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	9390904	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.049 \pm 9.239) \times 10^{-3}$	9390904	6.572×10^{-3}	3.940×10^{-3}	-8.477×10^{-2}	0.186	7.000×10^{-4}	7.272×10^{-3}

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.854 ± 0.216	14066622	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	788 ± 182	14066622	272	832	130	1.029×10^3	665	938
cloud pressure crb precision [hPa]	1.85 ± 7.98	14066622	0.675	0.386	1.892×10^{-3}	1.222×10^3	0.272	0.947
cloud fraction crb [1]	0.555 ± 0.395	14066622	0.868	0.581	0.0	1.000	0.132	1.000
cloud fraction crb precision [1]	$(1.563 \pm 5.367) \times 10^{-4}$	14066622	6.169×10^{-5}	6.938×10^{-5}	1.922×10^{-8}	0.134	3.831×10^{-5}	1.000×10^{-4}
scene albedo [1]	0.507 ± 0.346	14066622	0.679	0.520	-4.057×10^{-2}	3.17	0.157	0.836
scene albedo precision [1]	$(7.599 \pm 8.696) \times 10^{-5}$	14066622	6.050×10^{-5}	5.200×10^{-5}	1.020×10^{-5}	1.589×10^{-2}	2.978×10^{-5}	9.027×10^{-5}
apparent scene pressure [hPa]	808 ± 167	14066622	266	850	130	1.029×10^3	684	949
apparent scene pressure precision [hPa]	0.839 ± 1.607	14066622	0.388	0.362	0.126	58.3	0.277	0.665
chi square [1]	$(0.275 \pm 2.268) \times 10^5$	14066622	3.252×10^4	2.179×10^4	80.7	3.556×10^8	7.257×10^3	3.977×10^4
number of iterations [1]	3.33 ± 0.98	14066622	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.908 \pm 7.709) \times 10^{-9}$	14066622	6.230×10^{-9}	1.714×10^{-9}	-1.671×10^{-6}	2.011×10^{-6}	-1.147×10^{-9}	5.083×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.895 \pm 0.718) \times 10^{-9}$	14066622	1.112×10^{-9}	1.882×10^{-9}	4.279×10^{-10}	5.498×10^{-9}	1.301×10^{-9}	2.413×10^{-9}
chi square fluorescence [1]	$(0.536 \pm 0.975) \times 10^5$	14066622	4.870×10^4	1.754×10^4	116	7.703×10^6	4.612×10^3	5.331×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	14066622	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	14066622	0.0	50.0	45.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.966 \pm 8.025) \times 10^{-3}$	14066622	4.807×10^{-3}	4.026×10^{-3}	-9.405×10^{-2}	0.297	1.607×10^{-3}	6.413×10^{-3}

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.982 ± 0.046	14362028	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	804 ± 195	14362028	265	874	130	1.043×10^{3}	689	954
cloud pressure crb precision [hPa]	2.56 ± 10.02	14362028	1.20	0.599	1.892×10^{-3}	800	0.332	1.53
cloud fraction crb [1]	0.388 ± 0.341	14362028	0.614	0.286	0.0	1.000	7.053×10^{-2}	0.685
cloud fraction crb precision [1]	$(9.102 \pm 29.976) \times 10^{-5}$	14362028	5.392×10^{-5}	5.114×10^{-5}	5.820×10^{-7}	0.134	3.027×10^{-5}	8.419×10^{-5}
scene albedo [1]	0.336 ± 0.291	14362028	0.514	0.253	-4.057×10^{-2}	3.68	6.777×10^{-2}	0.581
scene albedo precision [1]	$(6.095 \pm 7.970) \times 10^{-5}$	14362028	4.037×10^{-5}	4.222×10^{-5}	1.020×10^{-5}	1.589×10^{-2}	2.339×10^{-5}	6.376×10^{-5}
apparent scene pressure [hPa]	824 ± 183	14362028	242	887	130	1.075×10^{3}	725	967
apparent scene pressure precision [hPa]	1.27 ± 2.10	14362028	0.910	0.546	0.162	61.4	0.322	1.23
chi square [1]	$(0.175 \pm 2.109) \times 10^{5}$	14362028	2.291×10^{4}	9.698×10^{3}	57.0	3.556×10^{8}	2.910×10^{3}	2.582×10^{4}
number of iterations [1]	2.95 ± 0.77	14362028	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(5.125 \pm 55.793) \times 10^{-10}$	14362028	4.384×10^{-9}	3.273×10^{-10}	-1.068×10^{-6}	1.406×10^{-6}	-1.695×10^{-9}	2.689×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.660 \pm 0.732) \times 10^{-9}$	14362028	1.142×10^{-9}	1.516×10^{-9}	4.279×10^{-10}	5.555×10^{-9}	1.028×10^{-9}	2.169×10^{-9}
chi square fluorescence [1]	$(0.482 \pm 0.871) \times 10^{5}$	14362028	4.573×10^{4}	1.732×10^{4}	101	2.018×10^{6}	5.168×10^{3}	5.090×10^{4}
degrees of freedom fluorescence [1]	6.00 ± 0.00	14362028	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	14362028	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.955 \pm 10.126) \times 10^{-3}$	14362028	7.028×10^{-3}	3.972×10^{-3}	-9.405×10^{-2}	0.297	4.142×10^{-4}	7.442×10^{-3}

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.743 ± 0.252	7328978	0.500	0.500	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	725 ± 183	7328978	238	725	130	1.069×10^3	629	868
cloud pressure crb precision [hPa]	2.07 ± 7.71	7328978	0.921	0.357	7.935×10^{-4}	1.511×10^3	0.263	1.18
cloud fraction crb [1]	0.683 ± 0.406	7328978	0.790	1.000	0.0	1.000	0.210	1.000
cloud fraction crb precision [1]	$(2.872 \pm 9.348) \times 10^{-4}$	7328978	3.654×10^{-5}	1.000×10^{-4}	1.922×10^{-8}	0.310	1.000×10^{-4}	1.365×10^{-4}
scene albedo [1]	0.710 ± 0.281	7328978	0.463	0.803	2.223×10^{-3}	3.83	0.467	0.930
scene albedo precision [1]	$(1.207 \pm 1.056) \times 10^{-4}$	7328978	7.798×10^{-5}	9.211×10^{-5}	1.354×10^{-5}	1.964×10^{-3}	5.706×10^{-5}	1.350×10^{-4}
apparent scene pressure [hPa]	765 ± 150	7328978	240	763	130	1.062×10^3	654	894
apparent scene pressure precision [hPa]	0.387 ± 0.177	7328978	0.169	0.336	7.030×10^{-2}	13.8	0.274	0.443
chi square [1]	$(0.325 \pm 1.660) \times 10^5$	7328978	2.664×10^4	2.506×10^4	155	8.671×10^7	1.428×10^4	4.092×10^4
number of iterations [1]	4.09 ± 0.98	7328978	0.0	4.00	1.000	14.0	4.00	4.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(3.319 \pm 7.300) \times 10^{-9}$	7328978	4.614×10^{-9}	3.149×10^{-9}	-1.421×10^{-6}	2.011×10^{-6}	1.116×10^{-9}	5.730×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.881 \pm 0.632) \times 10^{-9}$	7328978	8.413×10^{-10}	1.835×10^{-9}	4.396×10^{-10}	5.498×10^{-9}	1.422×10^{-9}	2.263×10^{-9}
chi square fluorescence [1]	$(0.429 \pm 0.922) \times 10^5$	7328978	3.248×10^4	8.368×10^3	151	7.703×10^6	2.606×10^3	3.508×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	7328978	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	7328978	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.032 \pm 4.343) \times 10^{-3}$	7328978	3.481×10^{-3}	4.005×10^{-3}	-8.748×10^{-2}	7.027×10^{-2}	2.280×10^{-3}	5.761×10^{-3}

3 Granule outlines



Figure 1: Outline of the granules.

4 Input data monitoring



Figure 2: Input data per granule

5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 4: Map of “Cloud pressure” for 2025-01-08 to 2025-01-09



Figure 5: Map of “Cloud fraction” for 2025-01-08 to 2025-01-09



Figure 6: Map of “Scene albedo” for 2025-01-08 to 2025-01-09



Figure 7: Map of “Apparent scene pressure” for 2025-01-08 to 2025-01-09



Figure 8: Map of “Fluorescence” for 2025-01-08 to 2025-01-09



Figure 9: Map of the number of observations for 2025-01-08 to 2025-01-09

7 Zonal average



Figure 10: Zonal average of “QA value” for 2025-01-08 to 2025-01-09.



Figure 11: Zonal average of “Cloud pressure” for 2025-01-08 to 2025-01-09.



Figure 12: Zonal average of “Cloud pressure precision” for 2025-01-08 to 2025-01-09.



Figure 13: Zonal average of “Cloud fraction” for 2025-01-08 to 2025-01-09.



Figure 14: Zonal average of “Cloud fraction precision” for 2025-01-08 to 2025-01-09.



Figure 15: Zonal average of “Scene albedo” for 2025-01-08 to 2025-01-09.



Figure 16: Zonal average of “Scene albedo precision” for 2025-01-08 to 2025-01-09.



Figure 17: Zonal average of “Apparent scene pressure” for 2025-01-08 to 2025-01-09.



Figure 18: Zonal average of “Apparent scene pressure precision” for 2025-01-08 to 2025-01-09.



Figure 19: Zonal average of "χ^2" for 2025-01-08 to 2025-01-09.



Figure 20: Zonal average of “Number of iterations” for 2025-01-08 to 2025-01-09.



Figure 21: Zonal average of “Fluorescence” for 2025-01-08 to 2025-01-09.



Figure 22: Zonal average of “Fluorescence precision” for 2025-01-08 to 2025-01-09.



Figure 23: Zonal average of "χ^2 of fluorescence retrieval" for 2025-01-08 to 2025-01-09.



Figure 24: Zonal average of “Degrees of freedom for signal of fluorescence retrieval” for 2025-01-08 to 2025-01-09.



Figure 25: Zonal average of “Number of points in the spectrum” for 2025-01-08 to 2025-01-09.



Figure 26: Zonal average of "Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)" for 2025-01-08 to 2025-01-09.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 27: Histogram of “QA value” for 2025-01-08 to 2025-01-09



Figure 28: Histogram of “Cloud pressure” for 2025-01-08 to 2025-01-09



Figure 29: Histogram of “Cloud pressure precision” for 2025-01-08 to 2025-01-09



Figure 30: Histogram of “Cloud fraction” for 2025-01-08 to 2025-01-09



Figure 31: Histogram of “Cloud fraction precision” for 2025-01-08 to 2025-01-09



Figure 32: Histogram of “Scene albedo” for 2025-01-08 to 2025-01-09



Figure 33: Histogram of “Scene albedo precision” for 2025-01-08 to 2025-01-09



Figure 34: Histogram of “Apparent scene pressure” for 2025-01-08 to 2025-01-09



Figure 35: Histogram of “Apparent scene pressure precision” for 2025-01-08 to 2025-01-09



Figure 36: Histogram of "χ^2" for 2025-01-08 to 2025-01-09



Figure 37: Histogram of “Number of iterations” for 2025-01-08 to 2025-01-09



Figure 38: Histogram of “Fluorescence” for 2025-01-08 to 2025-01-09



Figure 39: Histogram of “Fluorescence precision” for 2025-01-08 to 2025-01-09



Figure 40: Histogram of "χ^2 of fluorescence retrieval" for 2025-01-08 to 2025-01-09



Figure 41: Histogram of “Degrees of freedom for signal of fluorescence retrieval” for 2025-01-08 to 2025-01-09



Figure 42: Histogram of “Number of points in the spectrum” for 2025-01-08 to 2025-01-09



Figure 43: Histogram of "Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)" for 2025-01-08 to 2025-01-09

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 44: Along track statistics of “QA value” for 2025-01-08 to 2025-01-09



Figure 45: Along track statistics of “Cloud pressure” for 2025-01-08 to 2025-01-09



Figure 46: Along track statistics of “Cloud pressure precision” for 2025-01-08 to 2025-01-09



Figure 47: Along track statistics of “Cloud fraction” for 2025-01-08 to 2025-01-09



Figure 48: Along track statistics of “Cloud fraction precision” for 2025-01-08 to 2025-01-09



Figure 49: Along track statistics of “Scene albedo” for 2025-01-08 to 2025-01-09



Figure 50: Along track statistics of “Scene albedo precision” for 2025-01-08 to 2025-01-09



Figure 51: Along track statistics of “Apparent scene pressure” for 2025-01-08 to 2025-01-09



Figure 52: Along track statistics of “Apparent scene pressure precision” for 2025-01-08 to 2025-01-09



Figure 53: Along track statistics of "χ^2" for 2025-01-08 to 2025-01-09



Figure 54: Along track statistics of “Number of iterations” for 2025-01-08 to 2025-01-09



Figure 55: Along track statistics of “Fluorescence” for 2025-01-08 to 2025-01-09



Figure 56: Along track statistics of “Fluorescence precision” for 2025-01-08 to 2025-01-09



Figure 57: Along track statistics of "χ^2 of fluorescence retrieval" for 2025-01-08 to 2025-01-09



Figure 58: Along track statistics of “Degrees of freedom for signal of fluorescence retrieval” for 2025-01-08 to 2025-01-09



Figure 59: Along track statistics of “Number of points in the spectrum” for 2025-01-08 to 2025-01-09



Figure 60: Along track statistics of "Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)" for 2025-01-08 to 2025-01-09

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

List of Figures

List of Tables

11 Copyright information of ‘PyCAMA’

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).