PyCAMA report generated by tropl2-proc

tropl2-proc

2025-01-11 (04:30)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are unweighed averages:

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance V(x), or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^{N} (x_i - \bar{x})^2$$
(2)

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \le m) = P(x \ge m) = \int_{-\infty}^{m} f(x) \, \mathrm{d}x = \frac{1}{2}$$
(3)

with f(x) the probability density function.

The median is a special case of a percentile. Instead of $\frac{1}{2}$ in equation 3, other threshold values can be used. We report results for 1%, 5%, 10%, 15.9%, 25%, 75%, 84.1%, 90%, 95% and 99%. The inter quartile range is the difference between the 75% and 25% percentiles. Similarly the minimum and maximum values correspond to the 0% and 100% percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9% and 84.1% percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^{N} (x_{(k),i} - \overline{x_{(k)}}) (x_{(l),i} - \overline{x_{(l)}})$$
(4)

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's *r* coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}}$$
(5)

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

· · · · · · · · · · · · · · · · · · ·	Table	1:	Parameterlist	and	basic	statistics	for	the	anal	ysis
---------------------------------------	-------	----	---------------	-----	-------	------------	-----	-----	------	------

	Table 1: Parameter	list and basic	statistics for the a	nalysis			
Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.908 ± 0.184	23382423	0.995	0.1000	1.000	0.350	1.000
cloud pressure crb [hPa]	772 ± 197	23382423	$1.015 imes 10^3$	290	821	130	1.071×10^3
cloud pressure crb precision [hPa]	2.38 ± 8.82	23382423	0.750	1.21	0.540	$4.883 imes10^{-4}$	1.504×10^3
cloud fraction crb [1]	0.479 ± 0.389	23382423	0.996	0.866	0.401	0.0	1.000
cloud fraction crb precision [1]	$(1.640 \pm 6.784) \times 10^{-4}$	23382423	$2.500 imes10^{-4}$	$5.953 imes10^{-5}$	$7.854 imes10^{-5}$	$3.995 imes 10^{-9}$	0.359
scene albedo [1]	0.464 ± 0.336	23382423	$1.500 imes10^{-2}$	0.617	0.438	-3.262×10^{-2}	4.19
scene albedo precision [1]	$(8.334 \pm 9.431) \times 10^{-5}$	23382423	$2.500 imes10^{-4}$	$6.521 imes 10^{-5}$	$5.393 imes10^{-5}$	$1.001 imes 10^{-5}$	9.897×10^{-3}
apparent scene pressure [hPa]	802 ± 175	23382423	1.008×10^3	268	850	130	1.071×10^3
apparent scene pressure precision [hPa]	0.947 ± 1.671	23382423	0.500	0.496	0.428	0.120	58.6
chi square [1]	$(0.218 \pm 1.346) \times 10^5$	23382423	0.150	$2.611 imes 10^4$	$1.515 imes 10^4$	57.2	$3.907 imes 10^8$
number of iterations [1]	3.37 ± 1.02	23382423	3.23	1.000	3.00	1.000	14.0
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.474 \pm 6.464) \times 10^{-9}$	23382423	$7.500 imes 10^{-10}$	$4.914 imes10^{-9}$	$1.293 imes 10^{-9}$	$-2.009 imes10^{-6}$	2.061×10^{-6}
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.724 \pm 0.709) \times 10^{-9}$	23382423	$8.500 imes 10^{-10}$	1.069×10^{-9}	$1.645 imes 10^{-9}$	$4.152 imes 10^{-10}$	5.442×10^{-9}
chi square fluorescence [1]	$(0.459 \pm 0.873) \times 10^5$	23382423	1.250×10^{3}	$4.166 imes 10^4$	1.442×10^4	101	$3.482 imes 10^6$
degrees of freedom fluorescence [1]	6.00 ± 0.00	23382423	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	23382423	49.7	0.0	50.0	45.0	50.0
wavelength calibration offset [nm]	$(3.972 \pm 8.397) \times 10^{-3}$	23382423	3.600×10^{-3}	5.342×10^{-3}	3.985×10^{-3}	-0.134	9.953×10^{-2}

			Table 2:	Percentile rang	ges					
Variable	1 %	5%	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.500	0.500	0.500	0.900	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	242	379	476	566	645	935	970	990	1.008×10^3	1.018×10^3
cloud pressure crb precision [hPa]	0.170	0.228	0.249	0.269	0.304	1.52	2.71	4.66	9.26	30.1
cloud fraction crb [1]	0.0	$1.081 imes10^{-2}$	$2.370 imes10^{-2}$	$4.402 imes 10^{-2}$	$9.036 imes 10^{-2}$	0.957	1.000	1.000	1.000	1.000
cloud fraction crb precision [1]	1.962×10^{-5}	$2.313 imes 10^{-5}$	$2.610 imes10^{-5}$	$2.991 imes 10^{-5}$	$4.047 imes 10^{-5}$	1.000×10^{-4}	$1.387 imes 10^{-4}$	2.539×10^{-4}	$6.069 imes 10^{-4}$	1.837×10^{-3}
scene albedo [1]	$8.475 imes 10^{-3}$	$2.079 imes10^{-2}$	$3.821 imes 10^{-2}$	$6.718 imes10^{-2}$	0.140	0.757	0.873	0.927	0.975	1.12
scene albedo precision [1]	1.294×10^{-5}	1.533×10^{-5}	1.856×10^{-5}	2.316×10^{-5}	3.139×10^{-5}	9.661×10^{-5}	1.272×10^{-4}	1.711×10^{-4}	$2.605 imes 10^{-4}$	4.926×10^{-4}
apparent scene pressure [hPa]	334	454	547	615	680	948	977	994	1.009×10^{3}	1.018×10^{3}
apparent scene pressure precision [hPa]	0.209	0.234	0.252	0.271	0.300	0.797	1.26	2.02	3.59	8.34
chi square [1]	286	673	1.399×10^{3}	2.727×10^{3}	5.266×10^{3}	3.137×10^{4}	4.050×10^{4}	4.846×10^{4}	5.860×10^{4}	$7.894 imes 10^4$
number of iterations [1]	2.00	2.00	2.00	3.00	3.00	4.00	4.00	4.00	5.00	7.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	-1.377×10^{-8}	-6.168×10^{-9}	-3.615×10^{-9}	-2.206×10^{-9}	$-9.437 imes 10^{-10}$	$3.970 imes 10^{-9}$	$5.645 imes 10^{-9}$	$7.299 imes 10^{-9}$	$9.697 imes 10^{-9}$	$1.501 imes 10^{-8}$
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$6.982 imes 10^{-10}$	$7.998 imes 10^{-10}$	$8.709 imes 10^{-10}$	$9.557 imes 10^{-10}$	1.120×10^{-9}	2.189×10^{-9}	2.484×10^{-9}	2.662×10^{-9}	$2.996 imes 10^{-9}$	3.636×10^{-9}
chi square fluorescence [1]	445	1.050×10^{3}	1.593×10^{3}	2.334×10^{3}	4.003×10^{3}	4.566×10^{4}	7.725×10^{4}	1.212×10^{5}	2.061×10^{5}	4.388×10^{5}
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$ -2.327 \times 10^{-2}$	-8.351×10^{-3}	-3.315×10^{-3}	-7.232×10^{-4}	1.297×10^{-3}	6.639×10^{-3}	8.639×10^{-3}	$1.125 imes 10^{-2}$	$1.631 imes 10^{-2}$	3.125×10^{-2}

Table	3: Parameterlist and basic s	tatistics for	the analysis for	observations in	the northern her	nisphere		
Variable	$mean \pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.986 ± 0.066	9339584	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	755 ± 216	9339584	340	815	130	1.071×10^{3}	597	937
cloud pressure crb precision [hPa]	3.18 ± 9.85	9339584	2.01	0.936	$4.883 imes10^{-4}$	1.504×10^{3}	0.434	2.45
cloud fraction crb [1]	0.374 ± 0.352	9339584	0.605	0.240	0.0	1.000	$5.898 imes10^{-2}$	0.664
cloud fraction crb precision [1]	$(1.802 \pm 8.374) \times 10^{-4}$	9339584	9.493×10^{-5}	$9.187 imes10^{-5}$	$3.995 imes10^{-9}$	0.359	$4.867 imes10^{-5}$	1.436×10^{-4}
scene albedo [1]	0.406 ± 0.306	9339584	0.491	0.368	-3.099×10^{-3}	4.19	0.135	0.626
scene albedo precision [1]	$(9.524 \pm 10.805) \times 10^{-5}$	9339584	7.326×10^{-5}	$5.745 imes 10^{-5}$	$1.122 imes 10^{-5}$	$9.790 imes 10^{-3}$	3.510×10^{-5}	$1.084 imes 10^{-4}$
apparent scene pressure [hPa]	800 ± 186	9339584	272	857	130	1.071×10^{3}	679	951
apparent scene pressure precision [hPa]	1.09 ± 1.78	9339584	0.572	0.522	0.163	57.7	0.364	0.936
chi square [1]	$(0.144 \pm 0.661) \times 10^5$	9339584	$1.611 imes 10^4$	$1.058 imes 10^4$	57.2	$8.237 imes 10^7$	3.986×10^{3}	$2.009 imes 10^4$
number of iterations [1]	3.44 ± 1.09	9339584	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(9.056 \pm 43.277) \times 10^{-10}$	9339584	3.571×10^{-9}	$1.036 imes 10^{-9}$	$-1.588 imes10^{-6}$	$8.391 imes 10^{-7}$	$-7.136 imes 10^{-10}$	$2.858 imes10^{-9}$
fluorescence precision [mol $s^{-1} m^{-2} nm^{-1} sr^{-1}$]	$(1.483 \pm 0.612) \times 10^{-9}$	9339584	$8.490 imes 10^{-10}$	1.376×10^{-9}	$4.276 imes 10^{-10}$	5.352×10^{-9}	$9.782 imes 10^{-10}$	$1.827 imes10^{-9}$
chi square fluorescence [1]	$(0.391 \pm 0.795) \times 10^5$	9339584	$3.388 imes 10^4$	$1.118 imes 10^4$	101	$1.744 imes10^{6}$	3.404×10^{3}	$3.729 imes 10^4$
degrees of freedom fluorescence [1]	6.00 ± 0.00	9339584	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	9339584	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.036 \pm 9.038) \times 10^{-3}$	9339584	6.363×10^{-3}	3.945×10^{-3}	-8.623×10^{-2}	9.953×10^{-2}	7.933×10^{-4}	7.157×10^{-3}

Table 4. Parameterlist and basic statistics for the anal	vsis for observations in the southern hemisphere
Tuble 4. I drameternist and busic statistics for the and	ysis for observations in the southern hernisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.855 ± 0.216	14042839	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	784 ± 183	14042839	272	825	130	1.029×10^3	662	934
cloud pressure crb precision [hPa]	1.85 ± 8.03	14042839	0.689	0.390	1.770×10^{-3}	586	0.275	0.964
cloud fraction crb [1]	0.549 ± 0.396	14042839	0.872	0.564	0.0	1.000	0.128	1.000
cloud fraction crb precision [1]	$(1.533 \pm 5.475) \times 10^{-4}$	14042839	$6.371 imes10^{-5}$	$6.971 imes10^{-5}$	$1.042 imes 10^{-7}$	0.132	3.629×10^{-5}	$1.000 imes 10^{-4}$
scene albedo [1]	0.502 ± 0.350	14042839	0.695	0.509	-3.262×10^{-2}	3.53	0.144	0.840
scene albedo precision [1]	$(7.542 \pm 8.301) \times 10^{-5}$	14042839	$6.124 imes10^{-5}$	$5.175 imes 10^{-5}$	$1.001 imes 10^{-5}$	$9.897 imes10^{-3}$	2.905×10^{-5}	$9.029 imes 10^{-5}$
apparent scene pressure [hPa]	804 ± 168	14042839	265	845	130	1.029×10^{3}	680	945
apparent scene pressure precision [hPa]	0.856 ± 1.585	14042839	0.413	0.365	0.120	58.6	0.277	0.691
chi square [1]	$(0.268 \pm 1.650) \times 10^5$	14042839	3.246×10^{4}	2.104×10^4	73.9	$3.907 imes 10^8$	6.696×10^{3}	$3.916 imes 10^4$
number of iterations [1]	3.33 ± 0.98	14042839	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.852 \pm 7.534) \times 10^{-9}$	14042839	$6.057 imes10^{-9}$	$1.603 imes 10^{-9}$	$-2.009 imes10^{-6}$	$2.061 imes 10^{-6}$	$-1.124 imes 10^{-9}$	4.933×10^{-9}
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.884 \pm 0.723) \times 10^{-9}$	14042839	1.126×10^{-9}	$1.858 imes 10^{-9}$	4.152×10^{-10}	5.442×10^{-9}	1.280×10^{-9}	2.406×10^{-9}
chi square fluorescence [1]	$(0.503 \pm 0.918) \times 10^5$	14042839	$4.714 imes 10^4$	1.702×10^4	123	$3.482 imes 10^6$	4.553×10^{3}	5.169×10^{4}
degrees of freedom fluorescence [1]	6.00 ± 0.00	14042839	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	14042839	0.0	50.0	45.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.930\pm7.942)\times10^{-3}$	14042839	4.758×10^{-3}	4.005×10^{-3}	-0.134	9.316×10^{-2}	1.594×10^{-3}	6.352×10^{-3}

	Table 5: Parameterlist and	d basic statis	stics for the ana	lysis for observa	tions over water			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.982 ± 0.046	14365460	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	806 ± 191	14365460	259	873	130	1.071×10^{3}	694	953
cloud pressure crb precision [hPa]	2.47 ± 9.20	14365460	1.28	0.621	1.770×10^{-3}	965	0.339	1.62
cloud fraction crb [1]	0.380 ± 0.341	14365460	0.608	0.266	0.0	1.000	$6.654 imes 10^{-2}$	0.675
cloud fraction crb precision [1]	$(9.212 \pm 32.357) \times 10^{-5}$	14365460	5.500×10^{-5}	$5.013 imes 10^{-5}$	$6.666 imes 10^{-7}$	0.138	2.957×10^{-5}	8.457×10^{-5}
scene albedo [1]	0.329 ± 0.291	14365460	0.507	0.237	-3.262×10^{-2}	3.46	$6.458 imes 10^{-2}$	0.572
scene albedo precision [1]	$(6.134 \pm 7.914) \times 10^{-5}$	14365460	$4.134 imes 10^{-5}$	$4.168 imes 10^{-5}$	1.001×10^{-5}	$9.897 imes 10^{-3}$	$2.286 imes10^{-5}$	$6.420 imes 10^{-5}$
apparent scene pressure [hPa]	826 ± 179	14365460	238	887	130	1.071×10^{3}	727	965
apparent scene pressure precision [hPa]	1.29 ± 2.05	14365460	0.958	0.567	0.157	58.6	0.328	1.29
chi square [1]	$(0.167 \pm 1.448) \times 10^5$	14365460	2.253×10^{4}	9.340×10^{3}	57.2	3.907×10^{8}	2.698×10^{3}	$2.523 imes 10^4$
number of iterations [1]	2.96 ± 0.76	14365460	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(5.040 \pm 53.350) \times 10^{-10}$	14365460	4.222×10^{-9}	3.128×10^{-10}	-1.397×10^{-6}	$1.765 imes 10^{-6}$	-1.629×10^{-9}	2.593×10^{-9}
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.643 \pm 0.737) \times 10^{-9}$	14365460	1.139×10^{-9}	$1.486 imes 10^{-9}$	4.152×10^{-10}	5.442×10^{-9}	1.013×10^{-9}	2.152×10^{-9}
chi square fluorescence [1]	$(0.455\pm 0.809)\times 10^5$	14365460	4.437×10^4	1.690×10^{4}	101	$2.030 imes 10^6$	5.205×10^{3}	$4.957 imes 10^4$
degrees of freedom fluorescence [1]	6.00 ± 0.00	14365460	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	14365460	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.932 \pm 9.985) \times 10^{-3}$	14365460	6.926×10^{-3}	3.969×10^{-3}	-0.134	$9.953 imes 10^{-2}$	$4.444 imes 10^{-4}$	7.371×10^{-3}

	Table 6: Parameterlist a	nd basic sta	tistics for the an	alysis for observ	vations over land			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.744 ± 0.252	7275671	0.500	0.500	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	719 ± 187	7275671	241	722	130	1.056×10^{3}	624	865
cloud pressure crb precision [hPa]	2.06 ± 7.72	7275671	0.893	0.352	$9.766 imes 10^{-4}$	1.504×10^{3}	0.265	1.16
cloud fraction crb [1]	0.681 ± 0.404	7275671	0.783	1.000	0.0	1.000	0.217	1.000
cloud fraction crb precision [1]	$(2.819 \pm 9.653) \times 10^{-4}$	7275671	3.349×10^{-5}	$1.000 imes 10^{-4}$	$1.057 imes10^{-8}$	0.352	$1.000 imes 10^{-4}$	$1.335 imes 10^{-4}$
scene albedo [1]	0.712 ± 0.281	7275671	0.459	0.808	3.269×10^{-3}	4.19	0.472	0.931
scene albedo precision [1]	$(1.186 \pm 1.005) \times 10^{-4}$	7275671	$7.922 imes 10^{-5}$	$9.188 imes 10^{-5}$	$1.430 imes10^{-5}$	$1.687 imes 10^{-3}$	$5.576 imes10^{-5}$	$1.350 imes10^{-4}$
apparent scene pressure [hPa]	759 ± 156	7275671	244	759	130	1.052×10^{3}	648	892
apparent scene pressure precision [hPa]	0.383 ± 0.165	7275671	0.171	0.331	0.163	24.9	0.273	0.444
chi square [1]	$(0.322 \pm 1.124) \times 10^5$	7275671	$2.704 imes 10^4$	$2.554 imes 10^4$	369	$8.237 imes 10^7$	$1.411 imes 10^4$	$4.115 imes 10^4$
number of iterations [1]	4.08 ± 1.01	7275671	0.0	4.00	1.000	14.0	4.00	4.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(3.247 \pm 7.370) \times 10^{-9}$	7275671	4.551×10^{-9}	3.074×10^{-9}	$-1.629 imes 10^{-6}$	1.627×10^{-6}	$1.075 imes 10^{-9}$	5.627×10^{-9}
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.887 \pm 0.631) \times 10^{-9}$	7275671	$8.525 imes 10^{-10}$	1.853×10^{-9}	$5.199 imes 10^{-10}$	5.419×10^{-9}	1.426×10^{-9}	$2.279 imes 10^{-9}$
chi square fluorescence [1]	$(0.415 \pm 0.891) \times 10^5$	7275671	3.272×10^4	8.289×10^{3}	155	1.940×10^{6}	2.538×10^{3}	3.526×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	7275671	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	7275671	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.997 \pm 4.153) \times 10^{-3}$	7275671	3.416×10^{-3}	3.986×10^{-3}	-7.487×10^{-2}	6.248×10^{-2}	2.282×10^{-3}	5.698×10^{-3}

-

Granule outlines



Figure 1: Outline of the granules.

4 Input data monitoring



Figure 2: Input data per granule

5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 4: Map of "Cloud pressure" for 2025-01-09 to 2025-01-10



Figure 5: Map of "Cloud fraction" for 2025-01-09 to 2025-01-10





Figure 6: Map of "Scene albedo" for 2025-01-09 to 2025-01-10





Figure 7: Map of "Apparent scene pressure" for 2025-01-09 to 2025-01-10

2025-01-09



Figure 8: Map of "Fluorescence" for 2025-01-09 to 2025-01-10



Figure 9: Map of the number of observations for 2025-01-09 to 2025-01-10

7 Zonal average



Figure 10: Zonal average of "QA value" for 2025-01-09 to 2025-01-10.



Figure 11: Zonal average of "Cloud pressure" for 2025-01-09 to 2025-01-10.



Figure 12: Zonal average of "Cloud pressure precision" for 2025-01-09 to 2025-01-10.



Figure 13: Zonal average of "Cloud fraction" for 2025-01-09 to 2025-01-10.



Figure 14: Zonal average of "Cloud fraction precision" for 2025-01-09 to 2025-01-10.



Figure 15: Zonal average of "Scene albedo" for 2025-01-09 to 2025-01-10.



Figure 16: Zonal average of "Scene albedo precision" for 2025-01-09 to 2025-01-10.



Figure 17: Zonal average of "Apparent scene pressure" for 2025-01-09 to 2025-01-10.



Figure 18: Zonal average of "Apparent scene pressure precision" for 2025-01-09 to 2025-01-10.



Figure 19: Zonal average of " χ^2 " for 2025-01-09 to 2025-01-10.



Figure 20: Zonal average of "Number of iterations" for 2025-01-09 to 2025-01-10.



Figure 21: Zonal average of "Fluorescence" for 2025-01-09 to 2025-01-10.



Figure 22: Zonal average of "Fluorescence precision" for 2025-01-09 to 2025-01-10.



Figure 23: Zonal average of " χ^2 of fluorescence retrieval" for 2025-01-09 to 2025-01-10.



Figure 24: Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2025-01-09 to 2025-01-10.



Figure 25: Zonal average of "Number of points in the spectrum" for 2025-01-09 to 2025-01-10.



Figure 26: Zonal average of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-01-09 to 2025-01-10.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 27: Histogram of "QA value" for 2025-01-09 to 2025-01-10



Figure 28: Histogram of "Cloud pressure" for 2025-01-09 to 2025-01-10



Figure 29: Histogram of "Cloud pressure precision" for 2025-01-09 to 2025-01-10



Figure 30: Histogram of "Cloud fraction" for 2025-01-09 to 2025-01-10



Figure 31: Histogram of "Cloud fraction precision" for 2025-01-09 to 2025-01-10



Figure 32: Histogram of "Scene albedo" for 2025-01-09 to 2025-01-10



Figure 33: Histogram of "Scene albedo precision" for 2025-01-09 to 2025-01-10



Figure 34: Histogram of "Apparent scene pressure" for 2025-01-09 to 2025-01-10



Figure 35: Histogram of "Apparent scene pressure precision" for 2025-01-09 to 2025-01-10



Figure 36: Histogram of " χ^2 " for 2025-01-09 to 2025-01-10



Figure 37: Histogram of "Number of iterations" for 2025-01-09 to 2025-01-10



Figure 38: Histogram of "Fluorescence" for 2025-01-09 to 2025-01-10



Figure 39: Histogram of "Fluorescence precision" for 2025-01-09 to 2025-01-10



Figure 40: Histogram of " χ^2 of fluorescence retrieval" for 2025-01-09 to 2025-01-10



Figure 41: Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2025-01-09 to 2025-01-10



Figure 42: Histogram of "Number of points in the spectrum" for 2025-01-09 to 2025-01-10



Figure 43: Histogram of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-01-09 to 2025-01-10

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 44: Along track statistics of "QA value" for 2025-01-09 to 2025-01-10



Figure 45: Along track statistics of "Cloud pressure" for 2025-01-09 to 2025-01-10



Figure 46: Along track statistics of "Cloud pressure precision" for 2025-01-09 to 2025-01-10



Figure 47: Along track statistics of "Cloud fraction" for 2025-01-09 to 2025-01-10



Figure 48: Along track statistics of "Cloud fraction precision" for 2025-01-09 to 2025-01-10



Figure 49: Along track statistics of "Scene albedo" for 2025-01-09 to 2025-01-10



Figure 50: Along track statistics of "Scene albedo precision" for 2025-01-09 to 2025-01-10



Figure 51: Along track statistics of "Apparent scene pressure" for 2025-01-09 to 2025-01-10



Figure 52: Along track statistics of "Apparent scene pressure precision" for 2025-01-09 to 2025-01-10



Figure 53: Along track statistics of " χ^2 " for 2025-01-09 to 2025-01-10



Figure 54: Along track statistics of "Number of iterations" for 2025-01-09 to 2025-01-10



Figure 55: Along track statistics of "Fluorescence" for 2025-01-09 to 2025-01-10



Figure 56: Along track statistics of "Fluorescence precision" for 2025-01-09 to 2025-01-10



Figure 57: Along track statistics of " χ^2 of fluorescence retrieval" for 2025-01-09 to 2025-01-10



Figure 58: Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2025-01-09 to 2025-01-10



Figure 59: Along track statistics of "Number of points in the spectrum" for 2025-01-09 to 2025-01-10



Figure 60: Along track statistics of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-01-09 to 2025-01-10

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
	1.1 The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	17
8	Histograms	34
9	Along track statistics	51
10	Coincidence density	68
11	Copyright information of 'PyCAMA'	68

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of "Cloud pressure" for 2025-01-09 to 2025-01-10	11
5	Map of "Cloud fraction" for 2025-01-09 to 2025-01-10	12
6	Map of "Scene albedo" for 2025-01-09 to 2025-01-10	13
7	Map of "Apparent scene pressure" for 2025-01-09 to 2025-01-10	14
8	Map of "Fluorescence" for 2025-01-09 to 2025-01-10	15
9	Map of the number of observations for 2025-01-09 to 2025-01-10	16
10	Zonal average of "QA value" for 2025-01-09 to 2025-01-10.	17
11	Zonal average of "Cloud pressure" for 2025-01-09 to 2025-01-10.	18
12	Zonal average of "Cloud pressure precision" for 2025-01-09 to 2025-01-10.	19
13	Zonal average of "Cloud fraction" for 2025-01-09 to 2025-01-10.	20
14	Zonal average of "Cloud fraction precision" for 2025-01-09 to 2025-01-10.	21
15	Zonal average of "Scene albedo" for 2025-01-09 to 2025-01-10.	22
16	Zonal average of "Scene albedo precision" for 2025-01-09 to 2025-01-10.	23
17	Zonal average of "Apparent scene pressure" for 2025-01-09 to 2025-01-10.	24
18	Zonal average of "Apparent scene pressure precision" for 2025-01-09 to 2025-01-10.	25
19	Zonal average of " χ^2 " for 2025-01-09 to 2025-01-10	26
20	Zonal average of "Number of iterations" for 2025-01-09 to 2025-01-10.	27
21	Zonal average of "Fluorescence" for 2025-01-09 to 2025-01-10.	28
22	Zonal average of "Fluorescence precision" for 2025-01-09 to 2025-01-10.	29
23	Zonal average of " χ^2 of fluorescence retrieval" for 2025-01-09 to 2025-01-10	30
24	Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2025-01-09 to 2025-01-10.	31
25	Zonal average of "Number of points in the spectrum" for 2025-01-09 to 2025-01-10.	32
26	Zonal average of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-01-09 to 2025-01-10	33
27	Histogram of "QA value" for 2025-01-09 to 2025-01-10	34
28	Histogram of "Cloud pressure" for 2025-01-09 to 2025-01-10	35
29	Histogram of "Cloud pressure precision" for 2025-01-09 to 2025-01-10	36

30	Histogram of "Cloud fraction" for 2025-01-09 to 2025-01-10	37
31	Histogram of "Cloud fraction precision" for 2025-01-09 to 2025-01-10	38
32	Histogram of "Scene albedo" for 2025-01-09 to 2025-01-10	39
33	Histogram of "Scene albedo precision" for 2025-01-09 to 2025-01-10	40
34	Histogram of "Apparent scene pressure" for 2025-01-09 to 2025-01-10	41
35	Histogram of "Apparent scene pressure precision" for 2025-01-09 to 2025-01-10	42
36	Histogram of " χ^2 " for 2025-01-09 to 2025-01-10	43
37	Histogram of "Number of iterations" for 2025-01-09 to 2025-01-10	44
38	Histogram of "Fluorescence" for 2025-01-09 to 2025-01-10	45
39	Histogram of "Fluorescence precision" for 2025-01-09 to 2025-01-10	46
40	Histogram of " χ^2 of fluorescence retrieval" for 2025-01-09 to 2025-01-10	47
41	Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2025-01-09 to 2025-01-10	48
42	Histogram of "Number of points in the spectrum" for 2025-01-09 to 2025-01-10	49
43	Histogram of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2025-01-09 to 2025-01-10	50
44	Along track statistics of "QA value" for 2025-01-09 to 2025-01-10	51
45	Along track statistics of "Cloud pressure" for 2025-01-09 to 2025-01-10	52
46	Along track statistics of "Cloud pressure precision" for 2025-01-09 to 2025-01-10	53
47	Along track statistics of "Cloud fraction" for 2025-01-09 to 2025-01-10	54
48	Along track statistics of "Cloud fraction precision" for 2025-01-09 to 2025-01-10	55
49	Along track statistics of "Scene albedo" for 2025-01-09 to 2025-01-10	56
50	Along track statistics of "Scene albedo precision" for 2025-01-09 to 2025-01-10	57
51	Along track statistics of "Apparent scene pressure" for 2025-01-09 to 2025-01-10	58
52	Along track statistics of "Apparent scene pressure precision" for 2025-01-09 to 2025-01-10	59
53	Along track statistics of " χ^2 " for 2025-01-09 to 2025-01-10	60
54	Along track statistics of "Number of iterations" for 2025-01-09 to 2025-01-10	61
55	Along track statistics of "Fluorescence" for 2025-01-09 to 2025-01-10	62
56	Along track statistics of "Fluorescence precision" for 2025-01-09 to 2025-01-10	63
57	Along track statistics of " χ^2 of fluorescence retrieval" for 2025-01-09 to 2025-01-10	64
58	Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2025-01-09 to 2025-01-10	65
59	Along track statistics of "Number of points in the spectrum" for 2025-01-09 to 2025-01-10	66
60	Along track statistics of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2025-01-09 to 2025-01-10	67

List of Tables

1	Parameterlist and basic statistics for the analysis
2	Percentile ranges
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere
5	Parameterlist and basic statistics for the analysis for observations over water
6	Parameterlist and basic statistics for the analysis for observations over land

11 Copyright information of 'PyCAMA'

Copyright © 2005-2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).