PyCAMA report generated by tropl2-proc

tropl2-proc

2025-01-28 (08:45)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\overline{x} = \frac{1}{N}\sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1}\sum_{i=1}^{N}(x_i - \overline{x})^2 \tag{2}$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^{m} f(x)\,\mathrm{d}x = \frac{1}{2} \tag{3}$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of ½ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl}.

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1}\sum_{i=1}^{N}(x_{(k),i} - \overline{x_{(k)}})(x_{(l),i} - \overline{x_{(l)}}) \tag{4}$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl}, a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \tag{5}$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm\sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.911 ± 0.182	23135774	0.995	0.1000	1.000	0.350	1.000
cloud pressure crb [hPa]	776 ± 197	23135774	1.015×10^{3}	291	830	130	1.071×10^{3}
cloud pressure crb precision [hPa]	2.38 ± 8.97	23135774	0.750	1.21	0.539	8.545×10^{-4}	1.360×10^{3}
cloud fraction crb [1]	0.473 ± 0.387	23135774	0.996	0.848	0.389	0.0	1.000
cloud fraction crb precision [1]	$(1.815 \pm 10.212) \times 10^{-4}$	23135774	2.500×10^{-4}	5.986×10^{-5}	7.474×10^{-5}	5.825×10^{-9}	0.872
scene albedo [1]	0.459 ± 0.331	23135774	1.500×10^{-2}	0.603	0.430	-2.949×10^{-3}	5.48
scene albedo precision [1]	$(8.181 \pm 9.373) \times 10^{-5}$	23135774	2.500×10^{-4}	6.371×10^{-5}	5.227×10^{-5}	1.048×10^{-5}	6.705×10^{-3}
apparent scene pressure [hPa]	807 ± 173	23135774	1.008×10^{3}	263	857	130	1.049×10^{3}
apparent scene pressure precision [hPa]	0.918 ± 1.591	23135774	0.500	0.458	0.422	0.155	59.8
chi square [1]	$(0.218 \pm 1.495) \times 10^{5}$	23135774	0.150	2.488×10^{4}	1.588×10^{4}	55.8	2.744×10^{8}
number of iterations [1]	3.37 ± 1.07	23135774	3.23	1.000	3.00	1.000	14.0
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.085 \pm 6.408) \times 10^{-9}$	23135774	2.500×10^{-10}	4.977×10^{-9}	1.129×10^{-9}	-1.661×10^{-6}	1.846×10^{-6}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.726 \pm 0.685) \times 10^{-9}$	23135774	8.500×10^{-10}	1.011×10^{-9}	1.657×10^{-9}	4.145×10^{-10}	5.559×10^{-9}
chi square fluorescence [1]	$(0.490 \pm 0.947) \times 10^{5}$	23135774	2.250×10^{3}	4.354×10^{4}	1.351×10^{4}	101	2.651×10^{6}
degrees of freedom fluorescence [1]	6.00 ± 0.00	23135774	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	23135774	49.7	0.0	50.0	45.0	50.0
wavelength calibration offset [nm]	$(3.565 \pm 8.675) \times 10^{-3}$	23135774	3.600×10^{-3}	5.524×10^{-3}	3.599×10^{-3}	-0.140	0.193

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.500	0.500	0.700	0.900	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	247	388	480	565	647	938	971	990	1.008×10^{3}	1.019×10^{3}
cloud pressure crb precision [hPa]	0.149	0.230	0.253	0.274	0.310	1.52	2.66	4.57	9.10	30.5
cloud fraction crb [1]	1.276×10^{-3}	1.075×10^{-2}	2.350×10^{-2}	4.349×10^{-2}	8.957×10^{-2}	0.938	1.000	1.000	1.000	1.000
cloud fraction crb precision [1]	1.976×10^{-5}	2.280×10^{-5}	2.559×10^{-5}	2.964×10^{-5}	4.014×10^{-5}	1.000×10^{-4}	1.253×10^{-4}	2.258×10^{-4}	6.251×10^{-4}	2.292×10^{-3}
scene albedo [1]	8.963×10^{-3}	2.074×10^{-2}	3.797×10^{-2}	6.749×10^{-2}	0.144	0.747	0.862	0.918	0.965	1.11
scene albedo precision [1]	1.280×10^{-5}	1.501×10^{-5}	1.831×10^{-5}	2.291×10^{-5}	3.085×10^{-5}	9.456×10^{-5}	1.242×10^{-4}	1.683×10^{-4}	2.561×10^{-4}	5.016×10^{-4}
apparent scene pressure [hPa]	345	463	552	617	687	949	978	994	1.009×10^{3}	1.020×10^{3}
apparent scene pressure precision [hPa]	0.211	0.238	0.258	0.277	0.306	0.764	1.22	1.94	3.43	8.03
chi square [1]	308	722	1.508×10^{3}	2.967×10^{3}	5.779×10^{3}	3.066×10^{4}	3.832×10^{4}	4.536×10^{4}	5.488×10^{4}	7.557×10^{4}
number of iterations [1]	2.00	2.00	2.00	3.00	3.00	4.00	4.00	5.00	5.00	7.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	-1.496×10^{-8}	-7.081×10^{-9}	-4.235×10^{-9}	-2.641×10^{-9}	-1.247×10^{-9}	3.730×10^{-9}	5.234×10^{-9}	6.721×10^{-9}	8.922×10^{-9}	1.401×10^{-8}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	7.275×10^{-10}	8.192×10^{-10}	8.906×10^{-10}	9.803×10^{-10}	1.157×10^{-9}	2.168×10^{-9}	2.437×10^{-9}	2.641×10^{-9}	2.956×10^{-9}	3.614×10^{-9}
chi square fluorescence [1]	393	1.029×10^{3}	1.689×10^{3}	2.406×10^{3}	3.749×10^{3}	4.729×10^{4}	8.284×10^{4}	1.318×10^{5}	2.307×10^{5}	4.905×10^{5}
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	-2.475×10^{-2}	-9.231×10^{-3}	-3.982×10^{-3}	-1.293×10^{-3}	8.035×10^{-4}	6.328×10^{-3}	8.390×10^{-3}	1.110×10^{-2}	1.635×10^{-2}	3.168×10^{-2}

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.979 ± 0.088	9609677	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	754 ± 214	9609677	337	817	130	1.071×10^{3}	595	932
cloud pressure crb precision [hPa]	3.05 ± 10.62	9609677	1.71	0.788	8.545×10^{-4}	1.360×10^{3}	0.397	2.11
cloud fraction crb [1]	0.403 ± 0.359	9609677	0.650	0.286	0.0	1.000	7.214×10^{-2}	0.722
cloud fraction crb precision [1]	$(2.080 \pm 13.952) \times 10^{-4}$	9609677	8.145×10^{-5}	8.938×10^{-5}	3.714×10^{-8}	0.872	4.968×10^{-5}	1.311×10^{-4}
scene albedo [1]	0.433 ± 0.305	9609677	0.490	0.409	-2.949×10^{-3}	5.48	0.172	0.661
scene albedo precision [1]	$(9.359 \pm 10.931) \times 10^{-5}$	9609677	6.734×10^{-5}	5.604×10^{-5}	1.092×10^{-5}	4.357×10^{-3}	3.465×10^{-5}	1.020×10^{-4}
apparent scene pressure [hPa]	802 ± 179	9609677	254	855	130	1.049×10^{3}	691	945
apparent scene pressure precision [hPa]	0.932 ± 1.531	9609677	0.436	0.477	0.161	54.7	0.345	0.781
chi square [1]	$(0.176 \pm 1.180) \times 10^{5}$	9609677	1.834×10^{4}	1.322×10^{4}	55.8	9.881×10^{7}	5.703×10^{3}	2.404×10^{4}
number of iterations [1]	3.50 ± 1.18	9609677	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(9.301 \pm 49.718) \times 10^{-10}$	9609677	4.083×10^{-9}	1.122×10^{-9}	-1.388×10^{-6}	1.316×10^{-6}	-9.032×10^{-10}	3.179×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.575 \pm 0.624) \times 10^{-9}$	9609677	9.026×10^{-10}	1.481×10^{-9}	4.145×10^{-10}	5.464×10^{-9}	1.064×10^{-9}	1.967×10^{-9}
chi square fluorescence [1]	$(0.405 \pm 0.847) \times 10^{5}$	9609677	3.658×10^{4}	9.908×10^{3}	101	1.763×10^{6}	2.865×10^{3}	3.945×10^{4}
degrees of freedom fluorescence [1]	6.00 ± 0.00	9609677	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	9609677	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.563 \pm 8.949) \times 10^{-3}$	9609677	6.111×10^{-3}	3.492×10^{-3}	-8.157×10^{-2}	9.250×10^{-2}	4.529×10^{-4}	6.564×10^{-3}

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.862 ± 0.213	13526097	0.1000	1.000	0.350	1.000	0.900	1.000
cloud pressure crb [hPa]	792 ± 182	13526097	275	840	130	1.030×10^3	667	942
cloud pressure crb precision [hPa]	1.91 ± 7.56	13526097	0.801	0.417	1.953×10^{-3}	1.046×10^3	0.283	1.08
cloud fraction crb [1]	0.523 ± 0.398	13526097	0.892	0.498	0.0	1.000	0.108	1.000
cloud fraction crb precision [1]	$(1.626 \pm 6.322) \times 10^{-4}$	13526097	6.491×10^{-5}	6.724×10^{-5}	5.825×10^{-9}	0.130	3.509×10^{-5}	1.000×10^{-4}
scene albedo [1]	0.477 ± 0.347	13526097	0.687	0.451	-2.480×10^{-3}	3.48	0.126	0.813
scene albedo precision [1]	$(7.344 \pm 7.982) \times 10^{-5}$	13526097	6.139×10^{-5}	4.969×10^{-5}	1.048×10^{-5}	6.705×10^{-3}	2.825×10^{-5}	8.964×10^{-5}
apparent scene pressure [hPa]	810 ± 169	13526097	267	859	130	1.030×10^3	685	952
apparent scene pressure precision [hPa]	0.908 ± 1.633	13526097	0.460	0.381	0.155	59.8	0.287	0.748
chi square [1]	$(0.248 \pm 1.683) \times 10^5$	13526097	2.942×10^4	1.923×10^4	81.4	2.744×10^8	5.854×10^3	3.527×10^4
number of iterations [1]	3.28 ± 0.97	13526097	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.195 \pm 7.256) \times 10^{-9}$	13526097	5.760×10^{-9}	1.135×10^{-9}	-1.661×10^{-6}	1.846×10^{-6}	-1.510×10^{-9}	4.250×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.832 \pm 0.706) \times 10^{-9}$	13526097	1.053×10^{-9}	1.795×10^{-9}	4.457×10^{-10}	5.559×10^{-9}	1.237×10^{-9}	2.290×10^{-9}
chi square fluorescence [1]	$(0.550 \pm 1.008) \times 10^5$	13526097	4.891×10^4	1.649×10^4	127	2.651×10^6	4.617×10^3	5.353×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	13526097	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	13526097	0.0	50.0	45.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.566 \pm 8.475) \times 10^{-3}$	13526097	5.132×10^{-3}	3.662×10^{-3}	-0.140	0.193	1.048×10^{-3}	6.179×10^{-3}

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.982 ± 0.049	14101441	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	812 ± 190	14101441	251	882	130	1.036×10^{3}	704	955
cloud pressure crb precision [hPa]	2.37 ± 8.96	14101441	1.21	0.600	1.953×10^{-3}	959	0.339	1.55
cloud fraction crb [1]	0.375 ± 0.336	14101441	0.590	0.267	0.0	1.000	6.734×10^{-2}	0.657
cloud fraction crb precision [1]	$(8.380 \pm 40.099) \times 10^{-5}$	14101441	4.831×10^{-5}	4.895×10^{-5}	3.714×10^{-8}	0.130	2.921×10^{-5}	7.752×10^{-5}
scene albedo [1]	0.322 ± 0.285	14101441	0.488	0.234	-2.949×10^{-3}	5.09	6.396×10^{-2}	0.552
scene albedo precision [1]	$(5.581 \pm 6.841) \times 10^{-5}$	14101441	3.852×10^{-5}	4.028×10^{-5}	1.048×10^{-5}	6.705×10^{-3}	2.249×10^{-5}	6.102×10^{-5}
apparent scene pressure [hPa]	830 ± 179	14101441	231	894	130	1.036×10^{3}	736	967
apparent scene pressure precision [hPa]	1.25 ± 1.96	14101441	0.923	0.552	0.155	59.8	0.331	1.25
chi square [1]	$(0.166 \pm 1.399) \times 10^{5}$	14101441	2.234×10^{4}	1.007×10^{4}	55.8	2.744×10^{8}	2.891×10^{3}	2.523×10^{4}
number of iterations [1]	2.92 ± 0.75	14101441	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.197 \pm 56.404) \times 10^{-10}$	14101441	4.375×10^{-9}	8.921×10^{-11}	-1.388×10^{-6}	1.800×10^{-6}	-1.960×10^{-9}	2.415×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.660 \pm 0.722) \times 10^{-9}$	14101441	1.110×10^{-9}	1.520×10^{-9}	4.145×10^{-10}	5.559×10^{-9}	1.040×10^{-9}	2.150×10^{-9}
chi square fluorescence [1]	$(0.474 \pm 0.873) \times 10^{5}$	14101441	4.582×10^{4}	1.604×10^{4}	101	2.020×10^{6}	4.713×10^{3}	5.053×10^{4}
degrees of freedom fluorescence [1]	6.00 ± 0.00	14101441	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	14101441	0.0	50.0	46.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.507 \pm 10.421) \times 10^{-3}$	14101441	7.255×10^{-3}	3.557×10^{-3}	-0.140	0.193	-1.399×10^{-4}	7.115×10^{-3}

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.758 ± 0.252	7280012	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	724 ± 185	7280012	252	724	130	1.057×10^{3}	624	875
cloud pressure crb precision [hPa]	2.30 ± 8.95	7280012	1.08	0.393	8.545×10^{-4}	1.360×10^{3}	0.276	1.36
cloud fraction crb [1]	0.662 ± 0.411	7280012	0.819	1.000	0.0	1.000	0.181	1.000
cloud fraction crb precision [1]	$(3.475 \pm 14.948) \times 10^{-4}$	7280012	4.664×10^{-5}	1.000×10^{-4}	5.825×10^{-9}	0.872	1.000×10^{-4}	1.466×10^{-4}
scene albedo [1]	0.699 ± 0.277	7280012	0.461	0.779	1.480×10^{-3}	3.48	0.459	0.920
scene albedo precision [1]	$(1.263 \pm 1.120) \times 10^{-4}$	7280012	9.295×10^{-5}	9.581×10^{-5}	1.250×10^{-5}	1.674×10^{-3}	5.306×10^{-5}	1.460×10^{-4}
apparent scene pressure [hPa]	768 ± 151	7280012	243	769	130	1.035×10^{3}	658	901
apparent scene pressure precision [hPa]	0.392 ± 0.164	7280012	0.164	0.344	0.155	24.7	0.286	0.449
chi square [1]	$(0.312 \pm 1.533) \times 10^{5}$	7280012	2.343×10^{4}	2.433×10^{4}	265	9.881×10^{7}	1.400×10^{4}	3.743×10^{4}
number of iterations [1]	4.11 ± 1.07	7280012	0.0	4.00	1.000	14.0	4.00	4.00
fluorescence [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(2.735 \pm 6.868) \times 10^{-9}$	7280012	4.175×10^{-9}	2.816×10^{-9}	-1.661×10^{-6}	1.473×10^{-6}	8.726×10^{-10}	5.047×10^{-9}
fluorescence precision [mol s^{-1} m^{-2} nm^{-1} sr^{-1}]	$(1.835 \pm 0.602) \times 10^{-9}$	7280012	7.931×10^{-10}	1.808×10^{-9}	4.923×10^{-10}	5.544×10^{-9}	1.397×10^{-9}	2.190×10^{-9}
chi square fluorescence [1]	$(0.459 \pm 0.974) \times 10^{5}$	7280012	3.204×10^{4}	8.029×10^{3}	118	2.409×10^{6}	2.837×10^{3}	3.487×10^{4}
degrees of freedom fluorescence [1]	6.00 ± 0.00	7280012	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	7280012	0.0	50.0	47.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(3.630 \pm 4.222) \times 10^{-3}$	7280012	3.561×10^{-3}	3.634×10^{-3}	-6.871×10^{-2}	6.839×10^{-2}	1.851×10^{-3}	5.411×10^{-3}

3 Granule outlines



Figure 1: Outline of the granules.

4 Input data monitoring



Figure 2: Input data per granule

5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 4: Map of “Cloud pressure” for 2025-01-26 to 2025-01-26



Figure 5: Map of “Cloud fraction” for 2025-01-26 to 2025-01-26



Figure 6: Map of “Scene albedo” for 2025-01-26 to 2025-01-26



Figure 7: Map of “Apparent scene pressure” for 2025-01-26 to 2025-01-26



Figure 8: Map of “Fluorescence” for 2025-01-26 to 2025-01-26



Figure 9: Map of the number of observations for 2025-01-26 to 2025-01-26

7 Zonal average



Figure 10: Zonal average of “QA value” for 2025-01-26 to 2025-01-26.



Figure 11: Zonal average of “Cloud pressure” for 2025-01-26 to 2025-01-26.



Figure 12: Zonal average of “Cloud pressure precision” for 2025-01-26 to 2025-01-26.



Figure 13: Zonal average of “Cloud fraction” for 2025-01-26 to 2025-01-26.



Figure 14: Zonal average of “Cloud fraction precision” for 2025-01-26 to 2025-01-26.



Figure 15: Zonal average of “Scene albedo” for 2025-01-26 to 2025-01-26.



Figure 16: Zonal average of “Scene albedo precision” for 2025-01-26 to 2025-01-26.



Figure 17: Zonal average of “Apparent scene pressure” for 2025-01-26 to 2025-01-26.



Figure 18: Zonal average of “Apparent scene pressure precision” for 2025-01-26 to 2025-01-26.



Figure 19: Zonal average of "χ^2" for 2025-01-26 to 2025-01-26.



Figure 20: Zonal average of “Number of iterations” for 2025-01-26 to 2025-01-26.



Figure 21: Zonal average of “Fluorescence” for 2025-01-26 to 2025-01-26.



Figure 22: Zonal average of “Fluorescence precision” for 2025-01-26 to 2025-01-26.



Figure 23: Zonal average of "χ^2 of fluorescence retrieval" for 2025-01-26 to 2025-01-26.



Figure 24: Zonal average of “Degrees of freedom for signal of fluorescence retrieval” for 2025-01-26 to 2025-01-26.



Figure 25: Zonal average of “Number of points in the spectrum” for 2025-01-26 to 2025-01-26.



Figure 26: Zonal average of "Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)" for 2025-01-26 to 2025-01-26.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 27: Histogram of “QA value” for 2025-01-26 to 2025-01-26



Figure 28: Histogram of “Cloud pressure” for 2025-01-26 to 2025-01-26



Figure 29: Histogram of “Cloud pressure precision” for 2025-01-26 to 2025-01-26



Figure 30: Histogram of “Cloud fraction” for 2025-01-26 to 2025-01-26



Figure 31: Histogram of “Cloud fraction precision” for 2025-01-26 to 2025-01-26



Figure 32: Histogram of “Scene albedo” for 2025-01-26 to 2025-01-26



Figure 33: Histogram of “Scene albedo precision” for 2025-01-26 to 2025-01-26



Figure 34: Histogram of “Apparent scene pressure” for 2025-01-26 to 2025-01-26



Figure 35: Histogram of “Apparent scene pressure precision” for 2025-01-26 to 2025-01-26



Figure 36: Histogram of "χ^2" for 2025-01-26 to 2025-01-26



Figure 37: Histogram of “Number of iterations” for 2025-01-26 to 2025-01-26



Figure 38: Histogram of “Fluorescence” for 2025-01-26 to 2025-01-26



Figure 39: Histogram of “Fluorescence precision” for 2025-01-26 to 2025-01-26



Figure 40: Histogram of "χ^2 of fluorescence retrieval" for 2025-01-26 to 2025-01-26



Figure 41: Histogram of “Degrees of freedom for signal of fluorescence retrieval” for 2025-01-26 to 2025-01-26



Figure 42: Histogram of “Number of points in the spectrum” for 2025-01-26 to 2025-01-26



Figure 43: Histogram of "Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)" for 2025-01-26 to 2025-01-26

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 44: Along track statistics of “QA value” for 2025-01-26 to 2025-01-26



Figure 45: Along track statistics of “Cloud pressure” for 2025-01-26 to 2025-01-26



Figure 46: Along track statistics of “Cloud pressure precision” for 2025-01-26 to 2025-01-26



Figure 47: Along track statistics of “Cloud fraction” for 2025-01-26 to 2025-01-26



Figure 48: Along track statistics of “Cloud fraction precision” for 2025-01-26 to 2025-01-26



Figure 49: Along track statistics of “Scene albedo” for 2025-01-26 to 2025-01-26



Figure 50: Along track statistics of “Scene albedo precision” for 2025-01-26 to 2025-01-26



Figure 51: Along track statistics of “Apparent scene pressure” for 2025-01-26 to 2025-01-26



Figure 52: Along track statistics of “Apparent scene pressure precision” for 2025-01-26 to 2025-01-26



Figure 53: Along track statistics of "χ^2" for 2025-01-26 to 2025-01-26



Figure 54: Along track statistics of “Number of iterations” for 2025-01-26 to 2025-01-26



Figure 55: Along track statistics of “Fluorescence” for 2025-01-26 to 2025-01-26



Figure 56: Along track statistics of “Fluorescence precision” for 2025-01-26 to 2025-01-26



Figure 57: Along track statistics of "χ^2 of fluorescence retrieval" for 2025-01-26 to 2025-01-26



Figure 58: Along track statistics of “Degrees of freedom for signal of fluorescence retrieval” for 2025-01-26 to 2025-01-26



Figure 59: Along track statistics of “Number of points in the spectrum” for 2025-01-26 to 2025-01-26



Figure 60: Along track statistics of "Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)" for 2025-01-26 to 2025-01-26

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

List of Figures

List of Tables

11 Copyright information of ‘PyCAMA’

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).