PyCAMA report generated by tropl2-proc

tropl2-proc

2025-03-07 (02:15)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are unweighed averages:

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance V(x), or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^{N} (x_i - \bar{x})^2$$
(2)

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \le m) = P(x \ge m) = \int_{-\infty}^{m} f(x) \, \mathrm{d}x = \frac{1}{2}$$
(3)

with f(x) the probability density function.

The median is a special case of a percentile. Instead of $\frac{1}{2}$ in equation 3, other threshold values can be used. We report results for 1%, 5%, 10%, 15.9%, 25%, 75%, 84.1%, 90%, 95% and 99%. The inter quartile range is the difference between the 75% and 25% percentiles. Similarly the minimum and maximum values correspond to the 0% and 100% percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9% and 84.1% percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^{N} (x_{(k),i} - \overline{x_{(k)}}) (x_{(l),i} - \overline{x_{(l)}})$$
(4)

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's *r* coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}}$$
(5)

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

| Table 1: Parameterlist and basic statistics for the analysi |
|---|
|---|

| | Table 1: Parameter | list and basic | statistics for the a | nalysis | | | |
|---|--------------------------------------|----------------|-----------------------|------------------------|------------------------|------------------------|------------------------|
| Variable | mean $\pm \sigma$ | Count | Mode | IQR | Median | Minimum | Maximum |
| qa value [1] | 0.928 ± 0.167 | 23268548 | 0.995 | 0.0 | 1.000 | 0.350 | 1.000 |
| cloud pressure crb [hPa] | 784 ± 192 | 23268548 | 1.005×10^{3} | 285 | 840 | 130 | 1.065×10^{3} |
| cloud pressure crb precision [hPa] | 2.57 ± 9.63 | 23268548 | 0.750 | 1.25 | 0.573 | $3.052 	imes 10^{-4}$ | 1.510×10^3 |
| cloud fraction crb [1] | 0.464 ± 0.387 | 23268548 | 0.996 | 0.829 | 0.373 | 0.0 | 1.000 |
| cloud fraction crb precision [1] | $(2.155 \pm 15.348) \times 10^{-4}$ | 23268548 | $2.500 	imes 10^{-4}$ | $6.014	imes10^{-5}$ | 7.666×10^{-5} | $1.177	imes10^{-8}$ | 0.773 |
| scene albedo [1] | 0.455 ± 0.333 | 23268548 | 1.500×10^{-2} | 0.610 | 0.428 | -3.026×10^{-3} | 4.21 |
| scene albedo precision [1] | $(8.593 \pm 10.391) \times 10^{-5}$ | 23268548 | $2.500 	imes 10^{-4}$ | $6.486	imes10^{-5}$ | $5.308	imes10^{-5}$ | 1.040×10^{-5} | 6.781×10^{-3} |
| apparent scene pressure [hPa] | 816 ± 169 | 23268548 | 1.008×10^{3} | 253 | 868 | 130 | 1.051×10^{3} |
| apparent scene pressure precision [hPa] | 0.979 ± 1.754 | 23268548 | 0.500 | 0.468 | 0.430 | 8.966×10^{-2} | 63.1 |
| chi square [1] | $(0.216 \pm 2.461) \times 10^5$ | 23268548 | 0.150 | 2.349×10^4 | $1.583 	imes 10^4$ | 61.7 | $1.918	imes10^8$ |
| number of iterations [1] | 3.38 ± 1.07 | 23268548 | 3.23 | 1.000 | 3.00 | 1.000 | 14.0 |
| fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(8.135 \pm 59.584) \times 10^{-10}$ | 23268548 | 2.500×10^{-10} | 4.960×10^{-9} | $9.666 	imes 10^{-10}$ | -2.049×10^{-6} | 1.657×10^{-6} |
| fluorescence precision [mol $s^{-1} m^{-2} nm^{-1} sr^{-1}$] | $(1.713 \pm 0.677) \times 10^{-9}$ | 23268548 | 8.500×10^{-10} | $9.725 	imes 10^{-10}$ | 1.646×10^{-9} | $4.366 	imes 10^{-10}$ | 5.754×10^{-9} |
| chi square fluorescence [1] | $(0.491 \pm 0.962) \times 10^5$ | 23268548 | 750 | $4.105 	imes 10^4$ | 1.259×10^{4} | 110 | $3.895 	imes 10^6$ |
| degrees of freedom fluorescence [1] | 6.00 ± 0.00 | 23268548 | 5.95 | 0.0 | 6.00 | 6.00 | 6.00 |
| number of spectral points in retrieval [1] | 50.0 ± 0.1 | 23268548 | 49.7 | 0.0 | 50.0 | 47.0 | 50.0 |
| wavelength calibration offset [nm] | $(3.013 \pm 8.599) \times 10^{-3}$ | 23268548 | 2.800×10^{-3} | 5.546×10^{-3} | $3.048 	imes 10^{-3}$ | -0.147 | 0.217 |

| | | | Table 2: | Percentile rang | jes | | | | | |
|---|------------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Variable | 1 % | 5% | 10 % | 15.9 % | 25 % | 75 % | 84.1 % | 90 % | 95 % | 99 % |
| qa value [1] | 0.500 | 0.500 | 0.500 | 0.900 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 |
| cloud pressure crb [hPa] | 255 | 405 | 503 | 578 | 655 | 940 | 971 | 992 | 1.008×10^3 | 1.020×10^3 |
| cloud pressure crb precision [hPa] | 0.174 | 0.239 | 0.267 | 0.293 | 0.335 | 1.59 | 2.80 | 4.84 | 9.76 | 34.3 |
| cloud fraction crb [1] | $4.491	imes10^{-4}$ | $9.668 	imes 10^{-3}$ | $2.169	imes10^{-2}$ | $4.038 	imes 10^{-2}$ | $8.080	imes10^{-2}$ | 0.909 | 1.000 | 1.000 | 1.000 | 1.000 |
| cloud fraction crb precision [1] | $1.968	imes10^{-5}$ | $2.264	imes10^{-5}$ | $2.534 	imes 10^{-5}$ | $2.919	imes10^{-5}$ | $3.986 	imes 10^{-5}$ | $1.000 	imes 10^{-4}$ | $1.198	imes10^{-4}$ | $1.987	imes10^{-4}$ | $5.660	imes10^{-4}$ | 2.717×10^{-3} |
| scene albedo [1] | $7.828 	imes 10^{-3}$ | $1.909	imes10^{-2}$ | $3.549	imes10^{-2}$ | $6.150 	imes 10^{-2}$ | 0.133 | 0.743 | 0.844 | 0.903 | 0.970 | 1.15 |
| scene albedo precision [1] | $1.282 	imes 10^{-5}$ | 1.491×10^{-5} | $1.803 	imes 10^{-5}$ | $2.281 	imes 10^{-5}$ | 3.072×10^{-5} | $9.558 	imes 10^{-5}$ | 1.335×10^{-4} | 1.829×10^{-4} | $2.853 	imes 10^{-4}$ | 5.485×10^{-4} |
| apparent scene pressure [hPa] | 355 | 487 | 566 | 621 | 699 | 952 | 979 | 997 | 1.010×10^{3} | 1.020×10^{3} |
| apparent scene pressure precision [hPa] | 0.214 | 0.245 | 0.268 | 0.290 | 0.320 | 0.788 | 1.30 | 2.09 | 3.73 | 8.78 |
| chi square [1] | 270 | 638 | 1.349×10^{3} | 2.703×10^{3} | 5.539×10^{3} | 2.903×10^{4} | 3.633×10^{4} | 4.341×10^{4} | 5.399×10^{4} | 7.756×10^{4} |
| number of iterations [1] | 2.00 | 2.00 | 2.00 | 3.00 | 3.00 | 4.00 | 4.00 | 5.00 | 5.00 | 7.00 |
| fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $-1.518 	imes 10^{-8}$ | -7.471×10^{-9} | -4.590×10^{-9} | -2.886×10^{-9} | -1.426×10^{-9} | 3.534×10^{-9} | 4.899×10^{-9} | 6.233×10^{-9} | $8.237 	imes 10^{-9}$ | 1.306×10^{-8} |
| fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $7.364 	imes 10^{-10}$ | 8.227×10^{-10} | 8.967×10^{-10} | 9.882×10^{-10} | 1.163×10^{-9} | 2.136×10^{-9} | 2.401×10^{-9} | 2.638×10^{-9} | 2.951×10^{-9} | 3.642×10^{-9} |
| chi square fluorescence [1] | 413 | 812 | 1.358×10^{3} | 2.192×10^{3} | 3.917×10^{3} | 4.496×10^{4} | 8.447×10^{4} | 1.382×10^{5} | 2.394×10^{5} | 4.863×10^{5} |
| degrees of freedom fluorescence [1] | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 |
| number of spectral points in retrieval [1] | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 |
| wavelength calibration offset [nm] | $-2.515 	imes 10^{-2}$ | -9.545×10^{-3} | -4.392×10^{-3} | -1.785×10^{-3} | $2.463 	imes 10^{-4}$ | 5.792×10^{-3} | 7.776×10^{-3} | $1.038 	imes 10^{-2}$ | $1.555	imes10^{-2}$ | 3.094×10^{-2} |

| Table | 3: Parameterlist and basic s | statistics for | the analysis for | observations in | the northern hem | nisphere | | |
|---|-------------------------------------|----------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Variable | $ $ mean $\pm \sigma$ | Count | IQR | Median | Minimum | Maximum | 25 % percentile | 75 % percentile |
| qa value [1] | 0.943 ± 0.149 | 11565045 | 0.0 | 1.000 | 0.350 | 1.000 | 1.000 | 1.000 |
| cloud pressure crb [hPa] | 783 ± 195 | 11565045 | 275 | 842 | 130 | 1.065×10^3 | 665 | 939 |
| cloud pressure crb precision [hPa] | 2.63 ± 9.56 | 11565045 | 1.38 | 0.670 | $3.052 	imes 10^{-4}$ | $1.510 	imes 10^3$ | 0.354 | 1.74 |
| cloud fraction crb [1] | 0.457 ± 0.387 | 11565045 | 0.840 | 0.346 | 0.0 | 1.000 | $8.148 	imes 10^{-2}$ | 0.922 |
| cloud fraction crb precision [1] | $(2.843 \pm 18.896) \times 10^{-4}$ | 11565045 | $6.488	imes10^{-5}$ | $9.495	imes10^{-5}$ | $2.076	imes10^{-8}$ | 0.773 | $4.719	imes10^{-5}$ | $1.121 	imes 10^{-4}$ |
| scene albedo [1] | 0.480 ± 0.328 | 11565045 | 0.579 | 0.472 | $-2.247 	imes 10^{-3}$ | 3.65 | 0.180 | 0.758 |
| scene albedo precision [1] | $(9.447 \pm 11.646) \times 10^{-5}$ | 11565045 | $6.961	imes10^{-5}$ | $5.632 	imes 10^{-5}$ | $1.072 	imes 10^{-5}$ | $1.850 	imes 10^{-3}$ | $3.232 	imes 10^{-5}$ | 1.019×10^{-4} |
| apparent scene pressure [hPa] | 827 ± 162 | 11565045 | 215 | 877 | 130 | 1.051×10^3 | 737 | 953 |
| apparent scene pressure precision [hPa] | 0.797 ± 1.220 | 11565045 | 0.379 | 0.432 | 0.160 | 52.3 | 0.321 | 0.700 |
| chi square [1] | $(0.251 \pm 2.985) \times 10^5$ | 11565045 | $2.599 	imes 10^4$ | $1.745 	imes 10^4$ | 81.1 | $1.719	imes10^8$ | $6.918 	imes 10^3$ | $3.291 	imes 10^4$ |
| number of iterations [1] | 3.61 ± 1.17 | 11565045 | 1.000 | 3.00 | 1.000 | 14.0 | 3.00 | 4.00 |
| fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(1.267 \pm 5.548) \times 10^{-9}$ | 11565045 | $4.994	imes10^{-9}$ | 1.432×10^{-9} | -1.589×10^{-6} | $1.537	imes10^{-6}$ | -1.017×10^{-9} | 3.977×10^{-9} |
| fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(1.723 \pm 0.675) \times 10^{-9}$ | 11565045 | $9.624 	imes 10^{-10}$ | 1.644×10^{-9} | $4.366 	imes 10^{-10}$ | 5.509×10^{-9} | $1.183	imes10^{-9}$ | $2.146	imes10^{-9}$ |
| chi square fluorescence [1] | $(0.409 \pm 0.816) \times 10^5$ | 11565045 | $3.294 	imes 10^4$ | 1.111×10^4 | 110 | $1.784 	imes 10^{6}$ | 4.217×10^{3} | 3.716×10^4 |
| degrees of freedom fluorescence [1] | 6.00 ± 0.00 | 11565045 | 0.0 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 |
| number of spectral points in retrieval [1] | 50.0 ± 0.1 | 11565045 | 0.0 | 50.0 | 47.0 | 50.0 | 50.0 | 50.0 |
| wavelength calibration offset [nm] | $(2.951 \pm 8.141) \times 10^{-3}$ | 11565045 | 5.354×10^{-3} | 2.939×10^{-3} | $-8.787 	imes 10^{-2}$ | $8.987 	imes 10^{-2}$ | 2.408×10^{-4} | $5.595 	imes 10^{-3}$ |

| Table | 4: Parameterlist and basic s | statistics for | the analysis for | observations in | the southern hem | isphere | | |
|---|--------------------------------------|----------------|------------------------|------------------------|-------------------------|------------------------|------------------------|------------------------|
| Variable | mean $\pm \sigma$ | Count | IQR | Median | Minimum | Maximum | 25 % percentile | 75 % percentile |
| qa value [1] | 0.913 ± 0.182 | 11703503 | 0.0 | 1.000 | 0.350 | 1.000 | 1.000 | 1.000 |
| cloud pressure crb [hPa] | 785 ± 188 | 11703503 | 292 | 836 | 130 | 1.033×10^{3} | 648 | 940 |
| cloud pressure crb precision [hPa] | 2.52 ± 9.70 | 11703503 | 1.09 | 0.501 | 1.038×10^{-3} | 990 | 0.323 | 1.42 |
| cloud fraction crb [1] | 0.472 ± 0.386 | 11703503 | 0.821 | 0.403 | 0.0 | 1.000 | $7.999 	imes 10^{-2}$ | 0.901 |
| cloud fraction crb precision [1] | $(1.476 \pm 10.704) \times 10^{-4}$ | 11703503 | $6.487 	imes 10^{-5}$ | $6.705 	imes 10^{-5}$ | $1.177	imes10^{-8}$ | 0.683 | 3.513×10^{-5} | $1.000 	imes 10^{-4}$ |
| scene albedo [1] | 0.430 ± 0.335 | 11703503 | 0.626 | 0.384 | -3.026×10^{-3} | 4.21 | $9.805 	imes 10^{-2}$ | 0.724 |
| scene albedo precision [1] | $(7.749 \pm 8.899) \times 10^{-5}$ | 11703503 | $6.001 	imes 10^{-5}$ | $5.007 	imes 10^{-5}$ | 1.040×10^{-5} | 6.781×10^{-3} | $2.922 	imes 10^{-5}$ | $8.923 	imes 10^{-5}$ |
| apparent scene pressure [hPa] | 805 ± 175 | 11703503 | 281 | 856 | 130 | 1.033×10^{3} | 670 | 951 |
| apparent scene pressure precision [hPa] | 1.16 ± 2.14 | 11703503 | 0.600 | 0.429 | $8.966 	imes 10^{-2}$ | 63.1 | 0.319 | 0.918 |
| chi square [1] | $(0.182 \pm 1.799) \times 10^5$ | 11703503 | 2.160×10^{4} | 1.448×10^{4} | 61.7 | $1.918 	imes 10^8$ | 4.374×10^{3} | 2.597×10^{4} |
| number of iterations [1] | 3.14 ± 0.90 | 11703503 | 1.000 | 3.00 | 1.000 | 14.0 | 3.00 | 4.00 |
| fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(3.658 \pm 63.064) \times 10^{-10}$ | 11703503 | $4.835 	imes 10^{-9}$ | $5.233 	imes 10^{-10}$ | $-2.049 	imes 10^{-6}$ | $1.657 	imes 10^{-6}$ | $-1.788	imes10^{-9}$ | 3.047×10^{-9} |
| fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(1.703 \pm 0.679) \times 10^{-9}$ | 11703503 | $9.890 	imes 10^{-10}$ | 1.648×10^{-9} | 5.432×10^{-10} | 5.754×10^{-9} | $1.138 	imes 10^{-9}$ | $2.127 	imes 10^{-9}$ |
| chi square fluorescence [1] | $(0.572 \pm 1.082) \times 10^5$ | 11703503 | 5.064×10^{4} | 1.462×10^{4} | 111 | 3.895×10^{6} | 3.526×10^{3} | 5.416×10^{4} |
| degrees of freedom fluorescence [1] | 6.00 ± 0.00 | 11703503 | 0.0 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 |
| number of spectral points in retrieval [1] | 50.0 ± 0.1 | 11703503 | 0.0 | 50.0 | 47.0 | 50.0 | 50.0 | 50.0 |
| wavelength calibration offset [nm] | $(3.073 \pm 9.029) \times 10^{-3}$ | 11703503 | 5.740×10^{-3} | 3.161×10^{-3} | -0.147 | 0.217 | $2.527 	imes 10^{-4}$ | 5.993×10^{-3} |

S

| | Table 5: Parameterlist and | basic statis | tics for the anal | ysis for observa | tions over water | | | |
|---|---------------------------------------|--------------|------------------------|-----------------------|------------------------|-----------------------|-------------------------|------------------------|
| Variable | mean $\pm \sigma$ | Count | IQR | Median | Minimum | Maximum | 25 % percentile | 75 % percentile |
| qa value [1] | 0.977 ± 0.073 | 15133998 | 0.0 | 1.000 | 0.350 | 1.000 | 1.000 | 1.000 |
| cloud pressure crb [hPa] | 808 ± 186 | 15133998 | 256 | 870 | 130 | 1.065×10^{3} | 696 | 952 |
| cloud pressure crb precision [hPa] | 2.52 ± 9.57 | 15133998 | 1.24 | 0.622 | $1.038 	imes 10^{-3}$ | 1.510×10^3 | 0.353 | 1.59 |
| cloud fraction crb [1] | 0.400 ± 0.353 | 15133998 | 0.653 | 0.293 | 0.0 | 1.000 | $6.696 	imes 10^{-2}$ | 0.720 |
| cloud fraction crb precision [1] | $(1.330 \pm 9.983) \times 10^{-4}$ | 15133998 | $6.490 	imes 10^{-5}$ | $5.331 	imes 10^{-5}$ | $1.919	imes10^{-8}$ | 0.287 | 2.954×10^{-5} | 9.444×10^{-5} |
| scene albedo [1] | 0.350 ± 0.307 | 15133998 | 0.549 | 0.263 | -3.026×10^{-3} | 2.67 | 6.397×10^{-2} | 0.613 |
| scene albedo precision [1] | $(7.027 \pm 9.368) \times 10^{-5}$ | 15133998 | 4.930×10^{-5} | $4.480 	imes 10^{-5}$ | 1.040×10^{-5} | $6.781 	imes 10^{-3}$ | 2.329×10^{-5} | $7.260	imes10^{-5}$ |
| apparent scene pressure [hPa] | 829 ± 172 | 15133998 | 233 | 884 | 130 | 1.034×10^3 | 731 | 964 |
| apparent scene pressure precision [hPa] | 1.29 ± 2.10 | 15133998 | 0.911 | 0.555 | 0.162 | 63.1 | 0.348 | 1.26 |
| chi square [1] | $(0.157 \pm 1.219) \times 10^5$ | 15133998 | 2.031×10^4 | $1.008 	imes 10^4$ | 61.7 | $1.702 	imes 10^8$ | 2.856×10^{3} | $2.317	imes10^4$ |
| number of iterations [1] | 3.03 ± 0.87 | 15133998 | 0.0 | 3.00 | 1.000 | 14.0 | 3.00 | 3.00 |
| fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(7.854 \pm 563.723) \times 10^{-11}$ | 15133998 | $4.250	imes10^{-9}$ | $1.914	imes10^{-10}$ | $-2.049	imes10^{-6}$ | $1.605	imes10^{-6}$ | -1.810×10^{-9} | $2.439	imes10^{-9}$ |
| fluorescence precision [mol $s^{-1} m^{-2} nm^{-1} sr^{-1}$] | $(1.605 \pm 0.687) \times 10^{-9}$ | 15133998 | 1.018×10^{-9} | $1.469 	imes 10^{-9}$ | $4.366 	imes 10^{-10}$ | $5.587	imes10^{-9}$ | 1.033×10^{-9} | 2.051×10^{-9} |
| chi square fluorescence [1] | $(0.432 \pm 0.858) \times 10^5$ | 15133998 | $3.778 	imes 10^4$ | $1.341 	imes 10^4$ | 111 | 3.670×10^{6} | 4.311×10^{3} | $4.209 	imes 10^4$ |
| degrees of freedom fluorescence [1] | 6.00 ± 0.00 | 15133998 | 0.0 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 |
| number of spectral points in retrieval [1] | 50.0 ± 0.1 | 15133998 | 0.0 | 50.0 | 47.0 | 50.0 | 50.0 | 50.0 |
| wavelength calibration offset [nm] | $(2.980 \pm 10.028) \times 10^{-3}$ | 15133998 | 6.737×10^{-3} | 3.032×10^{-3} | -0.147 | 0.217 | -3.994×10^{-4} | 6.337×10^{-3} |

| | Table 6: Parameterlist an | d basic stat | istics for the ana | alysis for observ | ations over land | | | |
|---|-------------------------------------|--------------|-----------------------|-----------------------|------------------------|------------------------|------------------------|-----------------------|
| Variable | mean $\pm \sigma$ | Count | IQR | Median | Minimum | Maximum | 25 % percentile | 75 % percentile |
| qa value [1] | 0.803 ± 0.248 | 6269980 | 0.500 | 1.000 | 0.350 | 1.000 | 0.500 | 1.000 |
| cloud pressure crb [hPa] | 733 ± 187 | 6269980 | 271 | 743 | 130 | 1.041×10^{3} | 617 | 888 |
| cloud pressure crb precision [hPa] | 2.55 ± 9.46 | 6269980 | 1.17 | 0.468 | $3.052 	imes 10^{-4}$ | 1.249×10^{3} | 0.312 | 1.48 |
| cloud fraction crb [1] | 0.612 ± 0.418 | 6269980 | 0.864 | 0.863 | 0.0 | 1.000 | 0.136 | 1.000 |
| cloud fraction crb precision [1] | $(3.914 \pm 22.527) \times 10^{-4}$ | 6269980 | $2.947 	imes 10^{-5}$ | $1.000 	imes 10^{-4}$ | $1.177	imes10^{-8}$ | 0.773 | $9.675	imes10^{-5}$ | $1.262 	imes 10^{-4}$ |
| scene albedo [1] | 0.675 ± 0.285 | 6269980 | 0.483 | 0.735 | $2.046	imes10^{-2}$ | 4.21 | 0.416 | 0.899 |
| scene albedo precision [1] | $(1.245 \pm 1.204) \times 10^{-4}$ | 6269980 | $1.034 	imes 10^{-4}$ | $8.922 	imes 10^{-5}$ | $1.185	imes10^{-5}$ | $1.850 	imes 10^{-3}$ | $4.499	imes10^{-5}$ | $1.484	imes10^{-4}$ |
| apparent scene pressure [hPa] | 781 ± 155 | 6269980 | 267 | 806 | 130 | 1.041×10^{3} | 654 | 921 |
| apparent scene pressure precision [hPa] | 0.383 ± 0.122 | 6269980 | 0.137 | 0.355 | $8.966	imes10^{-2}$ | 3.40 | 0.300 | 0.437 |
| chi square [1] | $(0.321 \pm 3.258) \times 10^5$ | 6269980 | $2.138 	imes 10^4$ | $2.438 	imes 10^4$ | 543 | $1.890 	imes 10^8$ | $1.533 	imes 10^4$ | $3.671 	imes 10^4$ |
| number of iterations [1] | 4.05 ± 1.09 | 6269980 | 1.000 | 4.00 | 1.000 | 14.0 | 3.00 | 4.00 |
| fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(2.142\pm5.962)	imes10^{-9}$ | 6269980 | $4.512 	imes 10^{-9}$ | 2.652×10^{-9} | $-1.016	imes10^{-6}$ | $1.549	imes10^{-6}$ | $2.776 	imes 10^{-10}$ | $4.789 	imes 10^{-9}$ |
| fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}] | $(1.879 \pm 0.598) \times 10^{-9}$ | 6269980 | 7.318×10^{-10} | $1.789	imes10^{-9}$ | $5.284 	imes 10^{-10}$ | 5.754×10^{-9} | $1.470	imes10^{-9}$ | $2.202 	imes 10^{-9}$ |
| chi square fluorescence [1] | $(0.554 \pm 1.063) \times 10^5$ | 6269980 | $4.656 	imes 10^4$ | $8.813 	imes 10^3$ | 168 | $1.640 	imes 10^6$ | $2.378 	imes 10^3$ | $4.894	imes10^4$ |
| degrees of freedom fluorescence [1] | 6.00 ± 0.00 | 6269980 | 0.0 | 6.00 | 6.00 | 6.00 | 6.00 | 6.00 |
| number of spectral points in retrieval [1] | 50.0 ± 0.1 | 6269980 | 0.0 | 50.0 | 48.0 | 50.0 | 50.0 | 50.0 |
| wavelength calibration offset [nm] | $(3.076 \pm 4.293) \times 10^{-3}$ | 6269980 | $3.849 	imes 10^{-3}$ | $3.087 	imes 10^{-3}$ | -6.599×10^{-2} | 8.032×10^{-2} | 1.164×10^{-3} | $5.013 	imes 10^{-3}$ |

 \neg

Granule outlines



Figure 1: Outline of the granules.

4 Input data monitoring



Figure 2: Input data per granule

5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 4: Map of "Cloud pressure" for 2025-03-05 to 2025-03-05





Figure 5: Map of "Cloud fraction" for 2025-03-05 to 2025-03-05





Figure 6: Map of "Scene albedo" for 2025-03-05 to 2025-03-05





Figure 7: Map of "Apparent scene pressure" for 2025-03-05 to 2025-03-05

2025-03-05



Figure 8: Map of "Fluorescence" for 2025-03-05 to 2025-03-05



Figure 9: Map of the number of observations for 2025-03-05 to 2025-03-05

7 Zonal average



Figure 10: Zonal average of "QA value" for 2025-03-05 to 2025-03-05.



Figure 11: Zonal average of "Cloud pressure" for 2025-03-05 to 2025-03-05.



Figure 12: Zonal average of "Cloud pressure precision" for 2025-03-05 to 2025-03-05.



Figure 13: Zonal average of "Cloud fraction" for 2025-03-05 to 2025-03-05.



Figure 14: Zonal average of "Cloud fraction precision" for 2025-03-05 to 2025-03-05.



Figure 15: Zonal average of "Scene albedo" for 2025-03-05 to 2025-03-05.



Figure 16: Zonal average of "Scene albedo precision" for 2025-03-05 to 2025-03-05.



Figure 17: Zonal average of "Apparent scene pressure" for 2025-03-05 to 2025-03-05.



Figure 18: Zonal average of "Apparent scene pressure precision" for 2025-03-05 to 2025-03-05.



Figure 19: Zonal average of " χ^2 " for 2025-03-05 to 2025-03-05.



Figure 20: Zonal average of "Number of iterations" for 2025-03-05 to 2025-03-05.



Figure 21: Zonal average of "Fluorescence" for 2025-03-05 to 2025-03-05.



Figure 22: Zonal average of "Fluorescence precision" for 2025-03-05 to 2025-03-05.



Figure 23: Zonal average of " χ^2 of fluorescence retrieval" for 2025-03-05 to 2025-03-05.



Figure 24: Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2025-03-05 to 2025-03-05.



Figure 25: Zonal average of "Number of points in the spectrum" for 2025-03-05 to 2025-03-05.



Figure 26: Zonal average of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-03-05 to 2025-03-05.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 27: Histogram of "QA value" for 2025-03-05 to 2025-03-05



Figure 28: Histogram of "Cloud pressure" for 2025-03-05 to 2025-03-05



Figure 29: Histogram of "Cloud pressure precision" for 2025-03-05 to 2025-03-05



Figure 30: Histogram of "Cloud fraction" for 2025-03-05 to 2025-03-05



Figure 31: Histogram of "Cloud fraction precision" for 2025-03-05 to 2025-03-05



Figure 32: Histogram of "Scene albedo" for 2025-03-05 to 2025-03-05



Figure 33: Histogram of "Scene albedo precision" for 2025-03-05 to 2025-03-05



Figure 34: Histogram of "Apparent scene pressure" for 2025-03-05 to 2025-03-05



Figure 35: Histogram of "Apparent scene pressure precision" for 2025-03-05 to 2025-03-05



Figure 36: Histogram of " χ^2 " for 2025-03-05 to 2025-03-05



Figure 37: Histogram of "Number of iterations" for 2025-03-05 to 2025-03-05



Figure 38: Histogram of "Fluorescence" for 2025-03-05 to 2025-03-05



Figure 39: Histogram of "Fluorescence precision" for 2025-03-05 to 2025-03-05



Figure 40: Histogram of " χ^2 of fluorescence retrieval" for 2025-03-05 to 2025-03-05



Figure 41: Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2025-03-05 to 2025-03-05



Figure 42: Histogram of "Number of points in the spectrum" for 2025-03-05 to 2025-03-05



Figure 43: Histogram of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-03-05 to 2025-03-05

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 44: Along track statistics of "QA value" for 2025-03-05 to 2025-03-05



Figure 45: Along track statistics of "Cloud pressure" for 2025-03-05 to 2025-03-05



Figure 46: Along track statistics of "Cloud pressure precision" for 2025-03-05 to 2025-03-05



Figure 47: Along track statistics of "Cloud fraction" for 2025-03-05 to 2025-03-05



Figure 48: Along track statistics of "Cloud fraction precision" for 2025-03-05 to 2025-03-05



Figure 49: Along track statistics of "Scene albedo" for 2025-03-05 to 2025-03-05



Figure 50: Along track statistics of "Scene albedo precision" for 2025-03-05 to 2025-03-05



Figure 51: Along track statistics of "Apparent scene pressure" for 2025-03-05 to 2025-03-05



Figure 52: Along track statistics of "Apparent scene pressure precision" for 2025-03-05 to 2025-03-05



Figure 53: Along track statistics of " χ^2 " for 2025-03-05 to 2025-03-05



Figure 54: Along track statistics of "Number of iterations" for 2025-03-05 to 2025-03-05



Figure 55: Along track statistics of "Fluorescence" for 2025-03-05 to 2025-03-05



Figure 56: Along track statistics of "Fluorescence precision" for 2025-03-05 to 2025-03-05



Figure 57: Along track statistics of " χ^2 of fluorescence retrieval" for 2025-03-05 to 2025-03-05



Figure 58: Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2025-03-05 to 2025-03-05



Figure 59: Along track statistics of "Number of points in the spectrum" for 2025-03-05 to 2025-03-05



Figure 60: Along track statistics of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-03-05 to 2025-03-05

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

| 1 | Short Introduction | 1 |
|----|-----------------------------------|----|
| | 1.1 The list of parameters | 1 |
| 2 | Definitions | 1 |
| 3 | Granule outlines | 8 |
| 4 | Input data monitoring | 9 |
| 5 | Warnings and errors | 10 |
| 6 | World maps | 11 |
| 7 | Zonal average | 17 |
| 8 | Histograms | 34 |
| 9 | Along track statistics | 51 |
| 10 | Coincidence density | 68 |
| 11 | Copyright information of 'PyCAMA' | 68 |

List of Figures

| 1 | Outline of the granules. | 8 |
|----|--|----|
| 2 | Input data per granule | 9 |
| 3 | Fraction of pixels with specific warnings and errors during processing | 10 |
| 4 | Map of "Cloud pressure" for 2025-03-05 to 2025-03-05 | 11 |
| 5 | Map of "Cloud fraction" for 2025-03-05 to 2025-03-05 | 12 |
| 6 | Map of "Scene albedo" for 2025-03-05 to 2025-03-05 | 13 |
| 7 | Map of "Apparent scene pressure" for 2025-03-05 to 2025-03-05 | 14 |
| 8 | Map of "Fluorescence" for 2025-03-05 to 2025-03-05 | 15 |
| 9 | Map of the number of observations for 2025-03-05 to 2025-03-05 | 16 |
| 10 | Zonal average of "QA value" for 2025-03-05 to 2025-03-05. | 17 |
| 11 | Zonal average of "Cloud pressure" for 2025-03-05 to 2025-03-05. | 18 |
| 12 | Zonal average of "Cloud pressure precision" for 2025-03-05 to 2025-03-05. | 19 |
| 13 | Zonal average of "Cloud fraction" for 2025-03-05 to 2025-03-05. | 20 |
| 14 | Zonal average of "Cloud fraction precision" for 2025-03-05 to 2025-03-05. | 21 |
| 15 | Zonal average of "Scene albedo" for 2025-03-05 to 2025-03-05. | 22 |
| 16 | Zonal average of "Scene albedo precision" for 2025-03-05 to 2025-03-05. | 23 |
| 17 | Zonal average of "Apparent scene pressure" for 2025-03-05 to 2025-03-05. | 24 |
| 18 | Zonal average of "Apparent scene pressure precision" for 2025-03-05 to 2025-03-05. | 25 |
| 19 | Zonal average of " χ^2 " for 2025-03-05 to 2025-03-05 | 26 |
| 20 | Zonal average of "Number of iterations" for 2025-03-05 to 2025-03-05. | 27 |
| 21 | Zonal average of "Fluorescence" for 2025-03-05 to 2025-03-05. | 28 |
| 22 | Zonal average of "Fluorescence precision" for 2025-03-05 to 2025-03-05. | 29 |
| 23 | Zonal average of " χ^2 of fluorescence retrieval" for 2025-03-05 to 2025-03-05 | 30 |
| 24 | Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2025-03-05 to 2025-03-05. | 31 |
| 25 | Zonal average of "Number of points in the spectrum" for 2025-03-05 to 2025-03-05. | 32 |
| 26 | Zonal average of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-03-05 to 2025-03-05 | 33 |
| 27 | Histogram of "QA value" for 2025-03-05 to 2025-03-05 | 34 |
| 28 | Histogram of "Cloud pressure" for 2025-03-05 to 2025-03-05 | 35 |
| 29 | Histogram of "Cloud pressure precision" for 2025-03-05 to 2025-03-05 | 36 |

| 30 | Histogram of "Cloud fraction" for 2025-03-05 to 2025-03-05 | 37 |
|----|---|----|
| 31 | Histogram of "Cloud fraction precision" for 2025-03-05 to 2025-03-05 | 38 |
| 32 | Histogram of "Scene albedo" for 2025-03-05 to 2025-03-05 | 39 |
| 33 | Histogram of "Scene albedo precision" for 2025-03-05 to 2025-03-05 | 40 |
| 34 | Histogram of "Apparent scene pressure" for 2025-03-05 to 2025-03-05 | 41 |
| 35 | Histogram of "Apparent scene pressure precision" for 2025-03-05 to 2025-03-05 | 42 |
| 36 | Histogram of " χ^2 " for 2025-03-05 to 2025-03-05 | 43 |
| 37 | Histogram of "Number of iterations" for 2025-03-05 to 2025-03-05 | 44 |
| 38 | Histogram of "Fluorescence" for 2025-03-05 to 2025-03-05 | 45 |
| 39 | Histogram of "Fluorescence precision" for 2025-03-05 to 2025-03-05 | 46 |
| 40 | Histogram of " χ^2 of fluorescence retrieval" for 2025-03-05 to 2025-03-05 | 47 |
| 41 | Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2025-03-05 to 2025-03-05 | 48 |
| 42 | Histogram of "Number of points in the spectrum" for 2025-03-05 to 2025-03-05 | 49 |
| 43 | Histogram of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2025-03-05 to 2025-03-05 | 50 |
| 44 | Along track statistics of "QA value" for 2025-03-05 to 2025-03-05 | 51 |
| 45 | Along track statistics of "Cloud pressure" for 2025-03-05 to 2025-03-05 | 52 |
| 46 | Along track statistics of "Cloud pressure precision" for 2025-03-05 to 2025-03-05 | 53 |
| 47 | Along track statistics of "Cloud fraction" for 2025-03-05 to 2025-03-05 | 54 |
| 48 | Along track statistics of "Cloud fraction precision" for 2025-03-05 to 2025-03-05 | 55 |
| 49 | Along track statistics of "Scene albedo" for 2025-03-05 to 2025-03-05 | 56 |
| 50 | Along track statistics of "Scene albedo precision" for 2025-03-05 to 2025-03-05 | 57 |
| 51 | Along track statistics of "Apparent scene pressure" for 2025-03-05 to 2025-03-05 | 58 |
| 52 | Along track statistics of "Apparent scene pressure precision" for 2025-03-05 to 2025-03-05 | 59 |
| 53 | Along track statistics of " χ^2 " for 2025-03-05 to 2025-03-05 | 60 |
| 54 | Along track statistics of "Number of iterations" for 2025-03-05 to 2025-03-05 | 61 |
| 55 | Along track statistics of "Fluorescence" for 2025-03-05 to 2025-03-05 | 62 |
| 56 | Along track statistics of "Fluorescence precision" for 2025-03-05 to 2025-03-05 | 63 |
| 57 | Along track statistics of " χ^2 of fluorescence retrieval" for 2025-03-05 to 2025-03-05 | 64 |
| 58 | Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2025-03-05 to 2025-03-05 | 65 |
| 59 | Along track statistics of "Number of points in the spectrum" for 2025-03-05 to 2025-03-05 | 66 |
| 60 | Along track statistics of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-03-05 to 2025-03-05 | 67 |

List of Tables

| 1 | Parameterlist and basic statistics for the analysis |
|---|---|
| 2 | Percentile ranges |
| 3 | Parameterlist and basic statistics for the analysis for observations in the northern hemisphere |
| 4 | Parameterlist and basic statistics for the analysis for observations in the southern hemisphere |
| 5 | Parameterlist and basic statistics for the analysis for observations over water |
| 6 | Parameterlist and basic statistics for the analysis for observations over land |

11 Copyright information of 'PyCAMA'

Copyright © 2005-2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).