PyCAMA report generated by tropl2-proc

tropl2-proc

2025-04-18 (08:45)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are unweighed averages:

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance V(x), or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^{N} (x_i - \bar{x})^2$$
(2)

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \le m) = P(x \ge m) = \int_{-\infty}^{m} f(x) \, \mathrm{d}x = \frac{1}{2}$$
(3)

with f(x) the probability density function.

The median is a special case of a percentile. Instead of $\frac{1}{2}$ in equation 3, other threshold values can be used. We report results for 1%, 5%, 10%, 15.9%, 25%, 75%, 84.1%, 90%, 95% and 99%. The inter quartile range is the difference between the 75% and 25% percentiles. Similarly the minimum and maximum values correspond to the 0% and 100% percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9% and 84.1% percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^{N} (x_{(k),i} - \overline{x_{(k)}}) (x_{(l),i} - \overline{x_{(l)}})$$
(4)

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's *r* coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}}$$
(5)

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

	Table 1: Parameterl	ist and basic s	statistics for the ar	nalysis			
Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.910 ± 0.185	23235643	0.995	0.0	1.000	0.350	1.000
cloud pressure crb [hPa]	803 ± 196	23235643	1.005×10^3	268	869	130	1.045×10^{3}
cloud pressure crb precision [hPa]	2.32 ± 8.66	23235643	0.750	1.20	0.587	$3.052 imes 10^{-4}$	1.580×10^3
cloud fraction crb [1]	0.469 ± 0.387	23235643	0.996	0.857	0.376	0.0	1.000
cloud fraction crb precision [1]	$(2.455 \pm 15.543) \times 10^{-4}$	23235643	$2.500 imes10^{-4}$	$5.501 imes10^{-5}$	$8.192 imes 10^{-5}$	$2.083 imes10^{-8}$	0.844
scene albedo [1]	0.457 ± 0.330	23235643	1.500×10^{-2}	0.603	0.413	$-3.074 imes 10^{-3}$	5.03
scene albedo precision [1]	$(8.600 \pm 10.271) \times 10^{-5}$	23235643	$2.500 imes10^{-4}$	$6.283 imes10^{-5}$	$5.355 imes10^{-5}$	1.079×10^{-5}	6.215×10^{-3}
apparent scene pressure [hPa]	834 ± 171	23235643	1.008×10^3	223	892	130	1.038×10^3
apparent scene pressure precision [hPa]	0.937 ± 1.712	23235643	0.500	0.460	0.440	0.109	61.3
chi square [1]	$(0.230 \pm 2.228) \times 10^5$	23235643	0.150	$2.508 imes 10^4$	1.441×10^4	52.2	$2.779 imes 10^8$
number of iterations [1]	3.42 ± 1.07	23235643	3.23	1.000	3.00	1.000	14.0
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.237 \pm 5.705) \times 10^{-9}$	23235643	$2.500 imes 10^{-10}$	$5.205 imes 10^{-9}$	1.159×10^{-9}	-1.919×10^{-6}	1.813×10^{-6}
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.768 \pm 0.707) \times 10^{-9}$	23235643	$9.500 imes 10^{-10}$	$1.057 imes10^{-9}$	$1.702 imes 10^{-9}$	4.322×10^{-10}	5.742×10^{-9}
chi square fluorescence [1]	$(0.480 \pm 0.868) \times 10^5$	23235643	750	$4.067 imes 10^4$	$1.595 imes 10^4$	93.5	$1.818 imes10^6$
degrees of freedom fluorescence [1]	6.00 ± 0.00	23235643	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	23235643	49.7	0.0	50.0	47.0	50.0
wavelength calibration offset [nm]	$(2.914 \pm 8.428) \times 10^{-3}$	23235643	2.800×10^{-3}	5.525×10^{-3}	2.918×10^{-3}	-0.129	0.219

			Table 2:	Percentile rang	jes					
Variable	1 %	5%	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.500	0.500	0.500	1.000	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	250	403	498	581	690	958	985	1000	1.011×10^3	1.022×10^3
cloud pressure crb precision [hPa]	0.143	0.235	0.260	0.289	0.338	1.53	2.62	4.40	8.73	28.6
cloud fraction crb [1]	$8.642 imes 10^{-4}$	$1.158 imes10^{-2}$	$2.541 imes 10^{-2}$	$4.570 imes 10^{-2}$	$8.848 imes10^{-2}$	0.945	1.000	1.000	1.000	1.000
cloud fraction crb precision [1]	$2.052 imes 10^{-5}$	$2.368 imes10^{-5}$	$2.672 imes 10^{-5}$	$3.133 imes10^{-5}$	$4.499 imes 10^{-5}$	$1.000 imes 10^{-4}$	$1.244 imes 10^{-4}$	$1.871 imes10^{-4}$	$4.853 imes10^{-4}$	4.878×10^{-3}
scene albedo [1]	$8.969 imes 10^{-3}$	$2.251 imes 10^{-2}$	$4.124 imes10^{-2}$	$7.245 imes 10^{-2}$	0.151	0.754	0.857	0.912	0.970	1.13
scene albedo precision [1]	1.314×10^{-5}	1.561×10^{-5}	$1.928 imes10^{-5}$	2.438×10^{-5}	3.210×10^{-5}	$9.493 imes 10^{-5}$	$1.291 imes 10^{-4}$	$1.782 imes 10^{-4}$	$2.804 imes10^{-4}$	5.564×10^{-4}
apparent scene pressure [hPa]	340	474	562	644	744	967	988	1.001×10^{3}	1.011×10^{3}	1.022×10^{3}
apparent scene pressure precision [hPa]	0.214	0.243	0.263	0.285	0.319	0.779	1.23	1.94	3.37	8.11
chi square [1]	277	683	1.433×10^{3}	2.722×10^{3}	5.177×10^{3}	3.026×10^{4}	4.258×10^{4}	5.410×10^{4}	6.926×10^{4}	9.535×10^{4}
number of iterations [1]	2.00	2.00	2.00	3.00	3.00	4.00	4.00	5.00	5.00	6.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	-1.491×10^{-8}	-7.048×10^{-9}	-4.204×10^{-9}	-2.604×10^{-9}	-1.207×10^{-9}	$3.999 imes 10^{-9}$	5.677×10^{-9}	7.272×10^{-9}	$9.499 imes 10^{-9}$	1.431×10^{-8}
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$7.368 imes 10^{-10}$	$8.345 imes 10^{-10}$	9.120×10^{-10}	$1.002 imes 10^{-9}$	$1.178 imes10^{-9}$	$2.235 imes 10^{-9}$	$2.521 imes 10^{-9}$	$2.729 imes 10^{-9}$	$3.019 imes 10^{-9}$	3.716×10^{-9}
chi square fluorescence [1]	452	1.147×10^{3}	2.139×10^{3}	3.496×10^{3}	6.102×10^{3}	4.677×10^{4}	8.143×10^{4}	1.272×10^{5}	2.180×10^{5}	4.430×10^{5}
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	-2.453×10^{-2}	-9.421×10^{-3}	-4.416×10^{-3}	-1.849×10^{-3}	$1.555 imes10^{-4}$	5.681×10^{-3}	7.702×10^{-3}	1.030×10^{-2}	$1.530 imes 10^{-2}$	3.005×10^{-2}

Table	3: Parameterlist and basic s	statistics for	the analysis for	observations in	the northern her	nisphere		
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.858 ± 0.218	13732988	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	830 ± 187	13732988	235	894	130	1.045×10^{3}	739	974
cloud pressure crb precision [hPa]	2.24 ± 8.38	13732988	1.20	0.552	$3.052 imes 10^{-4}$	1.557×10^{3}	0.305	1.50
cloud fraction crb [1]	0.511 ± 0.415	13732988	0.910	0.418	0.0	1.000	$9.039 imes 10^{-2}$	1.000
cloud fraction crb precision [1]	$(3.353 \pm 18.848) \times 10^{-4}$	13732988	$5.349 imes10^{-5}$	$9.582 imes 10^{-5}$	$2.083 imes10^{-8}$	0.405	4.651×10^{-5}	$1.000 imes 10^{-4}$
scene albedo [1]	0.516 ± 0.344	13732988	0.652	0.513	$-2.015 imes10^{-3}$	5.03	0.190	0.841
scene albedo precision [1]	$(8.984 \pm 10.902) \times 10^{-5}$	13732988	7.009×10^{-5}	5.396×10^{-5}	1.079×10^{-5}	1.557×10^{-3}	3.126×10^{-5}	$1.014 imes 10^{-4}$
apparent scene pressure [hPa]	865 ± 150	13732988	184	918	130	1.034×10^3	794	978
apparent scene pressure precision [hPa]	0.720 ± 1.081	13732988	0.359	0.394	0.157	52.2	0.296	0.655
chi square [1]	$(0.307 \pm 2.894) \times 10^5$	13732988	3.596×10^4	2.101×10^4	79.4	2.779×10^{8}	7.762×10^{3}	4.372×10^4
number of iterations [1]	3.71 ± 1.13	13732988	1.000	4.00	1.000	14.0	3.00	4.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.972 \pm 6.106) \times 10^{-9}$	13732988	$6.150 imes 10^{-9}$	1.990×10^{-9}	$-1.493 imes 10^{-6}$	$1.813 imes10^{-6}$	-9.669×10^{-10}	$5.183 imes10^{-9}$
fluorescence precision [mol $s^{-1} m^{-2} nm^{-1} sr^{-1}$]	$(1.897 \pm 0.710) \times 10^{-9}$	13732988	1.041×10^{-9}	$1.846 imes 10^{-9}$	4.322×10^{-10}	5.742×10^{-9}	$1.317 imes10^{-9}$	$2.358 imes10^{-9}$
chi square fluorescence [1]	$(0.474 \pm 0.806) \times 10^5$	13732988	$4.114 imes 10^4$	$1.772 imes 10^4$	120	$1.818 imes10^6$	7.836×10^3	$4.898 imes10^4$
degrees of freedom fluorescence [1]	6.00 ± 0.00	13732988	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	13732988	0.0	50.0	47.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(2.891 \pm 7.061) \times 10^{-3}$	13732988	4.568×10^{-3}	2.871×10^{-3}	-8.301×10^{-2}	8.857×10^{-2}	$5.768 imes10^{-4}$	5.144×10^{-3}

Table 4	4: Parameterlist and basic s	tatistics for	the analysis for	observations in	the southern hem	nisphere		
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.983 ± 0.079	9502655	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	765 ± 201	9502655	310	832	130	1.038×10^{3}	615	925
cloud pressure crb precision [hPa]	2.44 ± 9.04	9502655	1.19	0.625	$1.007 imes 10^{-2}$	1.580×10^{3}	0.391	1.58
cloud fraction crb [1]	0.408 ± 0.335	9502655	0.604	0.345	0.0	1.000	$8.541 imes 10^{-2}$	0.689
cloud fraction crb precision [1]	$(1.156 \pm 8.629) \times 10^{-4}$	9502655	$5.687 imes 10^{-5}$	$7.387 imes10^{-5}$	$2.712 imes 10^{-7}$	0.844	4.313×10^{-5}	$1.000 imes 10^{-4}$
scene albedo [1]	0.371 ± 0.287	9502655	0.468	0.337	$-3.074 imes 10^{-3}$	4.66	0.106	0.573
scene albedo precision [1]	$(8.046 \pm 9.256) \times 10^{-5}$	9502655	5.385×10^{-5}	5.314×10^{-5}	$1.083 imes10^{-5}$	$6.215 imes 10^{-3}$	$3.362 imes 10^{-5}$	$8.747 imes10^{-5}$
apparent scene pressure [hPa]	789 ± 189	9502655	286	854	130	1.038×10^{3}	652	937
apparent scene pressure precision [hPa]	1.25 ± 2.30	9502655	0.687	0.517	0.109	61.3	0.370	1.06
chi square [1]	$(0.118 \pm 0.139) \times 10^5$	9502655	1.434×10^4	9.299×10^{3}	52.2	$1.182 imes 10^7$	3.236×10^{3}	$1.758 imes 10^4$
number of iterations [1]	2.99 ± 0.80	9502655	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(1.756 \pm 48.776) \times 10^{-10}$	9502655	$3.852 imes 10^{-9}$	4.632×10^{-10}	-1.919×10^{-6}	$1.114 imes10^{-6}$	-1.478×10^{-9}	$2.374 imes10^{-9}$
fluorescence precision [mol $s^{-1} m^{-2} nm^{-1} sr^{-1}$]	$(1.583 \pm 0.659) \times 10^{-9}$	9502655	$9.253 imes 10^{-10}$	$1.476 imes 10^{-9}$	$5.388 imes 10^{-10}$	$5.713 imes 10^{-9}$	$1.034 imes 10^{-9}$	$1.960 imes 10^{-9}$
chi square fluorescence [1]	$(0.489 \pm 0.950) \times 10^5$	9502655	$3.894 imes 10^4$	$1.298 imes 10^4$	93.5	$1.726 imes 10^6$	4.160×10^{3}	$4.310 imes 10^4$
degrees of freedom fluorescence [1]	6.00 ± 0.00	9502655	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	9502655	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(2.947 \pm 10.082) \times 10^{-3}$	9502655	$7.480 imes 10^{-3}$	3.022×10^{-3}	-0.129	0.219	-7.366×10^{-4}	6.743×10^{-3}

	Table 5: Parameterlist an	d basic stati	stics for the anal	ysis for observa	tions over water			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.921 ± 0.170	16195270	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	817 ± 191	16195270	250	886	130	1.038×10^{3}	714	964
cloud pressure crb precision [hPa]	2.18 ± 8.53	16195270	1.03	0.572	$3.052 imes 10^{-4}$	$1.580 imes 10^3$	0.347	1.37
cloud fraction crb [1]	0.459 ± 0.375	16195270	0.754	0.386	0.0	1.000	$8.928 imes10^{-2}$	0.844
cloud fraction crb precision [1]	$(2.583 \pm 15.945) \times 10^{-4}$	16195270	6.658×10^{-5}	6.644×10^{-5}	$2.083 imes10^{-8}$	0.359	$3.342 imes 10^{-5}$	$1.000 imes 10^{-4}$
scene albedo [1]	0.402 ± 0.327	16195270	0.609	0.345	$-3.074 imes 10^{-3}$	5.03	$8.402 imes 10^{-2}$	0.693
scene albedo precision [1]	$(8.426 \pm 10.018) \times 10^{-5}$	16195270	$7.378 imes10^{-5}$	$5.397 imes10^{-5}$	1.079×10^{-5}	$6.215 imes 10^{-3}$	2.652×10^{-5}	$1.003 imes 10^{-4}$
apparent scene pressure [hPa]	835 ± 178	16195270	224	898	130	$1.038 imes 10^3$	747	972
apparent scene pressure precision [hPa]	1.18 ± 2.00	16195270	0.762	0.535	0.109	61.3	0.349	1.11
chi square [1]	$(0.187 \pm 1.788) \times 10^5$	16195270	2.093×10^4	9.730×10^{3}	52.2	$2.779 imes 10^8$	3.143×10^{3}	$2.408 imes 10^4$
number of iterations [1]	3.20 ± 1.02	16195270	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(8.009 \pm 51.036) \times 10^{-10}$	16195270	4.466×10^{-9}	$7.502 imes 10^{-10}$	-1.493×10^{-6}	$1.813 imes10^{-6}$	$-1.264 imes 10^{-9}$	$3.202 imes 10^{-9}$
fluorescence precision [mol $s^{-1} m^{-2} nm^{-1} sr^{-1}$]	$(1.602 \pm 0.670) \times 10^{-9}$	16195270	$9.472 imes 10^{-10}$	1.466×10^{-9}	4.322×10^{-10}	5.596×10^{-9}	1.061×10^{-9}	$2.008 imes 10^{-9}$
chi square fluorescence [1]	$(0.360 \pm 0.689) \times 10^5$	16195270	$2.911 imes 10^4$	1.341×10^4	93.5	$1.818 imes10^6$	5.212×10^3	$3.433 imes 10^4$
degrees of freedom fluorescence [1]	6.00 ± 0.00	16195270	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	16195270	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(2.885 \pm 9.446) \times 10^{-3}$	16195270	$6.172 imes 10^{-3}$	2.900×10^{-3}	-0.129	0.219	-1.986×10^{-4}	$5.973 imes10^{-3}$

	Table 6: Parameterlist an	d basic stat	tistics for the ana	alysis for observ	vations over land			
Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.868 ± 0.224	5063421	0.500	1.000	0.350	1.000	0.500	1.000
cloud pressure crb [hPa]	765 ± 200	5063421	285	804	130	1.035×10^{3}	649	934
cloud pressure crb precision [hPa]	2.61 ± 8.74	5063421	1.61	0.636	$1.282 imes 10^{-3}$	$1.528 imes 10^3$	0.308	1.92
cloud fraction crb [1]	0.502 ± 0.418	5063421	0.912	0.361	0.0	1.000	$8.768 imes10^{-2}$	1.000
cloud fraction crb precision [1]	$(2.293 \pm 15.788) \times 10^{-4}$	5063421	$2.737 imes 10^{-5}$	$1.000 imes 10^{-4}$	$2.712 imes 10^{-7}$	0.844	7.515×10^{-5}	$1.025 imes 10^{-4}$
scene albedo [1]	0.601 ± 0.299	5063421	0.544	0.553	1.664×10^{-3}	4.66	0.330	0.875
scene albedo precision [1]	$(9.585 \pm 11.451) \times 10^{-5}$	5063421	$5.111 imes 10^{-5}$	$5.365 imes 10^{-5}$	$1.349 imes 10^{-5}$	$1.657 imes 10^{-3}$	$3.833 imes 10^{-5}$	8.944×10^{-5}
apparent scene pressure [hPa]	823 ± 154	5063421	222	864	130	$1.034 imes 10^3$	728	950
apparent scene pressure precision [hPa]	0.380 ± 0.133	5063421	0.166	0.348	0.161	10.6	0.280	0.446
chi square [1]	$(0.323 \pm 2.211) \times 10^5$	5063421	$2.730 imes 10^4$	2.344×10^4	248	$1.593 imes 10^8$	1.420×10^4	$4.150 imes 10^4$
number of iterations [1]	3.94 ± 1.01	5063421	1.000	4.00	1.000	14.0	3.00	4.00
fluorescence [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(2.113 \pm 6.640) \times 10^{-9}$	5063421	6.623×10^{-9}	2.433×10^{-9}	$-1.270 imes 10^{-6}$	1.340×10^{-6}	-1.009×10^{-9}	$5.614 imes 10^{-9}$
fluorescence precision [mol s ^{-1} m ^{-2} nm ^{-1} sr ^{-1}]	$(2.142 \pm 0.633) \times 10^{-9}$	5063421	$8.197 imes 10^{-10}$	2.143×10^{-9}	$5.375 imes 10^{-10}$	$5.713 imes 10^{-9}$	$1.738 imes 10^{-9}$	2.558×10^{-9}
chi square fluorescence [1]	$(0.715 \pm 1.089) \times 10^5$	5063421	$7.698 imes 10^4$	$2.456 imes 10^4$	146	$1.630 imes 10^6$	7.802×10^3	$8.478 imes10^4$
degrees of freedom fluorescence [1]	6.00 ± 0.00	5063421	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	5063421	0.0	50.0	47.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(2.932 \pm 4.771) \times 10^{-3}$	5063421	4.220×10^{-3}	2.923×10^{-3}	$-7.197 imes 10^{-2}$	6.859×10^{-2}	$8.220 imes 10^{-4}$	5.042×10^{-3}

 \neg

Granule outlines



Figure 1: Outline of the granules.

4 Input data monitoring



Figure 2: Input data per granule

5 Warnings and errors



Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 4: Map of "Cloud pressure" for 2025-04-16 to 2025-04-16





Figure 5: Map of "Cloud fraction" for 2025-04-16 to 2025-04-16





Figure 6: Map of "Scene albedo" for 2025-04-16 to 2025-04-16



Figure 7: Map of "Apparent scene pressure" for 2025-04-16 to 2025-04-16

2025-04-16



Figure 8: Map of "Fluorescence" for 2025-04-16 to 2025-04-16



Figure 9: Map of the number of observations for 2025-04-16 to 2025-04-16

7 Zonal average



Figure 10: Zonal average of "QA value" for 2025-04-16 to 2025-04-16.



Figure 11: Zonal average of "Cloud pressure" for 2025-04-16 to 2025-04-16.



Figure 12: Zonal average of "Cloud pressure precision" for 2025-04-16 to 2025-04-16.



Figure 13: Zonal average of "Cloud fraction" for 2025-04-16 to 2025-04-16.



Figure 14: Zonal average of "Cloud fraction precision" for 2025-04-16 to 2025-04-16.



Figure 15: Zonal average of "Scene albedo" for 2025-04-16 to 2025-04-16.



Figure 16: Zonal average of "Scene albedo precision" for 2025-04-16 to 2025-04-16.



Figure 17: Zonal average of "Apparent scene pressure" for 2025-04-16 to 2025-04-16.



Figure 18: Zonal average of "Apparent scene pressure precision" for 2025-04-16 to 2025-04-16.



Figure 19: Zonal average of " χ^2 " for 2025-04-16 to 2025-04-16.



Figure 20: Zonal average of "Number of iterations" for 2025-04-16 to 2025-04-16.



Figure 21: Zonal average of "Fluorescence" for 2025-04-16 to 2025-04-16.



Figure 22: Zonal average of "Fluorescence precision" for 2025-04-16 to 2025-04-16.



Figure 23: Zonal average of " χ^2 of fluorescence retrieval" for 2025-04-16 to 2025-04-16.



Figure 24: Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2025-04-16 to 2025-04-16.



Figure 25: Zonal average of "Number of points in the spectrum" for 2025-04-16 to 2025-04-16.



Figure 26: Zonal average of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-04-16 to 2025-04-16.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 27: Histogram of "QA value" for 2025-04-16 to 2025-04-16



Figure 28: Histogram of "Cloud pressure" for 2025-04-16 to 2025-04-16



Figure 29: Histogram of "Cloud pressure precision" for 2025-04-16 to 2025-04-16



Figure 30: Histogram of "Cloud fraction" for 2025-04-16 to 2025-04-16



Figure 31: Histogram of "Cloud fraction precision" for 2025-04-16 to 2025-04-16



Figure 32: Histogram of "Scene albedo" for 2025-04-16 to 2025-04-16



Figure 33: Histogram of "Scene albedo precision" for 2025-04-16 to 2025-04-16



Figure 34: Histogram of "Apparent scene pressure" for 2025-04-16 to 2025-04-16



Figure 35: Histogram of "Apparent scene pressure precision" for 2025-04-16 to 2025-04-16



Figure 36: Histogram of " χ^2 " for 2025-04-16 to 2025-04-16



Figure 37: Histogram of "Number of iterations" for 2025-04-16 to 2025-04-16



Figure 38: Histogram of "Fluorescence" for 2025-04-16 to 2025-04-16



Figure 39: Histogram of "Fluorescence precision" for 2025-04-16 to 2025-04-16



Figure 40: Histogram of " χ^2 of fluorescence retrieval" for 2025-04-16 to 2025-04-16



Figure 41: Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2025-04-16 to 2025-04-16



Figure 42: Histogram of "Number of points in the spectrum" for 2025-04-16 to 2025-04-16



Figure 43: Histogram of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-04-16 to 2025-04-16

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 44: Along track statistics of "QA value" for 2025-04-16 to 2025-04-16



Figure 45: Along track statistics of "Cloud pressure" for 2025-04-16 to 2025-04-16



Figure 46: Along track statistics of "Cloud pressure precision" for 2025-04-16 to 2025-04-16



Figure 47: Along track statistics of "Cloud fraction" for 2025-04-16 to 2025-04-16



Figure 48: Along track statistics of "Cloud fraction precision" for 2025-04-16 to 2025-04-16



Figure 49: Along track statistics of "Scene albedo" for 2025-04-16 to 2025-04-16



Figure 50: Along track statistics of "Scene albedo precision" for 2025-04-16 to 2025-04-16



Figure 51: Along track statistics of "Apparent scene pressure" for 2025-04-16 to 2025-04-16



Figure 52: Along track statistics of "Apparent scene pressure precision" for 2025-04-16 to 2025-04-16



Figure 53: Along track statistics of " χ^2 " for 2025-04-16 to 2025-04-16



Figure 54: Along track statistics of "Number of iterations" for 2025-04-16 to 2025-04-16



Figure 55: Along track statistics of "Fluorescence" for 2025-04-16 to 2025-04-16



Figure 56: Along track statistics of "Fluorescence precision" for 2025-04-16 to 2025-04-16



Figure 57: Along track statistics of " χ^2 of fluorescence retrieval" for 2025-04-16 to 2025-04-16



Figure 58: Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2025-04-16 to 2025-04-16



Figure 59: Along track statistics of "Number of points in the spectrum" for 2025-04-16 to 2025-04-16



Figure 60: Along track statistics of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-04-16 to 2025-04-16

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
	1.1 The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	17
8	Histograms	34
9	Along track statistics	51
10	Coincidence density	68
11	Copyright information of 'PyCAMA'	68

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of "Cloud pressure" for 2025-04-16 to 2025-04-16	11
5	Map of "Cloud fraction" for 2025-04-16 to 2025-04-16	12
6	Map of "Scene albedo" for 2025-04-16 to 2025-04-16	13
7	Map of "Apparent scene pressure" for 2025-04-16 to 2025-04-16	14
8	Map of "Fluorescence" for 2025-04-16 to 2025-04-16	15
9	Map of the number of observations for 2025-04-16 to 2025-04-16	16
10	Zonal average of "OA value" for 2025-04-16 to 2025-04-16.	17
11	Zonal average of "Cloud pressure" for 2025-04-16 to 2025-04-16.	18
12	Zonal average of "Cloud pressure precision" for 2025-04-16 to 2025-04-16.	19
13	Zonal average of "Cloud fraction" for 2025-04-16 to 2025-04-16.	20
14	Zonal average of "Cloud fraction precision" for 2025-04-16 to 2025-04-16.	21
15	Zonal average of "Scene albedo" for 2025-04-16 to 2025-04-16.	22
16	Zonal average of "Scene albedo precision" for 2025-04-16 to 2025-04-16.	23
17	Zonal average of "Apparent scene pressure" for 2025-04-16 to 2025-04-16.	24
18	Zonal average of "Apparent scene pressure precision" for 2025-04-16 to 2025-04-16.	25
19	Zonal average of " χ^2 " for 2025-04-16 to 2025-04-16	26
20	Zonal average of "Number of iterations" for 2025-04-16 to 2025-04-16.	27
21	Zonal average of "Fluorescence" for 2025-04-16 to 2025-04-16.	28
22	Zonal average of "Fluorescence precision" for 2025-04-16 to 2025-04-16.	29
23	Zonal average of " χ^2 of fluorescence retrieval" for 2025-04-16 to 2025-04-16	30
24	Zonal average of "Degrees of freedom for signal of fluorescence retrieval" for 2025-04-16 to 2025-04-16.	31
25	Zonal average of "Number of points in the spectrum" for 2025-04-16 to 2025-04-16.	32
26	Zonal average of "Spectral offset ($\lambda_{true} - \lambda_{nominal}$)" for 2025-04-16 to 2025-04-16.	33
27	Histogram of "QA value" for 2025-04-16 to 2025-04-16	34
28	Histogram of "Cloud pressure" for 2025-04-16 to 2025-04-16	35
29	Histogram of "Cloud pressure precision" for 2025-04-16 to 2025-04-16	36

30	Histogram of "Cloud fraction" for 2025-04-16 to 2025-04-16	37
31	Histogram of "Cloud fraction precision" for 2025-04-16 to 2025-04-16	38
32	Histogram of "Scene albedo" for 2025-04-16 to 2025-04-16	39
33	Histogram of "Scene albedo precision" for 2025-04-16 to 2025-04-16	40
34	Histogram of "Apparent scene pressure" for 2025-04-16 to 2025-04-16	41
35	Histogram of "Apparent scene pressure precision" for 2025-04-16 to 2025-04-16	42
36	Histogram of " χ^2 " for 2025-04-16 to 2025-04-16	43
37	Histogram of "Number of iterations" for 2025-04-16 to 2025-04-16	44
38	Histogram of "Fluorescence" for 2025-04-16 to 2025-04-16	45
39	Histogram of "Fluorescence precision" for 2025-04-16 to 2025-04-16	46
40	Histogram of " χ^2 of fluorescence retrieval" for 2025-04-16 to 2025-04-16	47
41	Histogram of "Degrees of freedom for signal of fluorescence retrieval" for 2025-04-16 to 2025-04-16	48
42	Histogram of "Number of points in the spectrum" for 2025-04-16 to 2025-04-16	49
43	Histogram of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2025-04-16 to 2025-04-16	50
44	Along track statistics of "QA value" for 2025-04-16 to 2025-04-16	51
45	Along track statistics of "Cloud pressure" for 2025-04-16 to 2025-04-16	52
46	Along track statistics of "Cloud pressure precision" for 2025-04-16 to 2025-04-16	53
47	Along track statistics of "Cloud fraction" for 2025-04-16 to 2025-04-16	54
48	Along track statistics of "Cloud fraction precision" for 2025-04-16 to 2025-04-16	55
49	Along track statistics of "Scene albedo" for 2025-04-16 to 2025-04-16	56
50	Along track statistics of "Scene albedo precision" for 2025-04-16 to 2025-04-16	57
51	Along track statistics of "Apparent scene pressure" for 2025-04-16 to 2025-04-16	58
52	Along track statistics of "Apparent scene pressure precision" for 2025-04-16 to 2025-04-16	59
53	Along track statistics of " χ^2 " for 2025-04-16 to 2025-04-16	60
54	Along track statistics of "Number of iterations" for 2025-04-16 to 2025-04-16	61
55	Along track statistics of "Fluorescence" for 2025-04-16 to 2025-04-16	62
56	Along track statistics of "Fluorescence precision" for 2025-04-16 to 2025-04-16	63
57	Along track statistics of " χ^2 of fluorescence retrieval" for 2025-04-16 to 2025-04-16	64
58	Along track statistics of "Degrees of freedom for signal of fluorescence retrieval" for 2025-04-16 to 2025-04-16	65
59	Along track statistics of "Number of points in the spectrum" for 2025-04-16 to 2025-04-16	66
60	Along track statistics of "Spectral offset $(\lambda_{true} - \lambda_{nominal})$ " for 2025-04-16 to 2025-04-16	67

List of Tables

1	Parameterlist and basic statistics for the analysis
2	Percentile ranges
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere
5	Parameterlist and basic statistics for the analysis for observations over water
6	Parameterlist and basic statistics for the analysis for observations over land

11 Copyright information of 'PyCAMA'

Copyright © 2005-2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).