

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-08-11 (03:30)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_{(k)})V(x_{(l)})}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.982 ± 0.075	23485000	0.995	0.0	1.000	0.350	1.000
cloud pressure crb [hPa]	787 ± 202	23485000	1.015×10^3	297	854	130	1.058×10^3
cloud pressure crb precision [hPa]	2.95 ± 10.82	23485000	0.750	1.55	0.765	2.808×10^{-3}	1.435×10^3
cloud fraction crb [1]	0.373 ± 0.331	23485000	0.996	0.561	0.269	0.0	1.000
cloud fraction crb precision [1]	$(1.319 \pm 3.839) \times 10^{-4}$	23485000	2.500×10^{-4}	6.546×10^{-5}	7.644×10^{-5}	5.260×10^{-9}	0.142
scene albedo [1]	0.377 ± 0.277	23485000	1.500×10^{-2}	0.446	0.341	-2.786×10^{-3}	4.50
scene albedo precision [1]	$(7.808 \pm 8.777) \times 10^{-5}$	23485000	2.500×10^{-4}	5.243×10^{-5}	5.008×10^{-5}	1.069×10^{-5}	3.342×10^{-3}
apparent scene pressure [hPa]	823 ± 178	23485000	1.016×10^3	249	884	130	1.058×10^3
apparent scene pressure precision [hPa]	1.13 ± 2.03	23485000	0.500	0.583	0.501	9.523×10^{-2}	64.4
chi square [1]	$(0.161 \pm 0.761) \times 10^5$	23485000	0.150	1.897×10^4	1.190×10^4	50.8	6.807×10^7
number of iterations [1]	3.15 ± 0.86	23485000	3.23	0.0	3.00	1.000	14.0
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.050 \pm 6.436) \times 10^{-9}$	23485000	7.500×10^{-10}	4.495×10^{-9}	9.675×10^{-10}	-1.800×10^{-6}	2.344×10^{-6}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.701 \pm 0.723) \times 10^{-9}$	23485000	8.500×10^{-10}	1.064×10^{-9}	1.589×10^{-9}	4.014×10^{-10}	5.765×10^{-9}
chi square fluorescence [1]	$(0.736 \pm 1.259) \times 10^5$	23485000	750	7.440×10^4	2.721×10^4	90.7	6.432×10^7
degrees of freedom fluorescence [1]	6.00 ± 0.00	23485000	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	23485000	49.7	0.0	50.0	44.0	50.0
wavelength calibration offset [nm]	$(5.143 \pm 9.010) \times 10^{-3}$	23485000	5.200×10^{-3}	6.427×10^{-3}	5.214×10^{-3}	-0.411	0.256

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.900	0.900	1.000	1.000	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	254	384	474	553	653	950	979	999	1.012×10^3	1.022×10^3
cloud pressure crb precision [hPa]	0.214	0.256	0.293	0.336	0.409	1.96	3.29	5.47	10.7	37.4
cloud fraction crb [1]	0.0	9.026×10^{-3}	2.074×10^{-2}	3.902×10^{-2}	7.563×10^{-2}	0.637	0.800	0.938	1.000	1.000
cloud fraction crb precision [1]	2.065×10^{-5}	2.377×10^{-5}	2.727×10^{-5}	3.238×10^{-5}	4.550×10^{-5}	1.110×10^{-4}	1.686×10^{-4}	2.584×10^{-4}	4.126×10^{-4}	9.435×10^{-4}
scene albedo [1]	7.486×10^{-3}	1.848×10^{-2}	3.567×10^{-2}	6.462×10^{-2}	0.133	0.580	0.679	0.759	0.863	1.04
scene albedo precision [1]	1.333×10^{-5}	1.612×10^{-5}	2.012×10^{-5}	2.576×10^{-5}	3.341×10^{-5}	8.584×10^{-5}	1.166×10^{-4}	1.612×10^{-4}	2.429×10^{-4}	4.662×10^{-4}
apparent scene pressure [hPa]	336	457	544	621	715	964	987	1.003×10^3	1.013×10^3	1.022×10^3
apparent scene pressure precision [hPa]	0.217	0.252	0.281	0.309	0.353	0.937	1.53	2.45	4.31	10.00
chi square [1]	225	504	1.022×10^3	1.929×10^3	3.918×10^3	2.289×10^4	2.895×10^4	3.480×10^4	4.259×10^4	5.966×10^4
number of iterations [1]	2.00	2.00	2.00	2.00	3.00	3.00	4.00	4.00	4.00	6.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	-1.576×10^{-8}	-7.620×10^{-9}	-4.420×10^{-9}	-2.620×10^{-9}	-1.123×10^{-9}	3.372×10^{-9}	5.042×10^{-9}	6.849×10^{-9}	9.712×10^{-9}	1.664×10^{-8}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	6.834×10^{-10}	7.945×10^{-10}	8.663×10^{-10}	9.467×10^{-10}	1.102×10^{-9}	2.166×10^{-9}	2.433×10^{-9}	2.719×10^{-9}	3.023×10^{-9}	3.744×10^{-9}
chi square fluorescence [1]	398	1.019×10^3	1.993×10^3	3.559×10^3	7.053×10^3	8.145×10^4	1.289×10^5	1.952×10^5	3.234×10^5	6.276×10^5
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	-2.410×10^{-2}	-8.378×10^{-3}	-3.097×10^{-3}	-2.955×10^{-4}	1.986×10^{-3}	8.413×10^{-3}	1.065×10^{-2}	1.337×10^{-2}	1.845×10^{-2}	3.324×10^{-2}

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.976 ± 0.084	14721009	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	780 ± 205	14721009	315	835	130	1.058×10^3	641	955
cloud pressure crb precision [hPa]	2.21 ± 7.63	14721009	1.36	0.735	2.808×10^{-3}	1.386×10^3	0.383	1.74
cloud fraction crb [1]	0.391 ± 0.336	14721009	0.577	0.283	0.0	1.000	9.064×10^{-2}	0.667
cloud fraction crb precision [1]	$(1.416 \pm 3.299) \times 10^{-4}$	14721009	7.596×10^{-5}	8.238×10^{-5}	7.419×10^{-7}	9.411×10^{-2}	4.836×10^{-5}	1.243×10^{-4}
scene albedo [1]	0.411 ± 0.271	14721009	0.426	0.387	-1.971×10^{-3}	3.50	0.188	0.613
scene albedo precision [1]	$(7.656 \pm 8.475) \times 10^{-5}$	14721009	5.189×10^{-5}	4.906×10^{-5}	1.069×10^{-5}	3.342×10^{-3}	3.345×10^{-5}	8.534×10^{-5}
apparent scene pressure [hPa]	820 ± 178	14721009	262	877	130	1.058×10^3	706	968
apparent scene pressure precision [hPa]	0.858 ± 1.436	14721009	0.432	0.444	9.523×10^{-2}	63.5	0.327	0.760
chi square [1]	$(0.188 \pm 0.953) \times 10^5$	14721009	2.091×10^4	1.478×10^4	50.8	6.807×10^7	5.202×10^3	2.611×10^4
number of iterations [1]	3.22 ± 0.86	14721009	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.028 \pm 7.416) \times 10^{-9}$	14721009	5.294×10^{-9}	9.337×10^{-10}	-1.800×10^{-6}	2.344×10^{-6}	-1.590×10^{-9}	3.704×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.836 \pm 0.744) \times 10^{-9}$	14721009	1.060×10^{-9}	1.771×10^{-9}	4.014×10^{-10}	5.633×10^{-9}	1.242×10^{-9}	2.303×10^{-9}
chi square fluorescence [1]	$(0.981 \pm 1.438) \times 10^5$	14721009	9.583×10^4	4.755×10^4	123	6.432×10^7	1.652×10^4	1.123×10^5
degrees of freedom fluorescence [1]	6.00 ± 0.00	14721009	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	14721009	0.0	50.0	44.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(5.396 \pm 7.587) \times 10^{-3}$	14721009	5.744×10^{-3}	5.380×10^{-3}	-0.411	0.154	2.525×10^{-3}	8.269×10^{-3}

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.991 ± 0.056	8763991	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	798 ± 197	8763991	262	875	130	1.037×10^3	682	943
cloud pressure crb precision [hPa]	4.19 ± 14.61	8763991	2.05	0.823	8.423×10^{-3}	1.435×10^3	0.450	2.50
cloud fraction crb [1]	0.344 ± 0.321	8763991	0.540	0.245	0.0	1.000	5.039×10^{-2}	0.590
cloud fraction crb precision [1]	$(1.158 \pm 4.601) \times 10^{-4}$	8763991	5.790×10^{-5}	6.907×10^{-5}	5.260×10^{-9}	0.142	4.210×10^{-5}	1.000×10^{-4}
scene albedo [1]	0.320 ± 0.277	8763991	0.437	0.257	-2.786×10^{-3}	4.50	7.207×10^{-2}	0.509
scene albedo precision [1]	$(8.063 \pm 9.257) \times 10^{-5}$	8763991	5.339×10^{-5}	5.170×10^{-5}	1.131×10^{-5}	2.321×10^{-3}	3.334×10^{-5}	8.673×10^{-5}
apparent scene pressure [hPa]	826 ± 176	8763991	219	890	130	1.037×10^3	737	956
apparent scene pressure precision [hPa]	1.58 ± 2.70	8763991	1.02	0.614	0.166	64.4	0.420	1.44
chi square [1]	$(0.116 \pm 0.157) \times 10^5$	8763991	1.428×10^4	8.345×10^3	60.0	8.737×10^6	2.377×10^3	1.665×10^4
number of iterations [1]	3.04 ± 0.86	8763991	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.089 \pm 4.317) \times 10^{-9}$	8763991	3.533×10^{-9}	1.009×10^{-9}	-8.829×10^{-7}	8.831×10^{-7}	-5.695×10^{-10}	2.963×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.475 \pm 0.624) \times 10^{-9}$	8763991	8.438×10^{-10}	1.341×10^{-9}	5.436×10^{-10}	5.765×10^{-9}	9.718×10^{-10}	1.816×10^{-9}
chi square fluorescence [1]	$(0.325 \pm 0.711) \times 10^5$	8763991	2.503×10^4	8.651×10^3	90.7	1.461×10^6	2.554×10^3	2.758×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	8763991	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	8763991	0.0	50.0	47.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.719 \pm 10.980) \times 10^{-3}$	8763991	7.871×10^{-3}	4.849×10^{-3}	-0.179	0.256	8.695×10^{-4}	8.741×10^{-3}

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.986 ± 0.046	16235869	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	798 ± 201	16235869	293	873	130	1.058×10^3	664	957
cloud pressure crb precision [hPa]	2.99 ± 11.47	16235869	1.38	0.726	8.423×10^{-3}	1.086×10^3	0.417	1.80
cloud fraction crb [1]	0.368 ± 0.320	16235869	0.546	0.283	0.0	1.000	7.541×10^{-2}	0.621
cloud fraction crb precision [1]	$(1.201 \pm 3.198) \times 10^{-4}$	16235869	7.454×10^{-5}	6.373×10^{-5}	5.260×10^{-9}	0.142	3.422×10^{-5}	1.087×10^{-4}
scene albedo [1]	0.335 ± 0.280	16235869	0.484	0.277	-2.786×10^{-3}	4.50	7.437×10^{-2}	0.559
scene albedo precision [1]	$(7.818 \pm 8.742) \times 10^{-5}$	16235869	6.355×10^{-5}	5.218×10^{-5}	1.069×10^{-5}	3.342×10^{-3}	2.809×10^{-5}	9.164×10^{-5}
apparent scene pressure [hPa]	826 ± 183	16235869	254	893	130	1.058×10^3	717	971
apparent scene pressure precision [hPa]	1.42 ± 2.38	16235869	0.941	0.615	9.523×10^{-2}	64.4	0.390	1.33
chi square [1]	$(0.125 \pm 0.151) \times 10^5$	16235869	1.636×10^4	8.166×10^3	50.8	8.737×10^6	2.458×10^3	1.882×10^4
number of iterations [1]	2.99 ± 0.81	16235869	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(6.555 \pm 52.575) \times 10^{-10}$	16235869	3.773×10^{-9}	6.948×10^{-10}	-1.514×10^{-6}	1.808×10^{-6}	-1.119×10^{-9}	2.654×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.539 \pm 0.672) \times 10^{-9}$	16235869	9.079×10^{-10}	1.384×10^{-9}	4.014×10^{-10}	5.592×10^{-9}	1.002×10^{-9}	1.910×10^{-9}
chi square fluorescence [1]	$(0.522 \pm 1.020) \times 10^5$	16235869	5.158×10^4	1.685×10^4	90.7	6.432×10^7	4.555×10^3	5.613×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	16235869	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	16235869	0.0	50.0	46.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(5.051 \pm 10.033) \times 10^{-3}$	16235869	7.142×10^{-3}	5.144×10^{-3}	-0.411	0.256	1.530×10^{-3}	8.672×10^{-3}

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.961 ± 0.135	5176184	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	761 ± 197	5176184	286	801	130	1.050×10^3	640	926
cloud pressure crb precision [hPa]	2.96 ± 9.51	5176184	1.96	0.947	5.310×10^{-3}	1.435×10^3	0.383	2.34
cloud fraction crb [1]	0.389 ± 0.363	5176184	0.644	0.231	0.0	1.000	7.346×10^{-2}	0.718
cloud fraction crb precision [1]	$(1.759 \pm 5.813) \times 10^{-4}$	5176184	4.498×10^{-5}	9.652×10^{-5}	1.253×10^{-8}	0.123	7.280×10^{-5}	1.178×10^{-4}
scene albedo [1]	0.485 ± 0.247	5176184	0.363	0.423	7.029×10^{-3}	3.89	0.285	0.648
scene albedo precision [1]	$(8.132 \pm 9.283) \times 10^{-5}$	5176184	3.703×10^{-5}	4.776×10^{-5}	1.276×10^{-5}	1.398×10^{-3}	3.826×10^{-5}	7.529×10^{-5}
apparent scene pressure [hPa]	811 ± 159	5176184	233	854	130	1.050×10^3	711	944
apparent scene pressure precision [hPa]	0.454 ± 0.272	5176184	0.208	0.387	0.143	12.5	0.302	0.510
chi square [1]	$(0.251 \pm 1.588) \times 10^5$	5176184	1.894×10^4	1.915×10^4	183	6.807×10^7	1.147×10^4	3.041×10^4
number of iterations [1]	3.56 ± 0.89	5176184	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.794 \pm 8.222) \times 10^{-9}$	5176184	6.437×10^{-9}	1.906×10^{-9}	-1.315×10^{-6}	2.066×10^{-6}	-1.173×10^{-9}	5.264×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(2.063 \pm 0.693) \times 10^{-9}$	5176184	9.352×10^{-10}	2.025×10^{-9}	4.497×10^{-10}	5.765×10^{-9}	1.587×10^{-9}	2.522×10^{-9}
chi square fluorescence [1]	$(0.117 \pm 0.154) \times 10^6$	5176184	1.166×10^5	5.807×10^4	148	3.036×10^6	2.408×10^4	1.407×10^5
degrees of freedom fluorescence [1]	6.00 ± 0.00	5176184	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	5176184	0.0	50.0	45.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(5.289 \pm 5.301) \times 10^{-3}$	5176184	4.878×10^{-3}	5.283×10^{-3}	-5.497×10^{-2}	8.299×10^{-2}	2.875×10^{-3}	7.753×10^{-3}

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Cloud pressure” for 2025-08-09 to 2025-08-10




Figure 5: Map of “Cloud fraction” for 2025-08-09 to 2025-08-10




Figure 6: Map of “Scene albedo” for 2025-08-09 to 2025-08-10




Figure 7: Map of “Apparent scene pressure” for 2025-08-09 to 2025-08-10




Figure 8: Map of “Fluorescence” for 2025-08-09 to 2025-08-10




Figure 9: Map of the number of observations for 2025-08-09 to 2025-08-10

7 Zonal average




Figure 10: Zonal average of “QA value” for 2025-08-09 to 2025-08-10.




Figure 11: Zonal average of “Cloud pressure” for 2025-08-09 to 2025-08-10.




Figure 12: Zonal average of “Cloud pressure precision” for 2025-08-09 to 2025-08-10.




Figure 13: Zonal average of “Cloud fraction” for 2025-08-09 to 2025-08-10.




Figure 14: Zonal average of “Cloud fraction precision” for 2025-08-09 to 2025-08-10.




Figure 15: Zonal average of “Scene albedo” for 2025-08-09 to 2025-08-10.




Figure 16: Zonal average of “Scene albedo precision” for 2025-08-09 to 2025-08-10.




Figure 17: Zonal average of “Apparent scene pressure” for 2025-08-09 to 2025-08-10.




Figure 18: Zonal average of “Apparent scene pressure precision” for 2025-08-09 to 2025-08-10.




Figure 19: Zonal average of “ χ^2 ” for 2025-08-09 to 2025-08-10.




Figure 20: Zonal average of “Number of iterations” for 2025-08-09 to 2025-08-10.




Figure 21: Zonal average of “Fluorescence” for 2025-08-09 to 2025-08-10.




Figure 22: Zonal average of “Fluorescence precision” for 2025-08-09 to 2025-08-10.




Figure 23: Zonal average of “ χ^2 of fluorescence retrieval” for 2025-08-09 to 2025-08-10.




Figure 24: Zonal average of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-09 to 2025-08-10.




Figure 25: Zonal average of “Number of points in the spectrum” for 2025-08-09 to 2025-08-10.




Figure 26: Zonal average of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-09 to 2025-08-10.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 27: Histogram of “QA value” for 2025-08-09 to 2025-08-10




Figure 28: Histogram of “Cloud pressure” for 2025-08-09 to 2025-08-10




Figure 29: Histogram of “Cloud pressure precision” for 2025-08-09 to 2025-08-10




Figure 30: Histogram of “Cloud fraction” for 2025-08-09 to 2025-08-10




Figure 31: Histogram of “Cloud fraction precision” for 2025-08-09 to 2025-08-10




Figure 32: Histogram of “Scene albedo” for 2025-08-09 to 2025-08-10




Figure 33: Histogram of “Scene albedo precision” for 2025-08-09 to 2025-08-10




Figure 34: Histogram of “Apparent scene pressure” for 2025-08-09 to 2025-08-10




Figure 35: Histogram of “Apparent scene pressure precision” for 2025-08-09 to 2025-08-10




Figure 36: Histogram of " χ^2 " for 2025-08-09 to 2025-08-10




Figure 37: Histogram of “Number of iterations” for 2025-08-09 to 2025-08-10




Figure 38: Histogram of “Fluorescence” for 2025-08-09 to 2025-08-10




Figure 39: Histogram of “Fluorescence precision” for 2025-08-09 to 2025-08-10




Figure 40: Histogram of “ χ^2 of fluorescence retrieval” for 2025-08-09 to 2025-08-10




Figure 41: Histogram of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-09 to 2025-08-10




Figure 42: Histogram of “Number of points in the spectrum” for 2025-08-09 to 2025-08-10




Figure 43: Histogram of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-09 to 2025-08-10

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 44: Along track statistics of “QA value” for 2025-08-09 to 2025-08-10




Figure 45: Along track statistics of “Cloud pressure” for 2025-08-09 to 2025-08-10




Figure 46: Along track statistics of “Cloud pressure precision” for 2025-08-09 to 2025-08-10




Figure 47: Along track statistics of “Cloud fraction” for 2025-08-09 to 2025-08-10




Figure 48: Along track statistics of “Cloud fraction precision” for 2025-08-09 to 2025-08-10




Figure 49: Along track statistics of “Scene albedo” for 2025-08-09 to 2025-08-10




Figure 50: Along track statistics of “Scene albedo precision” for 2025-08-09 to 2025-08-10




Figure 51: Along track statistics of “Apparent scene pressure” for 2025-08-09 to 2025-08-10




Figure 52: Along track statistics of “Apparent scene pressure precision” for 2025-08-09 to 2025-08-10




Figure 53: Along track statistics of “ χ^2 ” for 2025-08-09 to 2025-08-10




Figure 54: Along track statistics of “Number of iterations” for 2025-08-09 to 2025-08-10




Figure 55: Along track statistics of “Fluorescence” for 2025-08-09 to 2025-08-10




Figure 56: Along track statistics of “Fluorescence precision” for 2025-08-09 to 2025-08-10




Figure 57: Along track statistics of “ χ^2 of fluorescence retrieval” for 2025-08-09 to 2025-08-10



Figure 58: Along track statistics of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-09 to 2025-08-10




Figure 59: Along track statistics of “Number of points in the spectrum” for 2025-08-09 to 2025-08-10




Figure 60: Along track statistics of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-09 to 2025-08-10

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	17
8	Histograms	34
9	Along track statistics	51
10	Coincidence density	68
11	Copyright information of ‘PyCAMA’	68

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Cloud pressure” for 2025-08-09 to 2025-08-10	11
5	Map of “Cloud fraction” for 2025-08-09 to 2025-08-10	12
6	Map of “Scene albedo” for 2025-08-09 to 2025-08-10	13
7	Map of “Apparent scene pressure” for 2025-08-09 to 2025-08-10	14
8	Map of “Fluorescence” for 2025-08-09 to 2025-08-10	15
9	Map of the number of observations for 2025-08-09 to 2025-08-10	16
10	Zonal average of “QA value” for 2025-08-09 to 2025-08-10.	17
11	Zonal average of “Cloud pressure” for 2025-08-09 to 2025-08-10.	18
12	Zonal average of “Cloud pressure precision” for 2025-08-09 to 2025-08-10.	19
13	Zonal average of “Cloud fraction” for 2025-08-09 to 2025-08-10.	20
14	Zonal average of “Cloud fraction precision” for 2025-08-09 to 2025-08-10.	21
15	Zonal average of “Scene albedo” for 2025-08-09 to 2025-08-10.	22
16	Zonal average of “Scene albedo precision” for 2025-08-09 to 2025-08-10.	23
17	Zonal average of “Apparent scene pressure” for 2025-08-09 to 2025-08-10.	24
18	Zonal average of “Apparent scene pressure precision” for 2025-08-09 to 2025-08-10.	25
19	Zonal average of “ χ^2 ” for 2025-08-09 to 2025-08-10.	26
20	Zonal average of “Number of iterations” for 2025-08-09 to 2025-08-10.	27
21	Zonal average of “Fluorescence” for 2025-08-09 to 2025-08-10.	28
22	Zonal average of “Fluorescence precision” for 2025-08-09 to 2025-08-10.	29
23	Zonal average of “ χ^2 of fluorescence retrieval” for 2025-08-09 to 2025-08-10.	30
24	Zonal average of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-09 to 2025-08-10.	31
25	Zonal average of “Number of points in the spectrum” for 2025-08-09 to 2025-08-10.	32
26	Zonal average of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-09 to 2025-08-10.	33
27	Histogram of “QA value” for 2025-08-09 to 2025-08-10	34
28	Histogram of “Cloud pressure” for 2025-08-09 to 2025-08-10	35
29	Histogram of “Cloud pressure precision” for 2025-08-09 to 2025-08-10	36

30	Histogram of “Cloud fraction” for 2025-08-09 to 2025-08-10	37
31	Histogram of “Cloud fraction precision” for 2025-08-09 to 2025-08-10	38
32	Histogram of “Scene albedo” for 2025-08-09 to 2025-08-10	39
33	Histogram of “Scene albedo precision” for 2025-08-09 to 2025-08-10	40
34	Histogram of “Apparent scene pressure” for 2025-08-09 to 2025-08-10	41
35	Histogram of “Apparent scene pressure precision” for 2025-08-09 to 2025-08-10	42
36	Histogram of “ χ^2 ” for 2025-08-09 to 2025-08-10	43
37	Histogram of “Number of iterations” for 2025-08-09 to 2025-08-10	44
38	Histogram of “Fluorescence” for 2025-08-09 to 2025-08-10	45
39	Histogram of “Fluorescence precision” for 2025-08-09 to 2025-08-10	46
40	Histogram of “ χ^2 of fluorescence retrieval” for 2025-08-09 to 2025-08-10	47
41	Histogram of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-09 to 2025-08-10	48
42	Histogram of “Number of points in the spectrum” for 2025-08-09 to 2025-08-10	49
43	Histogram of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-09 to 2025-08-10	50
44	Along track statistics of “QA value” for 2025-08-09 to 2025-08-10	51
45	Along track statistics of “Cloud pressure” for 2025-08-09 to 2025-08-10	52
46	Along track statistics of “Cloud pressure precision” for 2025-08-09 to 2025-08-10	53
47	Along track statistics of “Cloud fraction” for 2025-08-09 to 2025-08-10	54
48	Along track statistics of “Cloud fraction precision” for 2025-08-09 to 2025-08-10	55
49	Along track statistics of “Scene albedo” for 2025-08-09 to 2025-08-10	56
50	Along track statistics of “Scene albedo precision” for 2025-08-09 to 2025-08-10	57
51	Along track statistics of “Apparent scene pressure” for 2025-08-09 to 2025-08-10	58
52	Along track statistics of “Apparent scene pressure precision” for 2025-08-09 to 2025-08-10	59
53	Along track statistics of “ χ^2 ” for 2025-08-09 to 2025-08-10	60
54	Along track statistics of “Number of iterations” for 2025-08-09 to 2025-08-10	61
55	Along track statistics of “Fluorescence” for 2025-08-09 to 2025-08-10	62
56	Along track statistics of “Fluorescence precision” for 2025-08-09 to 2025-08-10	63
57	Along track statistics of “ χ^2 of fluorescence retrieval” for 2025-08-09 to 2025-08-10	64
58	Along track statistics of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-09 to 2025-08-10	65
59	Along track statistics of “Number of points in the spectrum” for 2025-08-09 to 2025-08-10	66
60	Along track statistics of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-09 to 2025-08-10	67

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).