

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-08-20 (03:55)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.979 ± 0.081	25136048	0.995	0.0	1.000	0.350	1.000
cloud pressure crb [hPa]	782 ± 199	25136048	1.015×10^3	298	842	130	1.058×10^3
cloud pressure crb precision [hPa]	3.12 ± 11.60	25136048	0.750	1.59	0.745	2.380×10^{-3}	1.480×10^3
cloud fraction crb [1]	0.380 ± 0.339	25136048	0.996	0.585	0.273	0.0	1.000
cloud fraction crb precision [1]	$(1.315 \pm 4.645) \times 10^{-4}$	25136048	2.500×10^{-4}	6.349×10^{-5}	7.611×10^{-5}	1.107×10^{-8}	0.301
scene albedo [1]	0.380 ± 0.286	25136048	1.500×10^{-2}	0.465	0.341	-1.204×10^{-2}	7.07
scene albedo precision [1]	$(7.997 \pm 9.127) \times 10^{-5}$	25136048	2.500×10^{-4}	5.501×10^{-5}	5.106×10^{-5}	1.060×10^{-5}	6.490×10^{-3}
apparent scene pressure [hPa]	819 ± 177	25136048	1.016×10^3	248	877	130	1.059×10^3
apparent scene pressure precision [hPa]	1.19 ± 2.24	25136048	0.500	0.608	0.502	7.112×10^{-2}	64.3
chi square [1]	$(0.155 \pm 0.476) \times 10^5$	25136048	0.150	1.911×10^4	1.197×10^4	60.2	9.816×10^7
number of iterations [1]	3.17 ± 0.89	25136048	3.23	0.0	3.00	1.000	14.0
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.105 \pm 5.878) \times 10^{-9}$	25136048	7.500×10^{-10}	4.422×10^{-9}	1.022×10^{-9}	-1.619×10^{-6}	1.626×10^{-6}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.677 \pm 0.706) \times 10^{-9}$	25136048	8.500×10^{-10}	1.027×10^{-9}	1.561×10^{-9}	4.110×10^{-10}	5.827×10^{-9}
chi square fluorescence [1]	$(0.676 \pm 1.206) \times 10^5$	25136048	750	6.298×10^4	2.340×10^4	103	3.598×10^6
degrees of freedom fluorescence [1]	6.00 ± 0.00	25136048	5.95	0.0	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	25136048	49.7	0.0	50.0	48.0	50.0
wavelength calibration offset [nm]	$(5.194 \pm 9.196) \times 10^{-3}$	25136048	5.200×10^{-3}	6.502×10^{-3}	5.252×10^{-3}	-0.142	0.231

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.500	0.900	0.900	1.000	1.000	1.000	1.000	1.000	1.000	1.000
cloud pressure crb [hPa]	260	389	476	551	647	945	975	996	1.012×10^3	1.020×10^3
cloud pressure crb precision [hPa]	0.215	0.257	0.294	0.335	0.404	1.99	3.40	5.78	11.3	41.1
cloud fraction crb [1]	0.0	8.422×10^{-3}	1.938×10^{-2}	3.631×10^{-2}	7.096×10^{-2}	0.656	0.828	0.975	1.000	1.000
cloud fraction crb precision [1]	2.038×10^{-5}	2.333×10^{-5}	2.620×10^{-5}	3.067×10^{-5}	4.315×10^{-5}	1.066×10^{-4}	1.504×10^{-4}	2.327×10^{-4}	4.060×10^{-4}	9.728×10^{-4}
scene albedo [1]	6.572×10^{-3}	1.698×10^{-2}	3.212×10^{-2}	5.696×10^{-2}	0.123	0.588	0.695	0.783	0.882	1.05
scene albedo precision [1]	1.321×10^{-5}	1.562×10^{-5}	1.946×10^{-5}	2.485×10^{-5}	3.290×10^{-5}	8.791×10^{-5}	1.197×10^{-4}	1.679×10^{-4}	2.564×10^{-4}	4.799×10^{-4}
apparent scene pressure [hPa]	338	457	542	617	712	960	985	1.001×10^3	1.013×10^3	1.021×10^3
apparent scene pressure precision [hPa]	0.216	0.252	0.282	0.311	0.356	0.963	1.61	2.61	4.66	11.1
chi square [1]	212	477	963	1.849×10^3	3.846×10^3	2.296×10^4	2.891×10^4	3.455×10^4	4.181×10^4	5.902×10^4
number of iterations [1]	2.00	2.00	2.00	2.00	3.00	3.00	4.00	4.00	5.00	6.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	-1.555×10^{-8}	-7.256×10^{-9}	-4.143×10^{-9}	-2.420×10^{-9}	-1.019×10^{-9}	3.403×10^{-9}	4.974×10^{-9}	6.668×10^{-9}	9.439×10^{-9}	1.653×10^{-8}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	6.851×10^{-10}	7.976×10^{-10}	8.675×10^{-10}	9.470×10^{-10}	1.095×10^{-9}	2.123×10^{-9}	2.377×10^{-9}	2.687×10^{-9}	2.996×10^{-9}	3.628×10^{-9}
chi square fluorescence [1]	416	952	1.783×10^3	3.142×10^3	6.310×10^3	6.929×10^4	1.154×10^5	1.822×10^5	3.081×10^5	6.119×10^5
degrees of freedom fluorescence [1]	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
wavelength calibration offset [nm]	-2.463×10^{-2}	-8.723×10^{-3}	-3.265×10^{-3}	-3.571×10^{-4}	1.996×10^{-3}	8.498×10^{-3}	1.082×10^{-2}	1.367×10^{-2}	1.895×10^{-2}	3.390×10^{-2}

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.975 ± 0.085	15361383	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	772 ± 202	15361383	311	822	130	1.058×10^3	633	944
cloud pressure crb precision [hPa]	2.59 ± 9.48	15361383	1.48	0.740	2.380×10^{-3}	962	0.383	1.86
cloud fraction crb [1]	0.389 ± 0.342	15361383	0.593	0.275	0.0	1.000	8.212×10^{-2}	0.675
cloud fraction crb precision [1]	$(1.323 \pm 2.979) \times 10^{-4}$	15361383	6.817×10^{-5}	8.185×10^{-5}	7.149×10^{-7}	0.106	4.700×10^{-5}	1.152×10^{-4}
scene albedo [1]	0.405 ± 0.281	15361383	0.443	0.377	-1.204×10^{-2}	7.07	0.167	0.610
scene albedo precision [1]	$(7.838 \pm 8.890) \times 10^{-5}$	15361383	5.207×10^{-5}	5.041×10^{-5}	1.060×10^{-5}	6.490×10^{-3}	3.355×10^{-5}	8.562×10^{-5}
apparent scene pressure [hPa]	816 ± 176	15361383	257	869	130	1.059×10^3	703	961
apparent scene pressure precision [hPa]	0.973 ± 1.815	15361383	0.486	0.459	7.112×10^{-2}	64.3	0.330	0.816
chi square [1]	$(0.173 \pm 0.525) \times 10^5$	15361383	2.079×10^4	1.402×10^4	64.9	9.816×10^7	4.788×10^3	2.558×10^4
number of iterations [1]	3.23 ± 0.88	15361383	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.105 \pm 6.635) \times 10^{-9}$	15361383	5.000×10^{-9}	9.908×10^{-10}	-1.619×10^{-6}	1.626×10^{-6}	-1.370×10^{-9}	3.631×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.795 \pm 0.743) \times 10^{-9}$	15361383	1.086×10^{-9}	1.716×10^{-9}	4.110×10^{-10}	5.827×10^{-9}	1.191×10^{-9}	2.277×10^{-9}
chi square fluorescence [1]	$(0.898 \pm 1.387) \times 10^5$	15361383	8.364×10^4	3.859×10^4	103	3.598×10^6	1.401×10^4	9.766×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	15361383	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	15361383	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(5.436 \pm 8.026) \times 10^{-3}$	15361383	6.011×10^{-3}	5.394×10^{-3}	-8.215×10^{-2}	9.593×10^{-2}	2.426×10^{-3}	8.437×10^{-3}

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.985 ± 0.075	9774665	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	797 ± 195	9774665	268	867	130	1.038×10^3	677	945
cloud pressure crb precision [hPa]	3.95 ± 14.28	9774665	1.84	0.755	7.324×10^{-3}	1.480×10^3	0.429	2.27
cloud fraction crb [1]	0.366 ± 0.335	9774665	0.578	0.270	0.0	1.000	5.240×10^{-2}	0.630
cloud fraction crb precision [1]	$(1.302 \pm 6.445) \times 10^{-4}$	9774665	6.101×10^{-5}	6.847×10^{-5}	1.107×10^{-8}	0.301	3.899×10^{-5}	1.000×10^{-4}
scene albedo [1]	0.339 ± 0.288	9774665	0.473	0.279	-3.314×10^{-3}	6.68	7.143×10^{-2}	0.545
scene albedo precision [1]	$(8.247 \pm 9.483) \times 10^{-5}$	9774665	5.914×10^{-5}	5.228×10^{-5}	1.115×10^{-5}	3.151×10^{-3}	3.196×10^{-5}	9.111×10^{-5}
apparent scene pressure [hPa]	824 ± 177	9774665	227	886	130	1.038×10^3	731	958
apparent scene pressure precision [hPa]	1.54 ± 2.74	9774665	0.947	0.575	8.047×10^{-2}	63.1	0.403	1.35
chi square [1]	$(0.127 \pm 0.384) \times 10^5$	9774665	1.584×10^4	9.527×10^3	60.2	9.733×10^7	2.675×10^3	1.851×10^4
number of iterations [1]	3.07 ± 0.89	9774665	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.105 \pm 4.436) \times 10^{-9}$	9774665	3.740×10^{-9}	1.062×10^{-9}	-8.988×10^{-7}	9.327×10^{-7}	-6.130×10^{-10}	3.127×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.491 \pm 0.598) \times 10^{-9}$	9774665	8.316×10^{-10}	1.389×10^{-9}	4.976×10^{-10}	5.492×10^{-9}	9.978×10^{-10}	1.829×10^{-9}
chi square fluorescence [1]	$(0.327 \pm 0.717) \times 10^5$	9774665	2.566×10^4	8.419×10^3	113	1.957×10^6	2.457×10^3	2.811×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	9774665	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	9774665	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(4.814 \pm 10.771) \times 10^{-3}$	9774665	7.424×10^{-3}	4.987×10^{-3}	-0.142	0.231	1.191×10^{-3}	8.614×10^{-3}

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.985 ± 0.052	17786789	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	791 ± 201	17786789	302	860	130	1.038×10^3	651	953
cloud pressure crb precision [hPa]	3.15 ± 12.25	17786789	1.44	0.713	5.371×10^{-3}	962	0.408	1.85
cloud fraction crb [1]	0.376 ± 0.329	17786789	0.572	0.288	0.0	1.000	6.875×10^{-2}	0.641
cloud fraction crb precision [1]	$(1.242 \pm 4.391) \times 10^{-4}$	17786789	7.070×10^{-5}	6.291×10^{-5}	1.107×10^{-8}	0.142	3.284×10^{-5}	1.036×10^{-4}
scene albedo [1]	0.340 ± 0.289	17786789	0.501	0.284	-1.204×10^{-2}	7.07	6.789×10^{-2}	0.569
scene albedo precision [1]	$(8.011 \pm 9.040) \times 10^{-5}$	17786789	6.722×10^{-5}	5.299×10^{-5}	1.060×10^{-5}	6.490×10^{-3}	2.734×10^{-5}	9.456×10^{-5}
apparent scene pressure [hPa]	821 ± 183	17786789	260	884	130	1.059×10^3	707	967
apparent scene pressure precision [hPa]	1.49 ± 2.59	17786789	0.976	0.600	8.162×10^{-2}	64.3	0.390	1.37
chi square [1]	$(0.128 \pm 0.291) \times 10^5$	17786789	1.689×10^4	8.573×10^3	60.2	9.816×10^7	2.425×10^3	1.932×10^4
number of iterations [1]	3.02 ± 0.86	17786789	0.0	3.00	1.000	14.0	3.00	3.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(8.011 \pm 49.421) \times 10^{-10}$	17786789	3.812×10^{-9}	7.836×10^{-10}	-1.619×10^{-6}	1.161×10^{-6}	-9.946×10^{-10}	2.817×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.529 \pm 0.658) \times 10^{-9}$	17786789	8.739×10^{-10}	1.383×10^{-9}	4.110×10^{-10}	5.616×10^{-9}	1.005×10^{-9}	1.879×10^{-9}
chi square fluorescence [1]	$(0.457 \pm 0.890) \times 10^5$	17786789	4.155×10^4	1.498×10^4	103	2.636×10^6	4.163×10^3	4.572×10^4
degrees of freedom fluorescence [1]	6.00 ± 0.00	17786789	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	17786789	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(5.079 \pm 10.075) \times 10^{-3}$	17786789	7.058×10^{-3}	5.142×10^{-3}	-0.142	0.231	1.589×10^{-3}	8.647×10^{-3}

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.954 ± 0.145	5288421	0.0	1.000	0.350	1.000	1.000	1.000
cloud pressure crb [hPa]	755 ± 191	5288421	274	795	130	1.044×10^3	636	909
cloud pressure crb precision [hPa]	3.05 ± 9.92	5288421	1.94	0.891	2.380×10^{-3}	1.480×10^3	0.392	2.33
cloud fraction crb [1]	0.397 ± 0.369	5288421	0.671	0.241	0.0	1.000	7.432×10^{-2}	0.745
cloud fraction crb precision [1]	$(1.643 \pm 6.070) \times 10^{-4}$	5288421	3.970×10^{-5}	9.834×10^{-5}	2.348×10^{-7}	0.301	7.305×10^{-5}	1.127×10^{-4}
scene albedo [1]	0.489 ± 0.257	5288421	0.383	0.420	1.040×10^{-3}	5.35	0.282	0.665
scene albedo precision [1]	$(8.477 \pm 9.971) \times 10^{-5}$	5288421	3.501×10^{-5}	4.883×10^{-5}	1.238×10^{-5}	3.645×10^{-3}	3.865×10^{-5}	7.366×10^{-5}
apparent scene pressure [hPa]	808 ± 160	5288421	223	852	130	1.045×10^3	715	938
apparent scene pressure precision [hPa]	0.461 ± 0.292	5288421	0.218	0.394	7.112×10^{-2}	48.5	0.302	0.520
chi square [1]	$(0.220 \pm 0.749) \times 10^5$	5288421	1.863×10^4	1.872×10^4	69.6	7.251×10^7	1.116×10^4	2.978×10^4
number of iterations [1]	3.56 ± 0.86	5288421	1.000	3.00	1.000	14.0	3.00	4.00
fluorescence [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(1.765 \pm 7.363) \times 10^{-9}$	5288421	6.035×10^{-9}	1.912×10^{-9}	-1.208×10^{-6}	1.626×10^{-6}	-1.032×10^{-9}	5.003×10^{-9}
fluorescence precision [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$]	$(2.027 \pm 0.689) \times 10^{-9}$	5288421	9.348×10^{-10}	1.972×10^{-9}	4.256×10^{-10}	5.579×10^{-9}	1.549×10^{-9}	2.484×10^{-9}
chi square fluorescence [1]	$(0.114 \pm 0.157) \times 10^6$	5288421	1.135×10^5	5.337×10^4	130	2.103×10^6	2.156×10^4	1.350×10^5
degrees of freedom fluorescence [1]	6.00 ± 0.00	5288421	0.0	6.00	6.00	6.00	6.00	6.00
number of spectral points in retrieval [1]	50.0 ± 0.1	5288421	0.0	50.0	48.0	50.0	50.0	50.0
wavelength calibration offset [nm]	$(5.423 \pm 5.730) \times 10^{-3}$	5288421	5.045×10^{-3}	5.426×10^{-3}	-7.074×10^{-2}	8.436×10^{-2}	2.940×10^{-3}	7.985×10^{-3}

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “Cloud pressure” for 2025-08-18 to 2025-08-19




Figure 5: Map of “Cloud fraction” for 2025-08-18 to 2025-08-19




Figure 6: Map of “Scene albedo” for 2025-08-18 to 2025-08-19




Figure 7: Map of “Apparent scene pressure” for 2025-08-18 to 2025-08-19




Figure 8: Map of “Fluorescence” for 2025-08-18 to 2025-08-19




Figure 9: Map of the number of observations for 2025-08-18 to 2025-08-19

7 Zonal average




Figure 10: Zonal average of “QA value” for 2025-08-18 to 2025-08-19.




Figure 11: Zonal average of “Cloud pressure” for 2025-08-18 to 2025-08-19.




Figure 12: Zonal average of “Cloud pressure precision” for 2025-08-18 to 2025-08-19.




Figure 13: Zonal average of “Cloud fraction” for 2025-08-18 to 2025-08-19.




Figure 14: Zonal average of “Cloud fraction precision” for 2025-08-18 to 2025-08-19.




Figure 15: Zonal average of “Scene albedo” for 2025-08-18 to 2025-08-19.




Figure 16: Zonal average of “Scene albedo precision” for 2025-08-18 to 2025-08-19.




Figure 17: Zonal average of “Apparent scene pressure” for 2025-08-18 to 2025-08-19.




Figure 18: Zonal average of “Apparent scene pressure precision” for 2025-08-18 to 2025-08-19.




Figure 19: Zonal average of “ χ^2 ” for 2025-08-18 to 2025-08-19.




Figure 20: Zonal average of “Number of iterations” for 2025-08-18 to 2025-08-19.




Figure 21: Zonal average of “Fluorescence” for 2025-08-18 to 2025-08-19.




Figure 22: Zonal average of “Fluorescence precision” for 2025-08-18 to 2025-08-19.




Figure 23: Zonal average of “ χ^2 of fluorescence retrieval” for 2025-08-18 to 2025-08-19.




Figure 24: Zonal average of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-18 to 2025-08-19.




Figure 25: Zonal average of “Number of points in the spectrum” for 2025-08-18 to 2025-08-19.




Figure 26: Zonal average of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-18 to 2025-08-19.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 27: Histogram of “QA value” for 2025-08-18 to 2025-08-19




Figure 28: Histogram of “Cloud pressure” for 2025-08-18 to 2025-08-19




Figure 29: Histogram of “Cloud pressure precision” for 2025-08-18 to 2025-08-19




Figure 30: Histogram of “Cloud fraction” for 2025-08-18 to 2025-08-19




Figure 31: Histogram of “Cloud fraction precision” for 2025-08-18 to 2025-08-19




Figure 32: Histogram of “Scene albedo” for 2025-08-18 to 2025-08-19




Figure 33: Histogram of “Scene albedo precision” for 2025-08-18 to 2025-08-19




Figure 34: Histogram of “Apparent scene pressure” for 2025-08-18 to 2025-08-19




Figure 35: Histogram of “Apparent scene pressure precision” for 2025-08-18 to 2025-08-19




Figure 36: Histogram of " χ^2 " for 2025-08-18 to 2025-08-19




Figure 37: Histogram of “Number of iterations” for 2025-08-18 to 2025-08-19




Figure 38: Histogram of “Fluorescence” for 2025-08-18 to 2025-08-19




Figure 39: Histogram of “Fluorescence precision” for 2025-08-18 to 2025-08-19




Figure 40: Histogram of “ χ^2 of fluorescence retrieval” for 2025-08-18 to 2025-08-19




Figure 41: Histogram of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-18 to 2025-08-19




Figure 42: Histogram of “Number of points in the spectrum” for 2025-08-18 to 2025-08-19




Figure 43: Histogram of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-18 to 2025-08-19

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 44: Along track statistics of “QA value” for 2025-08-18 to 2025-08-19




Figure 45: Along track statistics of “Cloud pressure” for 2025-08-18 to 2025-08-19




Figure 46: Along track statistics of “Cloud pressure precision” for 2025-08-18 to 2025-08-19




Figure 47: Along track statistics of “Cloud fraction” for 2025-08-18 to 2025-08-19




Figure 48: Along track statistics of “Cloud fraction precision” for 2025-08-18 to 2025-08-19




Figure 49: Along track statistics of “Scene albedo” for 2025-08-18 to 2025-08-19




Figure 50: Along track statistics of “Scene albedo precision” for 2025-08-18 to 2025-08-19




Figure 51: Along track statistics of “Apparent scene pressure” for 2025-08-18 to 2025-08-19




Figure 52: Along track statistics of “Apparent scene pressure precision” for 2025-08-18 to 2025-08-19




Figure 53: Along track statistics of “ χ^2 ” for 2025-08-18 to 2025-08-19




Figure 54: Along track statistics of “Number of iterations” for 2025-08-18 to 2025-08-19




Figure 55: Along track statistics of “Fluorescence” for 2025-08-18 to 2025-08-19




Figure 56: Along track statistics of “Fluorescence precision” for 2025-08-18 to 2025-08-19




Figure 57: Along track statistics of “ χ^2 of fluorescence retrieval” for 2025-08-18 to 2025-08-19



Figure 58: Along track statistics of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-18 to 2025-08-19




Figure 59: Along track statistics of “Number of points in the spectrum” for 2025-08-18 to 2025-08-19




Figure 60: Along track statistics of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-18 to 2025-08-19

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	17
8	Histograms	34
9	Along track statistics	51
10	Coincidence density	68
11	Copyright information of ‘PyCAMA’	68

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “Cloud pressure” for 2025-08-18 to 2025-08-19	11
5	Map of “Cloud fraction” for 2025-08-18 to 2025-08-19	12
6	Map of “Scene albedo” for 2025-08-18 to 2025-08-19	13
7	Map of “Apparent scene pressure” for 2025-08-18 to 2025-08-19	14
8	Map of “Fluorescence” for 2025-08-18 to 2025-08-19	15
9	Map of the number of observations for 2025-08-18 to 2025-08-19	16
10	Zonal average of “QA value” for 2025-08-18 to 2025-08-19.	17
11	Zonal average of “Cloud pressure” for 2025-08-18 to 2025-08-19.	18
12	Zonal average of “Cloud pressure precision” for 2025-08-18 to 2025-08-19.	19
13	Zonal average of “Cloud fraction” for 2025-08-18 to 2025-08-19.	20
14	Zonal average of “Cloud fraction precision” for 2025-08-18 to 2025-08-19.	21
15	Zonal average of “Scene albedo” for 2025-08-18 to 2025-08-19.	22
16	Zonal average of “Scene albedo precision” for 2025-08-18 to 2025-08-19.	23
17	Zonal average of “Apparent scene pressure” for 2025-08-18 to 2025-08-19.	24
18	Zonal average of “Apparent scene pressure precision” for 2025-08-18 to 2025-08-19.	25
19	Zonal average of “ χ^2 ” for 2025-08-18 to 2025-08-19.	26
20	Zonal average of “Number of iterations” for 2025-08-18 to 2025-08-19.	27
21	Zonal average of “Fluorescence” for 2025-08-18 to 2025-08-19.	28
22	Zonal average of “Fluorescence precision” for 2025-08-18 to 2025-08-19.	29
23	Zonal average of “ χ^2 of fluorescence retrieval” for 2025-08-18 to 2025-08-19.	30
24	Zonal average of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-18 to 2025-08-19.	31
25	Zonal average of “Number of points in the spectrum” for 2025-08-18 to 2025-08-19.	32
26	Zonal average of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-18 to 2025-08-19.	33
27	Histogram of “QA value” for 2025-08-18 to 2025-08-19	34
28	Histogram of “Cloud pressure” for 2025-08-18 to 2025-08-19	35
29	Histogram of “Cloud pressure precision” for 2025-08-18 to 2025-08-19	36

30	Histogram of “Cloud fraction” for 2025-08-18 to 2025-08-19	37
31	Histogram of “Cloud fraction precision” for 2025-08-18 to 2025-08-19	38
32	Histogram of “Scene albedo” for 2025-08-18 to 2025-08-19	39
33	Histogram of “Scene albedo precision” for 2025-08-18 to 2025-08-19	40
34	Histogram of “Apparent scene pressure” for 2025-08-18 to 2025-08-19	41
35	Histogram of “Apparent scene pressure precision” for 2025-08-18 to 2025-08-19	42
36	Histogram of “ χ^2 ” for 2025-08-18 to 2025-08-19	43
37	Histogram of “Number of iterations” for 2025-08-18 to 2025-08-19	44
38	Histogram of “Fluorescence” for 2025-08-18 to 2025-08-19	45
39	Histogram of “Fluorescence precision” for 2025-08-18 to 2025-08-19	46
40	Histogram of “ χ^2 of fluorescence retrieval” for 2025-08-18 to 2025-08-19	47
41	Histogram of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-18 to 2025-08-19	48
42	Histogram of “Number of points in the spectrum” for 2025-08-18 to 2025-08-19	49
43	Histogram of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-18 to 2025-08-19	50
44	Along track statistics of “QA value” for 2025-08-18 to 2025-08-19	51
45	Along track statistics of “Cloud pressure” for 2025-08-18 to 2025-08-19	52
46	Along track statistics of “Cloud pressure precision” for 2025-08-18 to 2025-08-19	53
47	Along track statistics of “Cloud fraction” for 2025-08-18 to 2025-08-19	54
48	Along track statistics of “Cloud fraction precision” for 2025-08-18 to 2025-08-19	55
49	Along track statistics of “Scene albedo” for 2025-08-18 to 2025-08-19	56
50	Along track statistics of “Scene albedo precision” for 2025-08-18 to 2025-08-19	57
51	Along track statistics of “Apparent scene pressure” for 2025-08-18 to 2025-08-19	58
52	Along track statistics of “Apparent scene pressure precision” for 2025-08-18 to 2025-08-19	59
53	Along track statistics of “ χ^2 ” for 2025-08-18 to 2025-08-19	60
54	Along track statistics of “Number of iterations” for 2025-08-18 to 2025-08-19	61
55	Along track statistics of “Fluorescence” for 2025-08-18 to 2025-08-19	62
56	Along track statistics of “Fluorescence precision” for 2025-08-18 to 2025-08-19	63
57	Along track statistics of “ χ^2 of fluorescence retrieval” for 2025-08-18 to 2025-08-19	64
58	Along track statistics of “Degrees of freedom for signal of fluorescence retrieval” for 2025-08-18 to 2025-08-19	65
59	Along track statistics of “Number of points in the spectrum” for 2025-08-18 to 2025-08-19	66
60	Along track statistics of “Spectral offset ($\lambda_{\text{true}} - \lambda_{\text{nominal}}$)” for 2025-08-18 to 2025-08-19	67

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneepe (maarten.sneepe@knmi.nl).