

PyCAMA report generated by trop12-proc

trop12-proc

2024-12-13 (02:19)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighted* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of $1/2$ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.605 ± 0.419	17098600	0.995	0.830	1.000	0.0	1.000
sulfurdioxide total vertical column [DU]	$(3.135 \pm 116.044) \times 10^{-2}$	17098600	0.235	0.386	8.246×10^{-3}	-108	277
sulfurdioxide total vertical column precision [DU]	0.515 ± 0.838	17098600	0.122	0.334	0.289	4.223×10^{-2}	44.1
sulfurdioxide slant column density corrected [DU]	$(1.528 \pm 32.927) \times 10^{-2}$	17098600	0.235	0.342	8.297×10^{-3}	-15.4	135
sulfurdioxide slant column density cobra [DU]	$(1.521 \pm 32.380) \times 10^{-2}$	17098600	0.235	0.342	8.297×10^{-3}	-15.4	33.0
sulfurdioxide slant column density cobra precision [DU]	0.271 ± 0.115	17098600	0.213	9.871×10^{-2}	0.235	8.464×10^{-2}	18.2
sulfurdioxide slant column density window1 [DU]	$(8.292 \pm 62.876) \times 10^{-2}$	17098600	0.125	0.715	8.609×10^{-2}	-82.9	69.4
sulfurdioxide slant column density window1 precision [DU]	0.271 ± 0.115	17098600	0.213	9.871×10^{-2}	0.235	8.464×10^{-2}	18.2
sulfurdioxide slant column density corrected win1 [DU]	$(3.176 \pm 61.048) \times 10^{-2}$	17098600	2.500×10^{-2}	0.685	1.862×10^{-2}	-82.9	69.5
background so2 slant column offset window1 [DU]	$(-5.116 \pm 15.883) \times 10^{-2}$	17098600	-0.140	0.208	-9.833×10^{-2}	-1.49	2.31
sulfurdioxide slant column density window2 [DU]	1.02 ± 8.55	17098600	0.750	10.7	0.947	-1.354×10^3	667
sulfurdioxide slant column density window2 precision [DU]	7.74 ± 2.19	17098600	6.97	2.54	7.38	2.16	396
sulfurdioxide slant column density corrected win2 [DU]	-0.182 ± 8.397	17098600	0.250	10.6	-0.160	-1.354×10^3	667
background so2 slant column offset window2 [DU]	-1.20 ± 2.15	17098600	0.250	2.58	-0.697	-20.0	6.40
sulfurdioxide slant column density window3 [DU]	-6.75 ± 23.21	17098600	-8.40	28.7	-7.16	-471	562
sulfurdioxide slant column density window3 precision [DU]	26.6 ± 12.7	17098600	21.5	10.0	23.3	9.47	684
sulfurdioxide slant column density corrected win3 [DU]	-1.08 ± 22.40	17098600	-1.68	27.6	-1.09	-475	556
background so2 slant column offset window3 [DU]	5.67 ± 6.39	17098600	2.80	9.15	5.77	-15.3	31.4
sulfurdioxide slant column cobra flag [1]	1.98 ± 0.21	17098600	1.67	0.0	2.00	0.0	2.00
integrated so2 profile apriori [DU]	$(3.829 \pm 9.532) \times 10^{-2}$	17098600	2.104×10^{-2}	2.335×10^{-2}	2.042×10^{-2}	3.150×10^{-4}	3.92
fitted radiance shift [nm]	$(-4.610 \pm 24.442) \times 10^{-4}$	17098600	-5.000×10^{-4}	1.651×10^{-3}	-5.140×10^{-4}	-5.172×10^{-2}	5.138×10^{-2}
fitted radiance squeeze [1]	$(-5.001 \pm 17.938) \times 10^{-5}$	17098600	-3.000×10^{-5}	2.139×10^{-4}	-4.253×10^{-5}	-2.119×10^{-2}	1.976×10^{-2}
fitted root mean square [1]	$(1.197 \pm 0.468) \times 10^{-3}$	17098600	9.750×10^{-4}	4.353×10^{-4}	1.069×10^{-3}	3.246×10^{-4}	5.914×10^{-2}
sulfurdioxide total air mass factor polluted [1]	0.989 ± 0.642	17098600	0.500	0.749	0.828	5.000×10^{-2}	3.28
sulfurdioxide total air mass factor polluted precision [1]	0.151 ± 0.162	17098600	2.500×10^{-2}	0.180	9.037×10^{-2}	2.500×10^{-3}	1.71
sulfurdioxide clear air mass factor polluted [1]	0.807 ± 0.529	17098600	0.500	0.427	0.678	2.608×10^{-2}	3.29
number of spectral points in retrieval [1]	73.4 ± 0.5	17098600	73.0	1.000	73.0	52.0	74.0

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	2.000×10^{-2}	7.000×10^{-2}	0.170	1.000	1.000	1.000	1.000	1.000
sulfurdioxide total vertical column [DU]	-2.59	-0.856	-0.495	-0.321	-0.181	0.205	0.356	0.547	0.952	2.98
sulfurdioxide total vertical column precision [DU]	7.458×10^{-2}	9.645×10^{-2}	0.115	0.138	0.177	0.511	0.724	1.02	1.64	4.05
sulfurdioxide slant column density corrected [DU]	-0.779	-0.451	-0.330	-0.248	-0.161	0.181	0.272	0.360	0.496	0.906
sulfurdioxide slant column density cobra [DU]	-0.779	-0.451	-0.330	-0.248	-0.161	0.181	0.272	0.360	0.496	0.906
sulfurdioxide slant column density cobra precision [DU]	0.142	0.166	0.178	0.188	0.201	0.300	0.361	0.420	0.496	0.689
sulfurdioxide slant column density window1 [DU]	-1.55	-0.895	-0.641	-0.464	-0.275	0.440	0.622	0.795	1.05	1.74
sulfurdioxide slant column density window1 precision [DU]	0.142	0.166	0.178	0.188	0.201	0.300	0.361	0.420	0.496	0.689
sulfurdioxide slant column density corrected win1 [DU]	-1.48	-0.885	-0.654	-0.493	-0.320	0.364	0.548	0.724	0.990	1.72
background so2 slant column offset window1 [DU]	-0.316	-0.247	-0.210	-0.185	-0.160	4.761×10^{-2}	0.126	0.185	0.251	0.381
sulfurdioxide slant column density window2 [DU]	-19.4	-12.7	-9.46	-7.07	-4.41	6.34	9.06	11.5	14.9	22.5
sulfurdioxide slant column density window2 precision [DU]	4.22	4.97	5.42	5.80	6.27	8.81	9.69	10.6	11.8	14.3
sulfurdioxide slant column density corrected win2 [DU]	-20.8	-13.8	-10.5	-8.12	-5.45	5.11	7.75	10.1	13.4	20.3
background so2 slant column offset window2 [DU]	-7.67	-5.35	-4.13	-3.19	-2.27	0.305	0.591	0.824	1.18	2.56
sulfurdioxide slant column density window3 [DU]	-64.6	-43.9	-34.7	-28.3	-21.2	7.54	15.3	22.4	32.0	51.0
sulfurdioxide slant column density window3 precision [DU]	13.4	15.2	16.5	17.7	19.2	29.3	33.8	39.1	50.1	80.8
sulfurdioxide slant column density corrected win3 [DU]	-58.2	-37.6	-28.3	-21.8	-14.8	12.8	19.9	26.5	35.5	54.1
background so2 slant column offset window3 [DU]	-8.71	-5.31	-3.01	-0.947	1.28	10.4	12.5	14.1	15.7	18.2
sulfurdioxide slant column cobra flag [1]	0.0	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
integrated so2 profile apriori [DU]	1.710×10^{-3}	4.412×10^{-3}	6.741×10^{-3}	8.917×10^{-3}	1.197×10^{-2}	3.532×10^{-2}	4.583×10^{-2}	6.143×10^{-2}	0.108	0.376
fitted radiance shift [nm]	-7.851×10^{-3}	-3.965×10^{-3}	-2.612×10^{-3}	-1.895×10^{-3}	-1.329×10^{-3}	3.218×10^{-4}	9.797×10^{-4}	1.819×10^{-3}	3.289×10^{-3}	7.349×10^{-3}
fitted radiance squeeze [1]	-5.319×10^{-4}	-3.473×10^{-4}	-2.680×10^{-4}	-2.127×10^{-4}	-1.534×10^{-4}	6.056×10^{-5}	1.113×10^{-4}	1.575×10^{-4}	2.226×10^{-4}	3.757×10^{-4}
fitted root mean square [1]	5.915×10^{-4}	7.169×10^{-4}	7.871×10^{-4}	8.413×10^{-4}	9.065×10^{-4}	1.342×10^{-3}	1.569×10^{-3}	1.796×10^{-3}	2.108×10^{-3}	2.916×10^{-3}
sulfurdioxide total air mass factor polluted [1]	8.175×10^{-2}	0.216	0.321	0.418	0.526	1.28	1.64	2.02	2.41	2.76
sulfurdioxide total air mass factor polluted precision [1]	9.380×10^{-3}	1.688×10^{-2}	2.351×10^{-2}	2.878×10^{-2}	3.786×10^{-2}	0.218	0.293	0.363	0.456	0.742
sulfurdioxide clear air mass factor polluted [1]	0.181	0.291	0.361	0.424	0.494	0.921	1.07	1.30	2.19	2.83
number of spectral points in retrieval [1]	73.0	73.0	73.0	73.0	73.0	74.0	74.0	74.0	74.0	74.0

Table 2: Percentile ranges

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.732 ± 0.383	5808085	0.620	1.000	0.0	1.000	0.380	1.000
sulfurdioxide total vertical column [DU]	$(6.747 \pm 179.960) \times 10^{-2}$	5808085	0.592	1.670×10^{-2}	-108	215	-0.271	0.321
sulfurdioxide total vertical column precision [DU]	0.821 ± 1.239	5808085	0.612	0.419	5.353×10^{-2}	44.1	0.261	0.873
sulfurdioxide slant column density corrected [DU]	$(2.555 \pm 40.269) \times 10^{-2}$	5808085	0.401	1.298×10^{-2}	-8.65	57.8	-0.185	0.216
sulfurdioxide slant column density cobra [DU]	$(2.544 \pm 39.751) \times 10^{-2}$	5808085	0.401	1.298×10^{-2}	-8.65	11.4	-0.185	0.216
sulfurdioxide slant column density cobra precision [DU]	0.321 ± 0.140	5808085	0.156	0.279	9.375×10^{-2}	2.36	0.225	0.382
sulfurdioxide slant column density window1 [DU]	0.163 ± 0.726	5808085	0.801	0.161	-9.97	13.9	-0.239	0.562
sulfurdioxide slant column density window1 precision [DU]	0.321 ± 0.140	5808085	0.156	0.279	9.375×10^{-2}	2.36	0.225	0.382
sulfurdioxide slant column density corrected win1 [DU]	$(6.126 \pm 72.520) \times 10^{-2}$	5808085	0.797	3.823×10^{-2}	-9.15	13.7	-0.353	0.444
background so2 slant column offset window1 [DU]	-0.102 ± 0.123	5808085	0.109	-0.115	-0.781	2.31	-0.168	-5.934×10^{-2}
sulfurdioxide slant column density window2 [DU]	1.45 \pm 9.75	5808085	12.4	1.17	-157	84.1	-4.92	7.50
sulfurdioxide slant column density window2 precision [DU]	8.82 \pm 2.25	5808085	2.82	8.53	2.38	160	7.26	10.1
sulfurdioxide slant column density corrected win2 [DU]	-0.105 ± 9.500	5808085	12.1	-0.110	-159	79.0	-6.18	5.96
background so2 slant column offset window2 [DU]	-1.55 ± 2.51	5808085	3.04	-0.630	-20.0	5.78	-2.85	0.188
sulfurdioxide slant column density window3 [DU]	-8.40 ± 26.20	5808085	33.3	-7.83	-204	165	-24.7	8.56
sulfurdioxide slant column density window3 precision [DU]	30.1 \pm 12.6	5808085	9.90	27.2	9.79	214	23.1	33.0
sulfurdioxide slant column density corrected win3 [DU]	-1.24 ± 25.75	5808085	32.7	-0.944	-189	174	-17.4	15.3
background so2 slant column offset window3 [DU]	7.16 ± 5.13	5808085	8.03	6.15	-11.8	31.4	3.07	11.1
sulfurdioxide slant column cobra flag [1]	1.96 ± 0.26	5808085	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(6.920 \pm 15.379) \times 10^{-2}$	5808085	4.337×10^{-2}	2.778×10^{-2}	8.471×10^{-4}	3.92	1.718×10^{-2}	6.054×10^{-2}
fitted radiance shift [nm]	$(-2.476 \pm 25.091) \times 10^{-4}$	5808085	1.650×10^{-3}	-2.674×10^{-4}	-3.407×10^{-2}	3.811×10^{-2}	-1.091×10^{-3}	5.589×10^{-4}
fitted radiance squeeze [1]	$(-3.080 \pm 185.632) \times 10^{-6}$	5808085	2.165×10^{-4}	-2.166×10^{-6}	-2.711×10^{-3}	3.494×10^{-3}	-1.104×10^{-4}	1.061×10^{-4}
fitted root mean square [1]	$(1.390 \pm 0.565) \times 10^{-3}$	5808085	6.260×10^{-4}	1.228×10^{-3}	3.792×10^{-4}	1.567×10^{-2}	1.011×10^{-3}	1.637×10^{-3}
sulfurdioxide total air mass factor polluted [1]	0.723 \pm 0.404	5808085	0.544	0.682	5.000×10^{-2}	2.77	0.415	0.959
sulfurdioxide total air mass factor polluted precision [1]	$(9.140 \pm 13.060) \times 10^{-2}$	5808085	7.769×10^{-2}	4.891×10^{-2}	2.500×10^{-3}	1.68	2.800×10^{-2}	0.106
sulfurdioxide clear air mass factor polluted [1]	0.649 \pm 0.286	5808085	0.466	0.649	2.608×10^{-2}	2.03	0.409	0.875
number of spectral points in retrieval [1]	73.5 \pm 0.5	5808085	1.000	73.0	71.0	74.0	73.0	74.0

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.540 ± 0.422	11290515	0.880	0.450	0.0	1.000	0.120	1.000
sulfurdioxide total vertical column [DU]	$(1.277 \pm 61.021) \times 10^{-2}$	11290515	0.317	5.814×10^{-3}	-35.0	277	-0.151	0.166
sulfurdioxide total vertical column precision [DU]	0.358 ± 0.447	11290515	0.258	0.240	4.223×10^{-2}	30.5	0.148	0.406
sulfurdioxide slant column density corrected [DU]	$(9.998 \pm 284.054) \times 10^{-3}$	11290515	0.317	6.395×10^{-3}	-15.4	135	-0.151	0.166
sulfurdioxide slant column density cobra [DU]	$(9.951 \pm 278.240) \times 10^{-3}$	11290515	0.317	6.395×10^{-3}	-15.4	33.0	-0.151	0.166
sulfurdioxide slant column density cobra precision [DU]	0.245 ± 0.090	11290515	6.903×10^{-2}	0.221	8.464×10^{-2}	18.2	0.194	0.263
sulfurdioxide slant column density window1 [DU]	$(4.182 \pm 56.821) \times 10^{-2}$	11290515	0.674	5.329×10^{-2}	-82.9	69.4	-0.291	0.383
sulfurdioxide slant column density window1 precision [DU]	0.245 ± 0.090	11290515	6.903×10^{-2}	0.221	8.464×10^{-2}	18.2	0.194	0.263
sulfurdioxide slant column density corrected win1 [DU]	$(1.658 \pm 54.147) \times 10^{-2}$	11290515	0.637	1.041×10^{-2}	-82.9	69.5	-0.307	0.331
background so2 slant column offset window1 [DU]	$(-2.524 \pm 16.867) \times 10^{-2}$	11290515	0.260	-7.371×10^{-2}	-1.49	1.31	-0.157	0.103
sulfurdioxide slant column density window2 [DU]	0.803 ± 7.859	11290515	10.0	0.855	-1.354×10^3	667	-4.18	5.85
sulfurdioxide slant column density window2 precision [DU]	7.19 ± 1.94	11290515	2.07	6.92	2.16	396	5.97	8.04
sulfurdioxide slant column density corrected win2 [DU]	-0.221 ± 7.768	11290515	9.88	-0.181	-1.354×10^3	667	-5.14	4.74
background so2 slant column offset window2 [DU]	-1.02 ± 1.91	11290515	2.49	-0.735	-16.5	6.40	-2.11	0.383
sulfurdioxide slant column density window3 [DU]	-5.90 ± 21.46	11290515	26.8	-6.89	-471	562	-19.8	7.06
sulfurdioxide slant column density window3 precision [DU]	24.8 ± 12.4	11290515	8.03	21.5	9.47	684	18.1	26.2
sulfurdioxide slant column density corrected win3 [DU]	-0.994 ± 20.468	11290515	25.4	-1.15	-475	556	-13.7	11.7
background so2 slant column offset window3 [DU]	4.90 ± 6.82	11290515	10.6	5.52	-15.3	25.1	-0.525	10.1
sulfurdioxide slant column cobra flag [1]	1.98 ± 0.18	11290515	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(2.238 \pm 2.913) \times 10^{-2}$	11290515	1.912×10^{-2}	1.710×10^{-2}	3.150×10^{-4}	1.77	9.863×10^{-3}	2.898×10^{-2}
fitted radiance shift [nm]	$(-5.707 \pm 24.029) \times 10^{-4}$	11290515	1.589×10^{-3}	-6.376×10^{-4}	-5.172×10^{-2}	5.138×10^{-2}	-1.417×10^{-3}	1.718×10^{-4}
fitted radiance squeeze [1]	$(-7.415 \pm 17.114) \times 10^{-5}$	11290515	2.099×10^{-4}	-6.243×10^{-5}	-2.119×10^{-2}	1.976×10^{-2}	-1.730×10^{-4}	3.693×10^{-5}
fitted root mean square [1]	$(1.098 \pm 0.372) \times 10^{-3}$	11290515	3.355×10^{-4}	1.011×10^{-3}	3.246×10^{-4}	5.914×10^{-2}	8.740×10^{-4}	1.210×10^{-3}
sulfurdioxide total air mass factor polluted [1]	1.13 ± 0.70	11290515	0.953	0.925	5.000×10^{-2}	3.28	0.590	1.54
sulfurdioxide total air mass factor polluted precision [1]	0.182 ± 0.167	11290515	0.224	0.135	5.469×10^{-3}	1.71	4.645×10^{-2}	0.270
sulfurdioxide clear air mass factor polluted [1]	0.888 ± 0.602	11290515	0.441	0.690	0.128	3.29	0.522	0.962
number of spectral points in retrieval [1]	73.4 ± 0.5	11290515	1.000	73.0	52.0	74.0	73.0	74.0

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.650 ± 0.410	12050075	0.780	1.000	0.0	1.000	0.220	1.000
sulfurdioxide total vertical column [DU]	$(2.288 \pm 87.759) \times 10^{-2}$	12050075	0.403	8.371×10^{-3}	-76.1	141	-0.191	0.212
sulfurdioxide total vertical column precision [DU]	0.464 ± 0.619	12050075	0.289	0.295	4.808×10^{-2}	33.6	0.198	0.487
sulfurdioxide slant column density corrected [DU]	$(1.315 \pm 30.164) \times 10^{-2}$	12050075	0.328	7.445×10^{-3}	-9.31	57.8	-0.155	0.173
sulfurdioxide slant column density cobra [DU]	$(1.312 \pm 29.979) \times 10^{-2}$	12050075	0.328	7.445×10^{-3}	-9.31	22.5	-0.155	0.173
sulfurdioxide slant column density cobra precision [DU]	0.257 ± 0.104	12050075	8.107×10^{-2}	0.226	8.464×10^{-2}	15.8	0.197	0.278
sulfurdioxide slant column density window1 [DU]	0.115 ± 0.580	12050075	0.674	0.114	-67.6	69.4	-0.224	0.449
sulfurdioxide slant column density window1 precision [DU]	0.257 ± 0.104	12050075	8.107×10^{-2}	0.226	8.464×10^{-2}	15.8	0.197	0.278
sulfurdioxide slant column density corrected win1 [DU]	$(4.163 \pm 56.972) \times 10^{-2}$	12050075	0.655	3.064×10^{-2}	-67.6	69.5	-0.294	0.361
background so2 slant column offset window1 [DU]	$(-7.354 \pm 13.701) \times 10^{-2}$	12050075	0.173	-0.109	-0.781	2.31	-0.165	8.106×10^{-3}
sulfurdioxide slant column density window2 [DU]	0.696 ± 8.293	12050075	10.5	0.651	-1.354×10^3	639	-4.60	5.91
sulfurdioxide slant column density window2 precision [DU]	7.57 ± 2.02	12050075	2.38	7.26	2.16	396	6.20	8.58
sulfurdioxide slant column density corrected win2 [DU]	-0.183 ± 8.195	12050075	10.4	-0.137	-1.354×10^3	639	-5.36	5.04
background so2 slant column offset window2 [DU]	-0.879 ± 1.902	12050075	2.12	-0.468	-20.0	6.40	-1.76	0.360
sulfurdioxide slant column density window3 [DU]	-3.64 ± 22.73	12050075	28.6	-4.27	-202	562	-18.1	10.5
sulfurdioxide slant column density window3 precision [DU]	26.3 ± 12.0	12050075	9.31	23.2	9.47	684	19.5	28.8
sulfurdioxide slant column density corrected win3 [DU]	1.06 ± 21.81	12050075	27.4	0.639	-208	556	-12.8	14.6
background so2 slant column offset window3 [DU]	4.70 ± 5.80	12050075	8.00	4.91	-15.3	31.3	0.915	8.91
sulfurdioxide slant column cobra flag [1]	1.99 ± 0.15	12050075	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(2.806 \pm 3.495) \times 10^{-2}$	12050075	1.957×10^{-2}	2.072×10^{-2}	1.557×10^{-3}	1.72	1.333×10^{-2}	3.291×10^{-2}
fitted radiance shift [nm]	$(-4.039 \pm 23.759) \times 10^{-4}$	12050075	1.733×10^{-3}	-4.271×10^{-4}	-5.172×10^{-2}	3.811×10^{-2}	-1.295×10^{-3}	4.375×10^{-4}
fitted radiance squeeze [1]	$(-3.475 \pm 16.348) \times 10^{-5}$	12050075	1.956×10^{-4}	-2.991×10^{-5}	-2.119×10^{-2}	1.976×10^{-2}	-1.299×10^{-4}	6.570×10^{-5}
fitted root mean square [1]	$(1.133 \pm 0.417) \times 10^{-3}$	12050075	3.541×10^{-4}	1.026×10^{-3}	3.246×10^{-4}	5.914×10^{-2}	8.842×10^{-4}	1.238×10^{-3}
sulfurdioxide total air mass factor polluted [1]	0.873 ± 0.463	12050075	0.570	0.803	5.000×10^{-2}	2.76	0.538	1.11
sulfurdioxide total air mass factor polluted precision [1]	0.134 ± 0.132	12050075	0.158	7.754×10^{-2}	3.325×10^{-3}	1.71	3.907×10^{-2}	0.197
sulfurdioxide clear air mass factor polluted [1]	0.682 ± 0.244	12050075	0.347	0.653	4.429×10^{-2}	2.89	0.500	0.846
number of spectral points in retrieval [1]	73.4 ± 0.5	12050075	1.000	73.0	71.0	74.0	73.0	74.0

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.485 ± 0.419	4508403	0.920	0.370	0.0	1.000	8.000×10^{-2}	1.000
sulfurdioxide total vertical column [DU]	$(4.439 \pm 148.549) \times 10^{-2}$	4508403	0.318	7.509×10^{-3}	-89.9	277	-0.147	0.171
sulfurdioxide total vertical column precision [DU]	0.578 ± 1.079	4508403	0.441	0.235	4.223×10^{-2}	40.4	0.118	0.559
sulfurdioxide slant column density corrected [DU]	$(1.949 \pm 38.510) \times 10^{-2}$	4508403	0.380	1.046×10^{-2}	-15.4	135	-0.178	0.202
sulfurdioxide slant column density cobra [DU]	$(1.933 \pm 37.204) \times 10^{-2}$	4508403	0.380	1.046×10^{-2}	-15.4	33.0	-0.178	0.202
sulfurdioxide slant column density cobra precision [DU]	0.303 ± 0.133	4508403	0.132	0.262	8.710×10^{-2}	18.2	0.217	0.349
sulfurdioxide slant column density window1 [DU]	$(-1.070 \pm 72.451) \times 10^{-2}$	4508403	0.827	-1.189×10^{-2}	-82.9	52.5	-0.430	0.397
sulfurdioxide slant column density window1 precision [DU]	0.303 ± 0.133	4508403	0.132	0.262	8.710×10^{-2}	18.2	0.217	0.349
sulfurdioxide slant column density corrected win1 [DU]	$(1.641 \pm 694.805) \times 10^{-3}$	4508403	0.764	-2.025×10^{-2}	-82.9	51.9	-0.396	0.368
background so2 slant column offset window1 [DU]	$(1.234 \pm 19.376) \times 10^{-2}$	4508403	0.320	-4.204×10^{-2}	-1.49	2.31	-0.144	0.176
sulfurdioxide slant column density window2 [DU]	1.84 \pm 9.02	4508403	11.2	1.76	-655	667	-3.82	7.38
sulfurdioxide slant column density window2 precision [DU]	8.11 \pm 2.47	4508403	2.88	7.68	2.42	394	6.42	9.31
sulfurdioxide slant column density corrected win2 [DU]	-0.186 \pm 8.786	4508403	10.9	-0.226	-655	667	-5.66	5.24
background so2 slant column offset window2 [DU]	-2.02 \pm 2.44	4508403	3.81	-1.87	-20.0	6.40	-3.74	7.875×10^{-2}
sulfurdioxide slant column density window3 [DU]	-14.4 \pm 22.4	4508403	26.9	-14.2	-320	416	-27.7	-0.762
sulfurdioxide slant column density window3 precision [DU]	26.9 \pm 14.1	4508403	11.5	23.3	9.59	266	18.4	29.9
sulfurdioxide slant column density corrected win3 [DU]	-6.17 \pm 22.75	4508403	27.3	-5.17	-327	431	-19.3	8.01
background so2 slant column offset window3 [DU]	8.22 \pm 7.12	4508403	11.4	10.1	-15.3	31.4	2.62	14.0
sulfurdioxide slant column cobra flag [1]	1.95 \pm 0.31	4508403	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(5.641 \pm 15.295) \times 10^{-2}$	4508403	3.751×10^{-2}	1.732×10^{-2}	3.150×10^{-4}	3.92	6.626×10^{-3}	4.414×10^{-2}
fitted radiance shift [nm]	$(-6.293 \pm 25.479) \times 10^{-4}$	4508403	1.369×10^{-3}	-7.313×10^{-4}	-4.712×10^{-2}	5.138×10^{-2}	-1.390×10^{-3}	-2.052×10^{-5}
fitted radiance squeeze [1]	$(-9.468 \pm 20.863) \times 10^{-5}$	4508403	2.597×10^{-4}	-9.206×10^{-5}	-1.194×10^{-2}	1.394×10^{-2}	-2.232×10^{-4}	3.648×10^{-5}
fitted root mean square [1]	$(1.352 \pm 0.533) \times 10^{-3}$	4508403	5.671×10^{-4}	1.221×10^{-3}	3.362×10^{-4}	4.603×10^{-2}	1.001×10^{-3}	1.568×10^{-3}
sulfurdioxide total air mass factor polluted [1]	1.34 \pm 0.89	4508403	1.71	1.13	5.000×10^{-2}	3.28	0.521	2.23
sulfurdioxide total air mass factor polluted precision [1]	0.202 \pm 0.215	4508403	0.255	0.136	2.500×10^{-3}	1.71	3.506×10^{-2}	0.290
sulfurdioxide clear air mass factor polluted [1]	1.17 \pm 0.84	4508403	1.20	0.867	2.608×10^{-2}	3.29	0.489	1.69
number of spectral points in retrieval [1]	73.4 \pm 0.5	4508403	1.000	73.0	52.0	74.0	73.0	74.0

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “ SO_2 vertical column” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 5: Map of “SO₂ vertical column precision” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 6: Map of “Corrected SO₂ slant column” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 7: Map of “Cobra SO₂ slant column” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 8: Map of “SO₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 9: Map of “ SO_2 slant column (window 1)” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 10: Map of “ SO_2 slant column precision (window 1)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 11: Map of “Corrected SO_2 slant column (window 1)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 12: Map of “ SO_2 slant column background correction (window 1)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 13: Map of “ SO_2 slant column (window 2)” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 14: Map of “ SO_2 slant column precision (window2)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 15: Map of “Corrected SO_2 slant column (window 2)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 16: Map of “ SO_2 slant column background correction (window 2)” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 17: Map of “SO₂ slant column (window 3)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 18: Map of “ SO_2 slant column precision (window 3)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 19: Map of “Corrected SO_2 slant column (window 3)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 20: Map of “ SO_2 slant column background correction (window 3)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 21: Map of “Integrated a priori SO_2 profile” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 22: Map of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 23: Map of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 24: Map of “SO₂ RMS” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 25: Map of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 26: Map of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 27: Map of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12

2024-12-11





Figure 28: Map of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12

2024-12-11






Figure 29: Map of the number of observations for 2024-12-11 to 2024-12-12

7 Zonal average




Figure 30: Zonal average of “QA value” for 2024-12-11 to 2024-12-12.




Figure 31: Zonal average of “SO₂ vertical column” for 2024-12-11 to 2024-12-12.




Figure 32: Zonal average of “SO₂ vertical column precision” for 2024-12-11 to 2024-12-12.




Figure 33: Zonal average of “Corrected SO₂ slant column” for 2024-12-11 to 2024-12-12.




Figure 34: Zonal average of “Cobra SO₂ slant column” for 2024-12-11 to 2024-12-12.




Figure 35: Zonal average of “SO₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12.




Figure 36: Zonal average of “SO₂ slant column (window 1)” for 2024-12-11 to 2024-12-12.




Figure 37: Zonal average of “SO₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12.




Figure 38: Zonal average of “Corrected SO_2 slant column (window 1)” for 2024-12-11 to 2024-12-12.




Figure 39: Zonal average of “SO₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12.




Figure 40: Zonal average of “SO₂ slant column (window 2)” for 2024-12-11 to 2024-12-12.




Figure 41: Zonal average of “SO₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12.




Figure 42: Zonal average of “Corrected SO₂ slant column (window 2)” for 2024-12-11 to 2024-12-12.




Figure 43: Zonal average of “SO₂ slant column background correction (window 2)” for 2024-12-11 to 2024-12-12.




Figure 44: Zonal average of “ SO_2 slant column (window 3)” for 2024-12-11 to 2024-12-12.




Figure 45: Zonal average of “SO₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12.




Figure 46: Zonal average of “Corrected SO₂ slant column (window 3)” for 2024-12-11 to 2024-12-12.




Figure 47: Zonal average of “SO₂ slant column background correction (window 3)” for 2024-12-11 to 2024-12-12.




Figure 48: Zonal average of “SO₂ Cobra Flag” for 2024-12-11 to 2024-12-12.




Figure 49: Zonal average of “Integrated a priori SO_2 profile” for 2024-12-11 to 2024-12-12.




Figure 50: Zonal average of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12.




Figure 51: Zonal average of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12.




Figure 52: Zonal average of “SO₂ RMS” for 2024-12-11 to 2024-12-12.




Figure 53: Zonal average of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12.




Figure 54: Zonal average of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12.




Figure 55: Zonal average of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12.




Figure 56: Zonal average of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 57: Histogram of “QA value” for 2024-12-11 to 2024-12-12




Figure 58: Histogram of “SO₂ vertical column” for 2024-12-11 to 2024-12-12




Figure 59: Histogram of “SO₂ vertical column precision” for 2024-12-11 to 2024-12-12




Figure 60: Histogram of “Corrected SO₂ slant column” for 2024-12-11 to 2024-12-12




Figure 61: Histogram of “Cobra SO₂ slant column” for 2024-12-11 to 2024-12-12




Figure 62: Histogram of “SO₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12




Figure 63: Histogram of “SO₂ slant column (window 1)” for 2024-12-11 to 2024-12-12




Figure 64: Histogram of “SO₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12




Figure 65: Histogram of “Corrected SO₂ slant column (window 1)” for 2024-12-11 to 2024-12-12




Figure 66: Histogram of “SO₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12




Figure 67: Histogram of “SO₂ slant column (window 2)” for 2024-12-11 to 2024-12-12




Figure 68: Histogram of “SO₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12




Figure 69: Histogram of “Corrected SO₂ slant column (window 2)” for 2024-12-11 to 2024-12-12




Figure 70: Histogram of “SO₂ slant column background correction (window 2)” for 2024-12-11 to 2024-12-12




Figure 71: Histogram of “SO₂ slant column (window 3)” for 2024-12-11 to 2024-12-12




Figure 72: Histogram of “SO₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12




Figure 73: Histogram of “Corrected SO₂ slant column (window 3)” for 2024-12-11 to 2024-12-12




Figure 74: Histogram of “SO₂ slant column background correction (window 3)” for 2024-12-11 to 2024-12-12




Figure 75: Histogram of “SO₂ Cobra Flag” for 2024-12-11 to 2024-12-12




Figure 76: Histogram of “Integrated a priori SO₂ profile” for 2024-12-11 to 2024-12-12




Figure 77: Histogram of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12




Figure 78: Histogram of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12




Figure 79: Histogram of “SO₂ RMS” for 2024-12-11 to 2024-12-12




Figure 80: Histogram of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12




Figure 81: Histogram of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12




Figure 82: Histogram of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12




Figure 83: Histogram of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 84: Along track statistics of “QA value” for 2024-12-11 to 2024-12-12




Figure 85: Along track statistics of “SO₂ vertical column” for 2024-12-11 to 2024-12-12




Figure 86: Along track statistics of “SO₂ vertical column precision” for 2024-12-11 to 2024-12-12




Figure 87: Along track statistics of “Corrected SO_2 slant column” for 2024-12-11 to 2024-12-12




Figure 88: Along track statistics of “Cobra SO₂ slant column” for 2024-12-11 to 2024-12-12




Figure 89: Along track statistics of “SO₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12




Figure 90: Along track statistics of “ SO_2 slant column (window 1)” for 2024-12-11 to 2024-12-12




Figure 91: Along track statistics of “SO₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12




Figure 92: Along track statistics of “Corrected SO₂ slant column (window 1)” for 2024-12-11 to 2024-12-12




Figure 93: Along track statistics of “SO₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12




Figure 94: Along track statistics of “ SO_2 slant column (window 2)” for 2024-12-11 to 2024-12-12




Figure 95: Along track statistics of “SO₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12




Figure 96: Along track statistics of “Corrected SO₂ slant column (window 2)” for 2024-12-11 to 2024-12-12




Figure 97: Along track statistics of “ SO_2 slant column background correction (window 2)” for 2024-12-11 to 2024-12-12




Figure 98: Along track statistics of “SO₂ slant column (window 3)” for 2024-12-11 to 2024-12-12




Figure 99: Along track statistics of “SO₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12




Figure 100: Along track statistics of “Corrected SO₂ slant column (window 3)” for 2024-12-11 to 2024-12-12




Figure 101: Along track statistics of “ SO_2 slant column background correction (window 3)” for 2024-12-11 to 2024-12-12




Figure 102: Along track statistics of “SO₂ Cobra Flag” for 2024-12-11 to 2024-12-12




Figure 103: Along track statistics of “Integrated a priori SO_2 profile” for 2024-12-11 to 2024-12-12




Figure 104: Along track statistics of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12




Figure 105: Along track statistics of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12




Figure 106: Along track statistics of “SO₂ RMS” for 2024-12-11 to 2024-12-12




Figure 107: Along track statistics of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12




Figure 108: Along track statistics of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12




Figure 109: Along track statistics of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12




Figure 110: Along track statistics of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	37
8	Histograms	64
9	Along track statistics	91
10	Coincidence density	118
11	Copyright information of ‘PyCAMA’	118

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “SO ₂ vertical column” for 2024-12-11 to 2024-12-12	11
5	Map of “SO ₂ vertical column precision” for 2024-12-11 to 2024-12-12	12
6	Map of “Corrected SO ₂ slant column” for 2024-12-11 to 2024-12-12	13
7	Map of “Cobra SO ₂ slant column” for 2024-12-11 to 2024-12-12	14
8	Map of “SO ₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12	15
9	Map of “SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12	16
10	Map of “SO ₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12	17
11	Map of “Corrected SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12	18
12	Map of “SO ₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12	19
13	Map of “SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12	20
14	Map of “SO ₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12	21
15	Map of “Corrected SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12	22
16	Map of “SO ₂ slant column background correction (window 2)” for 2024-12-11 to 2024-12-12	23
17	Map of “SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12	24
18	Map of “SO ₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12	25
19	Map of “Corrected SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12	26
20	Map of “SO ₂ slant column background correction (window 3)” for 2024-12-11 to 2024-12-12	27
21	Map of “Integrated a priori SO ₂ profile” for 2024-12-11 to 2024-12-12	28
22	Map of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12	29
23	Map of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12	30
24	Map of “SO ₂ RMS” for 2024-12-11 to 2024-12-12	31
25	Map of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12	32
26	Map of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12	33
27	Map of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12	34
28	Map of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12	35
29	Map of the number of observations for 2024-12-11 to 2024-12-12	36

30	Zonal average of “QA value” for 2024-12-11 to 2024-12-12.	37
31	Zonal average of “SO ₂ vertical column” for 2024-12-11 to 2024-12-12.	38
32	Zonal average of “SO ₂ vertical column precision” for 2024-12-11 to 2024-12-12.	39
33	Zonal average of “Corrected SO ₂ slant column” for 2024-12-11 to 2024-12-12.	40
34	Zonal average of “Cobra SO ₂ slant column” for 2024-12-11 to 2024-12-12.	41
35	Zonal average of “SO ₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12.	42
36	Zonal average of “SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12.	43
37	Zonal average of “SO ₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12.	44
38	Zonal average of “Corrected SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12.	45
39	Zonal average of “SO ₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12.	46
40	Zonal average of “SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12.	47
41	Zonal average of “SO ₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12.	48
42	Zonal average of “Corrected SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12.	49
43	Zonal average of “SO ₂ slant column background correction (window 2)” for 2024-12-11 to 2024-12-12.	50
44	Zonal average of “SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12.	51
45	Zonal average of “SO ₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12.	52
46	Zonal average of “Corrected SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12.	53
47	Zonal average of “SO ₂ slant column background correction (window 3)” for 2024-12-11 to 2024-12-12.	54
48	Zonal average of “SO ₂ Cobra Flag” for 2024-12-11 to 2024-12-12.	55
49	Zonal average of “Integrated a priori SO ₂ profile” for 2024-12-11 to 2024-12-12.	56
50	Zonal average of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12.	57
51	Zonal average of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12.	58
52	Zonal average of “SO ₂ RMS” for 2024-12-11 to 2024-12-12.	59
53	Zonal average of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12.	60
54	Zonal average of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12.	61
55	Zonal average of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12.	62
56	Zonal average of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12.	63
57	Histogram of “QA value” for 2024-12-11 to 2024-12-12	64
58	Histogram of “SO ₂ vertical column” for 2024-12-11 to 2024-12-12	65
59	Histogram of “SO ₂ vertical column precision” for 2024-12-11 to 2024-12-12	66
60	Histogram of “Corrected SO ₂ slant column” for 2024-12-11 to 2024-12-12	67
61	Histogram of “Cobra SO ₂ slant column” for 2024-12-11 to 2024-12-12	68
62	Histogram of “SO ₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12	69
63	Histogram of “SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12	70
64	Histogram of “SO ₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12	71
65	Histogram of “Corrected SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12	72
66	Histogram of “SO ₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12	73
67	Histogram of “SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12	74
68	Histogram of “SO ₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12	75
69	Histogram of “Corrected SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12	76
70	Histogram of “SO ₂ slant column background correction (window 2)” for 2024-12-11 to 2024-12-12	77
71	Histogram of “SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12	78
72	Histogram of “SO ₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12	79
73	Histogram of “Corrected SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12	80
74	Histogram of “SO ₂ slant column background correction (window 3)” for 2024-12-11 to 2024-12-12	81
75	Histogram of “SO ₂ Cobra Flag” for 2024-12-11 to 2024-12-12	82
76	Histogram of “Integrated a priori SO ₂ profile” for 2024-12-11 to 2024-12-12	83
77	Histogram of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12	84
78	Histogram of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12	85
79	Histogram of “SO ₂ RMS” for 2024-12-11 to 2024-12-12	86
80	Histogram of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12	87
81	Histogram of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12	88
82	Histogram of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12	89
83	Histogram of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12	90
84	Along track statistics of “QA value” for 2024-12-11 to 2024-12-12	91
85	Along track statistics of “SO ₂ vertical column” for 2024-12-11 to 2024-12-12	92
86	Along track statistics of “SO ₂ vertical column precision” for 2024-12-11 to 2024-12-12	93
87	Along track statistics of “Corrected SO ₂ slant column” for 2024-12-11 to 2024-12-12	94
88	Along track statistics of “Cobra SO ₂ slant column” for 2024-12-11 to 2024-12-12	95
89	Along track statistics of “SO ₂ slant column precision (Cobra)” for 2024-12-11 to 2024-12-12	96
90	Along track statistics of “SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12	97
91	Along track statistics of “SO ₂ slant column precision (window 1)” for 2024-12-11 to 2024-12-12	98

92	Along track statistics of “Corrected SO ₂ slant column (window 1)” for 2024-12-11 to 2024-12-12	99
93	Along track statistics of “SO ₂ slant column background correction (window 1)” for 2024-12-11 to 2024-12-12	100
94	Along track statistics of “SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12	101
95	Along track statistics of “SO ₂ slant column precision (window2)” for 2024-12-11 to 2024-12-12	102
96	Along track statistics of “Corrected SO ₂ slant column (window 2)” for 2024-12-11 to 2024-12-12	103
97	Along track statistics of “SO ₂ slant column background correction (window 2)” for 2024-12-11 to 2024-12-12	104
98	Along track statistics of “SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12	105
99	Along track statistics of “SO ₂ slant column precision (window 3)” for 2024-12-11 to 2024-12-12	106
100	Along track statistics of “Corrected SO ₂ slant column (window 3)” for 2024-12-11 to 2024-12-12	107
101	Along track statistics of “SO ₂ slant column background correction (window 3)” for 2024-12-11 to 2024-12-12	108
102	Along track statistics of “SO ₂ Cobra Flag” for 2024-12-11 to 2024-12-12	109
103	Along track statistics of “Integrated a priori SO ₂ profile” for 2024-12-11 to 2024-12-12	110
104	Along track statistics of “DOAS fit wavelength shift” for 2024-12-11 to 2024-12-12	111
105	Along track statistics of “DOAS fit wavelength squeeze” for 2024-12-11 to 2024-12-12	112
106	Along track statistics of “SO ₂ RMS” for 2024-12-11 to 2024-12-12	113
107	Along track statistics of “Total AMF (polluted)” for 2024-12-11 to 2024-12-12	114
108	Along track statistics of “Precision of total AMF (polluted)” for 2024-12-11 to 2024-12-12	115
109	Along track statistics of “Clear AMF (polluted)” for 2024-12-11 to 2024-12-12	116
110	Along track statistics of “Number of spectral points in retrieval” for 2024-12-11 to 2024-12-12	117

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).