

PyCAMA report generated by tropl2-proc

tropl2-proc

2025-01-08 (02:19)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.607 ± 0.420	18490057	0.995	0.830	1.000	0.0	1.000
sulfurdioxide total vertical column [DU]	$(4.468 \pm 172.199) \times 10^{-2}$	18490057	0.235	0.406	8.885×10^{-3}	-228	652
sulfurdioxide total vertical column precision [DU]	0.578 ± 1.165	18490057	0.122	0.341	0.301	4.214×10^{-2}	82.7
sulfurdioxide slant column density corrected [DU]	$(1.696 \pm 35.909) \times 10^{-2}$	18490057	0.220	0.337	8.247×10^{-3}	-11.4	408
sulfurdioxide slant column density cobra [DU]	$(1.683 \pm 34.000) \times 10^{-2}$	18490057	0.220	0.337	8.247×10^{-3}	-11.4	22.4
sulfurdioxide slant column density cobra precision [DU]	0.272 ± 0.129	18490057	0.213	0.112	0.232	7.687×10^{-2}	21.8
sulfurdioxide slant column density window1 [DU]	0.101 ± 0.647	18490057	0.125	0.708	0.112	-66.0	92.2
sulfurdioxide slant column density window1 precision [DU]	0.272 ± 0.129	18490057	0.213	0.112	0.232	7.687×10^{-2}	21.8
sulfurdioxide slant column density corrected win1 [DU]	$(5.092 \pm 62.555) \times 10^{-2}$	18490057	2.500×10^{-2}	0.671	3.679×10^{-2}	-66.0	92.1
background so2 slant column offset window1 [DU]	$(-5.039 \pm 18.629) \times 10^{-2}$	18490057	-0.140	0.240	-0.109	-1.41	5.18
sulfurdioxide slant column density window2 [DU]	1.11 ± 8.52	18490057	0.750	10.7	0.977	-1.374×10^3	778
sulfurdioxide slant column density window2 precision [DU]	7.75 ± 2.22	18490057	6.97	2.53	7.38	1.88	571
sulfurdioxide slant column density corrected win2 [DU]	0.657 ± 8.346	18490057	0.250	10.5	0.657	-1.373×10^3	778
background so2 slant column offset window2 [DU]	-0.455 ± 2.222	18490057	0.750	2.56	0.174	-14.4	6.49
sulfurdioxide slant column density window3 [DU]	-9.33 ± 23.05	18490057	-9.52	28.5	-9.67	-388	515
sulfurdioxide slant column density window3 precision [DU]	26.6 ± 13.2	18490057	21.5	9.97	23.2	9.17	372
sulfurdioxide slant column density corrected win3 [DU]	-6.30 ± 22.36	18490057	-7.28	27.7	-6.42	-389	509
background so2 slant column offset window3 [DU]	3.03 ± 6.56	18490057	2.80	9.51	3.28	-23.1	25.2
sulfurdioxide slant column cobra flag [1]	1.98 ± 0.22	18490057	1.67	0.0	2.00	0.0	2.00
integrated so2 profile apriori [DU]	$(4.167 \pm 10.537) \times 10^{-2}$	18490057	3.112×10^{-2}	2.364×10^{-2}	2.183×10^{-2}	3.464×10^{-4}	3.13
fitted radiance shift [nm]	$(-3.979 \pm 25.142) \times 10^{-4}$	18490057	-5.000×10^{-4}	1.679×10^{-3}	-4.513×10^{-4}	-4.544×10^{-2}	4.708×10^{-2}
fitted radiance squeeze [1]	$(-6.098 \pm 18.786) \times 10^{-5}$	18490057	-3.000×10^{-5}	2.195×10^{-4}	-4.758×10^{-5}	-1.476×10^{-2}	1.617×10^{-2}
fitted root mean square [1]	$(1.210 \pm 0.521) \times 10^{-3}$	18490057	9.250×10^{-4}	4.756×10^{-4}	1.064×10^{-3}	3.164×10^{-4}	4.236×10^{-2}
sulfurdioxide total air mass factor polluted [1]	0.927 ± 0.602	18490057	0.660	0.674	0.774	5.000×10^{-2}	3.02
sulfurdioxide total air mass factor polluted precision [1]	0.152 ± 0.176	18490057	3.500×10^{-2}	0.165	8.279×10^{-2}	2.500×10^{-3}	1.61
sulfurdioxide clear air mass factor polluted [1]	0.814 ± 0.557	18490057	0.660	0.426	0.667	1.087×10^{-2}	3.06
number of spectral points in retrieval [1]	73.4 ± 0.5	18490057	73.0	1.000	73.0	52.0	74.0

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	3.000×10^{-2}	7.000×10^{-2}	0.170	1.000	1.000	1.000	1.000	1.000
sulfurdioxide total vertical column [DU]	-2.98	-0.899	-0.516	-0.335	-0.191	0.215	0.372	0.572	1.02	3.60
sulfurdioxide total vertical column precision [DU]	8.279×10^{-2}	0.105	0.125	0.149	0.188	0.529	0.745	1.09	1.85	5.27
sulfurdioxide slant column density corrected [DU]	-0.799	-0.453	-0.329	-0.246	-0.159	0.178	0.270	0.360	0.502	0.957
sulfurdioxide slant column density cobra [DU]	-0.799	-0.453	-0.329	-0.246	-0.159	0.178	0.270	0.360	0.502	0.957
sulfurdioxide slant column density cobra precision [DU]	0.129	0.157	0.171	0.182	0.195	0.307	0.367	0.423	0.509	0.751
sulfurdioxide slant column density window1 [DU]	-1.64	-0.906	-0.629	-0.444	-0.249	0.459	0.638	0.809	1.07	1.81
sulfurdioxide slant column density window1 precision [DU]	0.129	0.157	0.171	0.182	0.195	0.307	0.367	0.423	0.509	0.751
sulfurdioxide slant column density corrected win1 [DU]	-1.52	-0.871	-0.630	-0.468	-0.295	0.375	0.558	0.736	1.01	1.84
background so2 slant column offset window1 [DU]	-0.362	-0.273	-0.237	-0.208	-0.177	6.306×10^{-2}	0.162	0.231	0.302	0.451
sulfurdioxide slant column density window2 [DU]	-18.9	-12.5	-9.29	-6.95	-4.33	6.36	9.10	11.6	15.1	22.9
sulfurdioxide slant column density window2 precision [DU]	4.11	4.90	5.38	5.78	6.27	8.80	9.68	10.6	11.9	14.6
sulfurdioxide slant column density corrected win2 [DU]	-19.7	-12.9	-9.62	-7.25	-4.61	5.91	8.54	10.9	14.2	21.1
background so2 slant column offset window2 [DU]	-7.42	-5.01	-3.59	-2.58	-1.51	1.05	1.34	1.59	2.00	3.48
sulfurdioxide slant column density window3 [DU]	-67.0	-46.5	-37.2	-30.7	-23.6	4.88	12.5	19.6	29.1	47.7
sulfurdioxide slant column density window3 precision [DU]	12.9	14.8	16.1	17.4	19.1	29.1	33.8	39.5	51.0	82.8
sulfurdioxide slant column density corrected win3 [DU]	-62.7	-42.7	-33.5	-27.1	-20.1	7.57	14.8	21.4	30.4	48.9
background so2 slant column offset window3 [DU]	-10.8	-7.84	-6.07	-4.30	-1.65	7.86	10.0	11.6	13.3	16.3
sulfurdioxide slant column cobra flag [1]	0.0	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
integrated so2 profile apriori [DU]	2.232×10^{-3}	5.440×10^{-3}	7.851×10^{-3}	1.004×10^{-2}	1.300×10^{-2}	3.664×10^{-2}	4.588×10^{-2}	5.756×10^{-2}	0.106	0.495
fitted radiance shift [nm]	-8.035×10^{-3}	-4.008×10^{-3}	-2.620×10^{-3}	-1.875×10^{-3}	-1.284×10^{-3}	3.949×10^{-4}	1.088×10^{-3}	1.963×10^{-3}	3.479×10^{-3}	7.642×10^{-3}
fitted radiance squeeze [1]	-5.899×10^{-4}	-3.810×10^{-4}	-2.917×10^{-4}	-2.295×10^{-4}	-1.641×10^{-4}	5.539×10^{-5}	1.054×10^{-4}	1.508×10^{-4}	2.145×10^{-4}	3.653×10^{-4}
fitted root mean square [1]	5.548×10^{-4}	6.826×10^{-4}	7.623×10^{-4}	8.220×10^{-4}	8.914×10^{-4}	1.367×10^{-3}	1.604×10^{-3}	1.843×10^{-3}	2.214×10^{-3}	3.184×10^{-3}
sulfurdioxide total air mass factor polluted [1]	6.690×10^{-2}	0.187	0.300	0.394	0.506	1.18	1.53	1.89	2.27	2.60
sulfurdioxide total air mass factor polluted precision [1]	8.457×10^{-3}	1.655×10^{-2}	2.269×10^{-2}	2.832×10^{-2}	3.635×10^{-2}	0.201	0.283	0.371	0.515	0.843
sulfurdioxide clear air mass factor polluted [1]	0.151	0.276	0.354	0.411	0.482	0.908	1.05	1.52	2.34	2.70
number of spectral points in retrieval [1]	73.0	73.0	73.0	73.0	73.0	74.0	74.0	74.0	74.0	74.0

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.712 ± 0.391	6421052	0.680	1.000	0.0	1.000	0.320	1.000
sulfurdioxide total vertical column [DU]	0.103 ± 2.776	6421052	0.598	1.554×10^{-2}	-228	652	-0.275	0.323
sulfurdioxide total vertical column precision [DU]	0.946 ± 1.799	6421052	0.621	0.413	5.143×10^{-2}	64.0	0.264	0.884
sulfurdioxide slant column density corrected [DU]	$(2.825 \pm 44.593) \times 10^{-2}$	6421052	0.399	1.171×10^{-2}	-11.4	58.3	-0.185	0.214
sulfurdioxide slant column density cobra [DU]	$(2.795 \pm 43.216) \times 10^{-2}$	6421052	0.399	1.171×10^{-2}	-11.4	13.3	-0.185	0.214
sulfurdioxide slant column density cobra precision [DU]	0.326 ± 0.163	6421052	0.169	0.274	7.993×10^{-2}	4.27	0.220	0.390
sulfurdioxide slant column density window1 [DU]	0.174 ± 0.766	6421052	0.800	0.183	-12.5	13.9	-0.221	0.579
sulfurdioxide slant column density window1 precision [DU]	0.326 ± 0.163	6421052	0.169	0.274	7.993×10^{-2}	4.27	0.220	0.390
sulfurdioxide slant column density corrected win1 [DU]	$(7.146 \pm 76.384) \times 10^{-2}$	6421052	0.791	4.671×10^{-2}	-11.4	13.9	-0.343	0.449
background so2 slant column offset window1 [DU]	-0.102 ± 0.161	6421052	0.135	-0.127	-1.41	5.18	-0.192	-5.689×10^{-2}
sulfurdioxide slant column density window2 [DU]	1.72 ± 9.75	6421052	12.4	1.39	-672	545	-4.66	7.71
sulfurdioxide slant column density window2 precision [DU]	8.79 ± 2.35	6421052	2.85	8.42	2.18	358	7.18	10.0
sulfurdioxide slant column density corrected win2 [DU]	0.690 ± 9.440	6421052	12.0	0.677	-673	541	-5.35	6.70
background so2 slant column offset window2 [DU]	-1.03 ± 2.73	6421052	3.48	-2.549×10^{-2}	-14.4	6.49	-2.57	0.911
sulfurdioxide slant column density window3 [DU]	-11.8 ± 25.8	6421052	32.7	-11.3	-204	157	-27.9	4.88
sulfurdioxide slant column density window3 precision [DU]	30.5 ± 14.0	6421052	10.5	26.8	9.74	244	22.8	33.3
sulfurdioxide slant column density corrected win3 [DU]	-6.02 ± 25.42	6421052	32.3	-5.81	-188	167	-22.0	10.3
background so2 slant column offset window3 [DU]	5.74 ± 5.36	6421052	8.19	5.14	-18.8	25.2	1.64	9.83
sulfurdioxide slant column cobra flag [1]	1.96 ± 0.27	6421052	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(7.380 \pm 17.110) \times 10^{-2}$	6421052	4.064×10^{-2}	2.515×10^{-2}	1.015×10^{-3}	3.13	1.437×10^{-2}	5.501×10^{-2}
fitted radiance shift [nm]	$(-2.211 \pm 27.246) \times 10^{-4}$	6421052	1.749×10^{-3}	-2.455×10^{-4}	-3.805×10^{-2}	3.665×10^{-2}	-1.112×10^{-3}	6.369×10^{-4}
fitted radiance squeeze [1]	$(-1.268 \pm 19.724) \times 10^{-5}$	6421052	2.176×10^{-4}	-4.410×10^{-6}	-3.098×10^{-3}	2.428×10^{-3}	-1.155×10^{-4}	1.021×10^{-4}
fitted root mean square [1]	$(1.415 \pm 0.649) \times 10^{-3}$	6421052	6.708×10^{-4}	1.204×10^{-3}	3.684×10^{-4}	9.577×10^{-3}	9.918×10^{-4}	1.663×10^{-3}
sulfurdioxide total air mass factor polluted [1]	0.701 ± 0.390	6421052	0.517	0.680	5.000×10^{-2}	2.74	0.406	0.923
sulfurdioxide total air mass factor polluted precision [1]	$(9.331 \pm 12.734) \times 10^{-2}$	6421052	8.241×10^{-2}	5.002×10^{-2}	2.500×10^{-3}	1.61	2.930×10^{-2}	0.112
sulfurdioxide clear air mass factor polluted [1]	0.623 ± 0.274	6421052	0.438	0.637	1.087×10^{-2}	2.11	0.396	0.834
number of spectral points in retrieval [1]	73.5 ± 0.5	6421052	1.000	73.0	71.0	74.0	73.0	74.0

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.551 ± 0.423	12069005	0.870	0.460	0.0	1.000	0.130	1.000
sulfurdioxide total vertical column [DU]	$(1.376 \pm 66.256) \times 10^{-2}$	12069005	0.338	6.780×10^{-3}	-33.9	304	-0.161	0.177
sulfurdioxide total vertical column precision [DU]	0.383 ± 0.497	12069005	0.266	0.254	4.214×10^{-2}	82.7	0.159	0.425
sulfurdioxide slant column density corrected [DU]	$(1.095 \pm 30.274) \times 10^{-2}$	12069005	0.311	6.789×10^{-3}	-9.21	408	-0.148	0.163
sulfurdioxide slant column density cobra [DU]	$(1.091 \pm 27.864) \times 10^{-2}$	12069005	0.311	6.789×10^{-3}	-9.21	22.4	-0.148	0.163
sulfurdioxide slant column density cobra precision [DU]	0.243 ± 0.094	12069005	8.251×10^{-2}	0.217	7.687×10^{-2}	21.8	0.187	0.270
sulfurdioxide slant column density window1 [DU]	$(6.271 \pm 57.054) \times 10^{-2}$	12069005	0.664	8.122×10^{-2}	-66.0	92.2	-0.262	0.403
sulfurdioxide slant column density window1 precision [DU]	0.243 ± 0.094	12069005	8.251×10^{-2}	0.217	7.687×10^{-2}	21.8	0.187	0.270
sulfurdioxide slant column density corrected win1 [DU]	$(3.999 \pm 53.736) \times 10^{-2}$	12069005	0.618	3.261×10^{-2}	-66.0	92.1	-0.275	0.344
background so2 slant column offset window1 [DU]	$(-2.272 \pm 19.284) \times 10^{-2}$	12069005	0.298	-8.505×10^{-2}	-0.871	4.16	-0.172	0.127
sulfurdioxide slant column density window2 [DU]	0.788 ± 7.769	12069005	9.93	0.799	-1.374×10^3	778	-4.17	5.76
sulfurdioxide slant column density window2 precision [DU]	7.19 ± 1.94	12069005	2.12	6.93	1.88	571	5.96	8.07
sulfurdioxide slant column density corrected win2 [DU]	0.639 ± 7.700	12069005	9.82	0.648	-1.373×10^3	778	-4.27	5.55
background so2 slant column offset window2 [DU]	-0.150 ± 1.821	12069005	2.31	0.265	-10.7	6.16	-1.19	1.12
sulfurdioxide slant column density window3 [DU]	-8.04 ± 21.34	12069005	26.7	-8.96	-388	515	-21.8	4.88
sulfurdioxide slant column density window3 precision [DU]	24.4 ± 12.2	12069005	8.19	21.4	9.17	372	17.8	26.0
sulfurdioxide slant column density corrected win3 [DU]	-6.45 ± 20.54	12069005	25.6	-6.67	-389	509	-19.3	6.29
background so2 slant column offset window3 [DU]	1.59 ± 6.69	12069005	10.7	1.85	-23.1	22.5	-3.97	6.77
sulfurdioxide slant column cobra flag [1]	1.98 ± 0.18	12069005	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(2.457 \pm 2.432) \times 10^{-2}$	12069005	2.100×10^{-2}	2.082×10^{-2}	3.464×10^{-4}	1.56	1.205×10^{-2}	3.305×10^{-2}
fitted radiance shift [nm]	$(-4.920 \pm 23.894) \times 10^{-4}$	12069005	1.603×10^{-3}	-5.573×10^{-4}	-4.544×10^{-2}	4.708×10^{-2}	-1.347×10^{-3}	2.558×10^{-4}
fitted radiance squeeze [1]	$(-8.667 \pm 17.739) \times 10^{-5}$	12069005	2.169×10^{-4}	-6.970×10^{-5}	-1.476×10^{-2}	1.617×10^{-2}	-1.871×10^{-4}	2.983×10^{-5}
fitted root mean square [1]	$(1.100 \pm 0.397) \times 10^{-3}$	12069005	3.867×10^{-4}	1.005×10^{-3}	3.164×10^{-4}	4.236×10^{-2}	8.539×10^{-4}	1.241×10^{-3}
sulfurdioxide total air mass factor polluted [1]	1.05 ± 0.66	12069005	0.870	0.853	5.000×10^{-2}	3.02	0.559	1.43
sulfurdioxide total air mass factor polluted precision [1]	0.183 ± 0.190	12069005	0.211	0.120	4.238×10^{-3}	1.60	4.262×10^{-2}	0.254
sulfurdioxide clear air mass factor polluted [1]	0.915 ± 0.636	12069005	0.460	0.682	0.121	3.06	0.514	0.975
number of spectral points in retrieval [1]	73.4 ± 0.5	12069005	1.000	73.0	52.0	74.0	73.0	74.0

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.658 ± 0.408	13271387	0.770	1.000	0.0	1.000	0.230	1.000
sulfurdioxide total vertical column [DU]	$(2.866 \pm 112.994) \times 10^{-2}$	13271387	0.421	8.856×10^{-3}	-123	304	-0.200	0.222
sulfurdioxide total vertical column precision [DU]	0.507 ± 0.817	13271387	0.299	0.306	4.738×10^{-2}	58.5	0.207	0.506
sulfurdioxide slant column density corrected [DU]	$(1.368 \pm 32.547) \times 10^{-2}$	13271387	0.320	7.298×10^{-3}	-10.1	408	-0.152	0.169
sulfurdioxide slant column density cobra [DU]	$(1.361 \pm 30.278) \times 10^{-2}$	13271387	0.320	7.298×10^{-3}	-10.1	18.0	-0.152	0.169
sulfurdioxide slant column density cobra precision [DU]	0.256 ± 0.112	13271387	8.988×10^{-2}	0.221	7.687×10^{-2}	21.8	0.190	0.280
sulfurdioxide slant column density window1 [DU]	0.135 ± 0.589	13271387	0.660	0.138	-45.7	41.0	-0.195	0.465
sulfurdioxide slant column density window1 precision [DU]	0.256 ± 0.112	13271387	8.988×10^{-2}	0.221	7.687×10^{-2}	21.8	0.190	0.280
sulfurdioxide slant column density corrected win1 [DU]	$(5.221 \pm 57.643) \times 10^{-2}$	13271387	0.638	4.008×10^{-2}	-45.7	40.9	-0.276	0.362
background so2 slant column offset window1 [DU]	$(-8.303 \pm 15.282) \times 10^{-2}$	13271387	0.184	-0.120	-0.852	4.18	-0.182	2.222×10^{-3}
sulfurdioxide slant column density window2 [DU]	0.740 ± 8.276	13271387	10.4	0.622	-664	778	-4.56	5.87
sulfurdioxide slant column density window2 precision [DU]	7.59 ± 2.09	13271387	2.43	7.27	1.88	571	6.19	8.62
sulfurdioxide slant column density corrected win2 [DU]	0.633 ± 8.170	13271387	10.4	0.643	-662	778	-4.55	5.82
background so2 slant column offset window2 [DU]	-0.106 ± 1.966	13271387	2.01	0.387	-14.4	6.49	-0.902	1.11
sulfurdioxide slant column density window3 [DU]	-6.45 ± 22.75	13271387	28.5	-6.94	-388	515	-20.8	7.69
sulfurdioxide slant column density window3 precision [DU]	26.5 ± 12.8	13271387	9.50	23.2	9.17	372	19.4	28.9
sulfurdioxide slant column density corrected win3 [DU]	-4.39 ± 22.00	13271387	27.7	-4.82	-389	509	-18.4	9.34
background so2 slant column offset window3 [DU]	2.06 ± 6.09	13271387	8.43	2.38	-23.1	25.2	-2.18	6.25
sulfurdioxide slant column cobra flag [1]	1.99 ± 0.14	13271387	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(3.103 \pm 5.423) \times 10^{-2}$	13271387	2.095×10^{-2}	2.191×10^{-2}	9.371×10^{-4}	1.86	1.377×10^{-2}	3.471×10^{-2}
fitted radiance shift [nm]	$(-3.311 \pm 24.618) \times 10^{-4}$	13271387	1.750×10^{-3}	-3.512×10^{-4}	-3.958×10^{-2}	3.678×10^{-2}	-1.230×10^{-3}	5.197×10^{-4}
fitted radiance squeeze [1]	$(-4.099 \pm 16.807) \times 10^{-5}$	13271387	1.964×10^{-4}	-3.347×10^{-5}	-1.296×10^{-2}	1.617×10^{-2}	-1.349×10^{-4}	6.147×10^{-5}
fitted root mean square [1]	$(1.135 \pm 0.463) \times 10^{-3}$	13271387	3.860×10^{-4}	1.012×10^{-3}	3.164×10^{-4}	3.226×10^{-2}	8.624×10^{-4}	1.248×10^{-3}
sulfurdioxide total air mass factor polluted [1]	0.815 ± 0.427	13271387	0.515	0.750	5.000×10^{-2}	2.52	0.516	1.03
sulfurdioxide total air mass factor polluted precision [1]	0.127 ± 0.132	13271387	0.138	7.125×10^{-2}	2.500×10^{-3}	1.50	3.723×10^{-2}	0.175
sulfurdioxide clear air mass factor polluted [1]	0.670 ± 0.238	13271387	0.341	0.649	1.676×10^{-2}	2.73	0.490	0.830
number of spectral points in retrieval [1]	73.4 ± 0.5	13271387	1.000	73.0	70.0	74.0	73.0	74.0

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.464 ± 0.417	4645942	0.920	0.250	0.0	1.000	8.000×10^{-2}	1.000
sulfurdioxide total vertical column [DU]	$(7.384 \pm 251.837) \times 10^{-2}$	4645942	0.341	8.096×10^{-3}	-228	652	-0.157	0.184
sulfurdioxide total vertical column precision [DU]	0.695 ± 1.646	4645942	0.458	0.253	4.214×10^{-2}	82.7	0.129	0.587
sulfurdioxide slant column density corrected [DU]	$(2.346 \pm 42.155) \times 10^{-2}$	4645942	0.389	1.059×10^{-2}	-11.4	45.6	-0.182	0.207
sulfurdioxide slant column density cobra [DU]	$(2.324 \pm 41.206) \times 10^{-2}$	4645942	0.389	1.059×10^{-2}	-11.4	16.3	-0.182	0.207
sulfurdioxide slant column density cobra precision [DU]	0.312 ± 0.151	4645942	0.134	0.272	8.426×10^{-2}	20.3	0.220	0.354
sulfurdioxide slant column density window1 [DU]	$(-2.267 \pm 763.559) \times 10^{-3}$	4645942	0.853	1.087×10^{-2}	-29.2	92.2	-0.429	0.424
sulfurdioxide slant column density window1 precision [DU]	0.312 ± 0.151	4645942	0.134	0.272	8.426×10^{-2}	20.3	0.220	0.354
sulfurdioxide slant column density corrected win1 [DU]	$(4.266 \pm 72.793) \times 10^{-2}$	4645942	0.767	2.369×10^{-2}	-29.2	92.1	-0.355	0.411
background so2 slant column offset window1 [DU]	$(4.492 \pm 23.454) \times 10^{-2}$	4645942	0.403	-4.728×10^{-3}	-1.41	5.18	-0.155	0.248
sulfurdioxide slant column density window2 [DU]	2.08 ± 8.93	4645942	11.1	2.00	-672	511	-3.56	7.58
sulfurdioxide slant column density window2 precision [DU]	8.07 ± 2.44	4645942	2.71	7.64	2.43	390	6.46	9.17
sulfurdioxide slant column density corrected win2 [DU]	0.714 ± 8.676	4645942	10.8	0.692	-673	513	-4.71	6.10
background so2 slant column offset window2 [DU]	-1.37 ± 2.51	4645942	3.88	-1.13	-14.3	6.49	-3.09	0.790
sulfurdioxide slant column density window3 [DU]	-16.8 ± 21.9	4645942	26.3	-16.5	-267	161	-29.8	-3.44
sulfurdioxide slant column density window3 precision [DU]	26.3 ± 13.9	4645942	10.8	22.7	9.64	272	18.1	28.9
sulfurdioxide slant column density corrected win3 [DU]	-11.1 ± 22.3	4645942	26.9	-10.3	-273	160	-24.1	2.80
background so2 slant column offset window3 [DU]	5.70 ± 7.04	4645942	10.5	7.47	-23.1	24.4	0.647	11.2
sulfurdioxide slant column cobra flag [1]	1.94 ± 0.34	4645942	0.0	2.00	0.0	2.00	2.00	2.00
integrated so2 profile apriori [DU]	$(6.005 \pm 15.476) \times 10^{-2}$	4645942	3.289×10^{-2}	2.025×10^{-2}	3.464×10^{-4}	3.12	9.055×10^{-3}	4.194×10^{-2}
fitted radiance shift [nm]	$(-6.024 \pm 25.698) \times 10^{-4}$	4645942	1.364×10^{-3}	-7.177×10^{-4}	-4.544×10^{-2}	4.317×10^{-2}	-1.373×10^{-3}	-8.500×10^{-6}
fitted radiance squeeze [1]	$(-1.217 \pm 2.224) \times 10^{-4}$	4645942	2.845×10^{-4}	-1.119×10^{-4}	-1.476×10^{-2}	1.364×10^{-2}	-2.591×10^{-4}	2.535×10^{-5}
fitted root mean square [1]	$(1.399 \pm 0.592) \times 10^{-3}$	4645942	5.902×10^{-4}	1.254×10^{-3}	3.443×10^{-4}	4.236×10^{-2}	1.020×10^{-3}	1.610×10^{-3}
sulfurdioxide total air mass factor polluted [1]	1.28 ± 0.85	4645942	1.64	1.08	5.000×10^{-2}	3.02	0.507	2.15
sulfurdioxide total air mass factor polluted precision [1]	0.226 ± 0.252	4645942	0.288	0.136	2.500×10^{-3}	1.61	3.470×10^{-2}	0.323
sulfurdioxide clear air mass factor polluted [1]	1.26 ± 0.89	4645942	1.73	0.889	1.087×10^{-2}	3.06	0.481	2.21
number of spectral points in retrieval [1]	73.4 ± 0.5	4645942	1.000	73.0	52.0	74.0	73.0	74.0

3 Granule outlines




Figure 1: Outline of the granules.

4 Input data monitoring




Figure 2: Input data per granule

5 Warnings and errors




Figure 3: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 4: Map of “SO₂ vertical column” for 2025-01-06 to 2025-01-07




Figure 5: Map of “SO₂ vertical column precision” for 2025-01-06 to 2025-01-07




Figure 6: Map of “Corrected SO₂ slant column” for 2025-01-06 to 2025-01-07




Figure 7: Map of “Cobra SO₂ slant column” for 2025-01-06 to 2025-01-07




Figure 8: Map of “SO₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07




Figure 9: Map of “SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07




Figure 10: Map of “SO₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07




Figure 11: Map of “Corrected SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07




Figure 12: Map of “SO₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07




Figure 13: Map of “SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07




Figure 14: Map of “SO₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07




Figure 15: Map of "Corrected SO₂ slant column (window 2)" for 2025-01-06 to 2025-01-07




Figure 16: Map of “SO₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07




Figure 17: Map of “SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07




Figure 18: Map of “SO₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07




Figure 19: Map of “Corrected SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07




Figure 20: Map of “SO₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07




Figure 21: Map of “Integrated a priori SO₂ profile” for 2025-01-06 to 2025-01-07




Figure 22: Map of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07




Figure 23: Map of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07




Figure 24: Map of “SO₂ RMS” for 2025-01-06 to 2025-01-07




Figure 25: Map of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 26: Map of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 27: Map of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 28: Map of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07




Figure 29: Map of the number of observations for 2025-01-06 to 2025-01-07

7 Zonal average




Figure 30: Zonal average of “QA value” for 2025-01-06 to 2025-01-07.




Figure 31: Zonal average of “SO₂ vertical column” for 2025-01-06 to 2025-01-07.




Figure 32: Zonal average of “SO₂ vertical column precision” for 2025-01-06 to 2025-01-07.




Figure 33: Zonal average of “Corrected SO₂ slant column” for 2025-01-06 to 2025-01-07.




Figure 34: Zonal average of “Cobra SO₂ slant column” for 2025-01-06 to 2025-01-07.




Figure 35: Zonal average of “SO₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07.




Figure 36: Zonal average of “SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07.




Figure 37: Zonal average of “SO₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07.




Figure 38: Zonal average of “Corrected SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07.




Figure 39: Zonal average of “SO₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07.




Figure 40: Zonal average of “SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07.




Figure 41: Zonal average of “SO₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07.




Figure 42: Zonal average of “Corrected SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07.




Figure 43: Zonal average of “SO₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07.




Figure 44: Zonal average of “SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07.




Figure 45: Zonal average of “SO₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07.




Figure 46: Zonal average of “Corrected SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07.




Figure 47: Zonal average of “SO₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07.




Figure 48: Zonal average of “SO₂ Cobra Flag” for 2025-01-06 to 2025-01-07.




Figure 49: Zonal average of “Integrated a priori SO₂ profile” for 2025-01-06 to 2025-01-07.




Figure 50: Zonal average of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07.




Figure 51: Zonal average of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07.




Figure 52: Zonal average of “SO₂ RMS” for 2025-01-06 to 2025-01-07.




Figure 53: Zonal average of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07.




Figure 54: Zonal average of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07.




Figure 55: Zonal average of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07.




Figure 56: Zonal average of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 57: Histogram of “QA value” for 2025-01-06 to 2025-01-07




Figure 58: Histogram of “SO₂ vertical column” for 2025-01-06 to 2025-01-07




Figure 59: Histogram of “SO₂ vertical column precision” for 2025-01-06 to 2025-01-07




Figure 60: Histogram of “Corrected SO₂ slant column” for 2025-01-06 to 2025-01-07




Figure 61: Histogram of “Cobra SO₂ slant column” for 2025-01-06 to 2025-01-07




Figure 62: Histogram of “SO₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07




Figure 63: Histogram of “SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07




Figure 64: Histogram of “SO₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07




Figure 65: Histogram of “Corrected SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07




Figure 66: Histogram of “SO₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07




Figure 67: Histogram of “SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07




Figure 68: Histogram of “SO₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07




Figure 69: Histogram of “Corrected SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07




Figure 70: Histogram of “SO₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07




Figure 71: Histogram of “SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07




Figure 72: Histogram of “SO₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07




Figure 73: Histogram of “Corrected SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07




Figure 74: Histogram of “SO₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07




Figure 75: Histogram of “SO₂ Cobra Flag” for 2025-01-06 to 2025-01-07




Figure 76: Histogram of “Integrated a priori SO₂ profile” for 2025-01-06 to 2025-01-07




Figure 77: Histogram of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07




Figure 78: Histogram of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07




Figure 79: Histogram of "SO₂ RMS" for 2025-01-06 to 2025-01-07




Figure 80: Histogram of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 81: Histogram of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 82: Histogram of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 83: Histogram of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 84: Along track statistics of “QA value” for 2025-01-06 to 2025-01-07




Figure 85: Along track statistics of “SO₂ vertical column” for 2025-01-06 to 2025-01-07




Figure 86: Along track statistics of “SO₂ vertical column precision” for 2025-01-06 to 2025-01-07




Figure 87: Along track statistics of "Corrected SO₂ slant column" for 2025-01-06 to 2025-01-07




Figure 88: Along track statistics of “Cobra SO₂ slant column” for 2025-01-06 to 2025-01-07




Figure 89: Along track statistics of “SO₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07




Figure 90: Along track statistics of “SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07




Figure 91: Along track statistics of “SO₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07




Figure 92: Along track statistics of “Corrected SO₂ slant column (window 1)” for 2025-01-06 to 2025-01-07




Figure 93: Along track statistics of “SO₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07




Figure 94: Along track statistics of “SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07




Figure 95: Along track statistics of “SO₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07




Figure 96: Along track statistics of “Corrected SO₂ slant column (window 2)” for 2025-01-06 to 2025-01-07




Figure 97: Along track statistics of “SO₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07




Figure 98: Along track statistics of “SO₂ slant column (window 3)” for 2025-01-06 to 2025-01-07




Figure 99: Along track statistics of “SO₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07




Figure 100: Along track statistics of "Corrected SO₂ slant column (window 3)" for 2025-01-06 to 2025-01-07




Figure 101: Along track statistics of “SO₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07




Figure 102: Along track statistics of "SO₂ Cobra Flag" for 2025-01-06 to 2025-01-07




Figure 103: Along track statistics of “Integrated a priori SO₂ profile” for 2025-01-06 to 2025-01-07




Figure 104: Along track statistics of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07




Figure 105: Along track statistics of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07




Figure 106: Along track statistics of “SO₂ RMS” for 2025-01-06 to 2025-01-07




Figure 107: Along track statistics of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 108: Along track statistics of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 109: Along track statistics of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07




Figure 110: Along track statistics of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	8
4	Input data monitoring	9
5	Warnings and errors	10
6	World maps	11
7	Zonal average	37
8	Histograms	64
9	Along track statistics	91
10	Coincidence density	118
11	Copyright information of ‘PyCAMA’	118

List of Figures

1	Outline of the granules.	8
2	Input data per granule	9
3	Fraction of pixels with specific warnings and errors during processing	10
4	Map of “SO ₂ vertical column” for 2025-01-06 to 2025-01-07	11
5	Map of “SO ₂ vertical column precision” for 2025-01-06 to 2025-01-07	12
6	Map of “Corrected SO ₂ slant column” for 2025-01-06 to 2025-01-07	13
7	Map of “Cobra SO ₂ slant column” for 2025-01-06 to 2025-01-07	14
8	Map of “SO ₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07	15
9	Map of “SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07	16
10	Map of “SO ₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07	17
11	Map of “Corrected SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07	18
12	Map of “SO ₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07	19
13	Map of “SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07	20
14	Map of “SO ₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07	21
15	Map of “Corrected SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07	22
16	Map of “SO ₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07	23
17	Map of “SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07	24
18	Map of “SO ₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07	25
19	Map of “Corrected SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07	26
20	Map of “SO ₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07	27
21	Map of “Integrated a priori SO ₂ profile” for 2025-01-06 to 2025-01-07	28
22	Map of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07	29
23	Map of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07	30
24	Map of “SO ₂ RMS” for 2025-01-06 to 2025-01-07	31
25	Map of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07	32
26	Map of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07	33
27	Map of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07	34
28	Map of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07	35
29	Map of the number of observations for 2025-01-06 to 2025-01-07	36

30	Zonal average of “QA value” for 2025-01-06 to 2025-01-07.	37
31	Zonal average of “SO ₂ vertical column” for 2025-01-06 to 2025-01-07.	38
32	Zonal average of “SO ₂ vertical column precision” for 2025-01-06 to 2025-01-07.	39
33	Zonal average of “Corrected SO ₂ slant column” for 2025-01-06 to 2025-01-07.	40
34	Zonal average of “Cobra SO ₂ slant column” for 2025-01-06 to 2025-01-07.	41
35	Zonal average of “SO ₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07.	42
36	Zonal average of “SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07.	43
37	Zonal average of “SO ₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07.	44
38	Zonal average of “Corrected SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07.	45
39	Zonal average of “SO ₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07.	46
40	Zonal average of “SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07.	47
41	Zonal average of “SO ₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07.	48
42	Zonal average of “Corrected SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07.	49
43	Zonal average of “SO ₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07.	50
44	Zonal average of “SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07.	51
45	Zonal average of “SO ₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07.	52
46	Zonal average of “Corrected SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07.	53
47	Zonal average of “SO ₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07.	54
48	Zonal average of “SO ₂ Cobra Flag” for 2025-01-06 to 2025-01-07.	55
49	Zonal average of “Integrated a priori SO ₂ profile” for 2025-01-06 to 2025-01-07.	56
50	Zonal average of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07.	57
51	Zonal average of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07.	58
52	Zonal average of “SO ₂ RMS” for 2025-01-06 to 2025-01-07.	59
53	Zonal average of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07.	60
54	Zonal average of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07.	61
55	Zonal average of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07.	62
56	Zonal average of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07.	63
57	Histogram of “QA value” for 2025-01-06 to 2025-01-07	64
58	Histogram of “SO ₂ vertical column” for 2025-01-06 to 2025-01-07	65
59	Histogram of “SO ₂ vertical column precision” for 2025-01-06 to 2025-01-07	66
60	Histogram of “Corrected SO ₂ slant column” for 2025-01-06 to 2025-01-07	67
61	Histogram of “Cobra SO ₂ slant column” for 2025-01-06 to 2025-01-07	68
62	Histogram of “SO ₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07	69
63	Histogram of “SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07	70
64	Histogram of “SO ₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07	71
65	Histogram of “Corrected SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07	72
66	Histogram of “SO ₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07	73
67	Histogram of “SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07	74
68	Histogram of “SO ₂ slant column precision (window2)” for 2025-01-06 to 2025-01-07	75
69	Histogram of “Corrected SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07	76
70	Histogram of “SO ₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07	77
71	Histogram of “SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07	78
72	Histogram of “SO ₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07	79
73	Histogram of “Corrected SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07	80
74	Histogram of “SO ₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07	81
75	Histogram of “SO ₂ Cobra Flag” for 2025-01-06 to 2025-01-07	82
76	Histogram of “Integrated a priori SO ₂ profile” for 2025-01-06 to 2025-01-07	83
77	Histogram of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07	84
78	Histogram of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07	85
79	Histogram of “SO ₂ RMS” for 2025-01-06 to 2025-01-07	86
80	Histogram of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07	87
81	Histogram of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07	88
82	Histogram of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07	89
83	Histogram of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07	90
84	Along track statistics of “QA value” for 2025-01-06 to 2025-01-07	91
85	Along track statistics of “SO ₂ vertical column” for 2025-01-06 to 2025-01-07	92
86	Along track statistics of “SO ₂ vertical column precision” for 2025-01-06 to 2025-01-07	93
87	Along track statistics of “Corrected SO ₂ slant column” for 2025-01-06 to 2025-01-07	94
88	Along track statistics of “Cobra SO ₂ slant column” for 2025-01-06 to 2025-01-07	95
89	Along track statistics of “SO ₂ slant column precision (Cobra)” for 2025-01-06 to 2025-01-07	96
90	Along track statistics of “SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07	97
91	Along track statistics of “SO ₂ slant column precision (window 1)” for 2025-01-06 to 2025-01-07	98

92	Along track statistics of “Corrected SO ₂ slant column (window 1)” for 2025-01-06 to 2025-01-07	99
93	Along track statistics of “SO ₂ slant column background correction (window 1)” for 2025-01-06 to 2025-01-07 100	
94	Along track statistics of “SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07	101
95	Along track statistics of “SO ₂ slant column precision (window 2)” for 2025-01-06 to 2025-01-07	102
96	Along track statistics of “Corrected SO ₂ slant column (window 2)” for 2025-01-06 to 2025-01-07	103
97	Along track statistics of “SO ₂ slant column background correction (window 2)” for 2025-01-06 to 2025-01-07 104	
98	Along track statistics of “SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07	105
99	Along track statistics of “SO ₂ slant column precision (window 3)” for 2025-01-06 to 2025-01-07	106
100	Along track statistics of “Corrected SO ₂ slant column (window 3)” for 2025-01-06 to 2025-01-07	107
101	Along track statistics of “SO ₂ slant column background correction (window 3)” for 2025-01-06 to 2025-01-07 108	
102	Along track statistics of “SO ₂ Cobra Flag” for 2025-01-06 to 2025-01-07	109
103	Along track statistics of “Integrated a priori SO ₂ profile” for 2025-01-06 to 2025-01-07	110
104	Along track statistics of “DOAS fit wavelength shift” for 2025-01-06 to 2025-01-07	111
105	Along track statistics of “DOAS fit wavelength squeeze” for 2025-01-06 to 2025-01-07	112
106	Along track statistics of “SO ₂ RMS” for 2025-01-06 to 2025-01-07	113
107	Along track statistics of “Total AMF (polluted)” for 2025-01-06 to 2025-01-07	114
108	Along track statistics of “Precision of total AMF (polluted)” for 2025-01-06 to 2025-01-07	115
109	Along track statistics of “Clear AMF (polluted)” for 2025-01-06 to 2025-01-07	116
110	Along track statistics of “Number of spectral points in retrieval” for 2025-01-06 to 2025-01-07	117

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).