

PyCAMA report generated by trop12-proc

trop12-proc

2023-08-15 (02:45)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighted* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of $1/2$ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.626 ± 0.378	19836947	0.995	0.700	0.830	0.0	1.000
cloud fraction [1]	0.575 ± 0.350	19836947	0.995	0.745	0.572	7.171×10^{-3}	1.000
cloud top height [m]	$(0.375 \pm 0.273) \times 10^4$	19836947	1.725×10^3	3.568×10^3	3.071×10^3	0.0	2.000×10^4
cloud optical thickness [1]	24.0 ± 40.4	19836947	10.7	13.5	11.4	1.000	250
cloud fraction crb [1]	0.574 ± 0.350	19836947	0.995	0.746	0.569	8.064×10^{-3}	1.000
cloud height crb [m]	$(0.297 \pm 0.235) \times 10^4$	19836947	75.0	3.178×10^3	2.386×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.586 ± 0.187	19836947	0.995	0.220	0.577	0.0	1.000
surface albedo fitted [1]	0.153 ± 0.185	19836947	1.500×10^{-2}	0.216	5.654×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.144 ± 0.182	19836947	1.500×10^{-2}	0.220	4.067×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.859 \pm 11.039) \times 10^{-4}$	19836947	5.000×10^{-5}	7.710×10^{-4}	3.567×10^{-4}	9.840×10^{-7}	0.537
fitted root mean square crb [1]	$(6.196 \pm 9.199) \times 10^{-4}$	19836947	5.000×10^{-5}	7.511×10^{-4}	3.002×10^{-4}	6.693×10^{-7}	0.524
wavelength shift [nm]	$(7.497 \pm 6.780) \times 10^{-3}$	19836947	3.000×10^{-4}	9.358×10^{-3}	7.003×10^{-3}	-5.054×10^{-2}	0.318
cloud fraction apriori [1]	0.578 ± 0.356	19836947	0.995	0.770	0.577	0.0	1.000
reflectance blue ocra [1]	0.510 ± 0.191	19836947	0.315	0.293	0.485	0.128	2.13
reflectance green ocra [1]	0.456 ± 0.216	19836947	0.195	0.352	0.429	7.838×10^{-2}	2.36
reflectance continuum aband [1]	0.416 ± 0.244	19836947	0.305	0.368	0.395	1.218×10^{-2}	7.36

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	9.000×10^{-2}	0.250	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	2.444×10^{-2}	6.329×10^{-2}	0.101	0.148	0.238	0.983	1.000	1.000	1.000	1.000
cloud top height [m]	99.6	498	883	1.228×10^3	1.665×10^3	5.233×10^3	6.493×10^3	7.707×10^3	9.245×10^3	1.183×10^4
cloud optical thickness [1]	1.26	3.25	4.49	5.51	7.09	20.6	31.7	49.1	92.0	250
cloud fraction crb [1]	2.392×10^{-2}	6.207×10^{-2}	9.930×10^{-2}	0.146	0.235	0.982	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	146	458	741	1.125×10^3	4.303×10^3	5.402×10^3	6.414×10^3	7.693×10^3	9.731×10^3
cloud albedo crb [1]	8.468×10^{-2}	0.269	0.366	0.426	0.479	0.699	0.770	0.836	0.925	1.000
surface albedo fitted [1]	0.0	8.715×10^{-3}	1.342×10^{-2}	1.813×10^{-2}	2.558×10^{-2}	0.242	0.315	0.413	0.550	0.835
surface albedo fitted crb [1]	1.333×10^{-3}	6.488×10^{-3}	9.741×10^{-3}	1.308×10^{-2}	1.818×10^{-2}	0.238	0.313	0.408	0.524	0.799
fitted root mean square [1]	1.178×10^{-5}	2.806×10^{-5}	4.750×10^{-5}	7.286×10^{-5}	1.207×10^{-4}	8.918×10^{-4}	1.307×10^{-3}	1.756×10^{-3}	2.412×10^{-3}	3.882×10^{-3}
fitted root mean square crb [1]	6.660×10^{-6}	1.699×10^{-5}	3.105×10^{-5}	4.878×10^{-5}	8.568×10^{-5}	8.368×10^{-4}	1.250×10^{-3}	1.683×10^{-3}	2.314×10^{-3}	3.601×10^{-3}
wavelength shift [nm]	-7.897×10^{-3}	-1.087×10^{-3}	-1.720×10^{-5}	7.982×10^{-4}	2.453×10^{-3}	1.181×10^{-2}	1.415×10^{-2}	1.622×10^{-2}	1.905×10^{-2}	2.540×10^{-2}
cloud fraction apriori [1]	1.627×10^{-2}	5.947×10^{-2}	9.304×10^{-2}	0.139	0.230	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.230	0.259	0.282	0.309	0.351	0.644	0.717	0.775	0.844	0.983
reflectance green ocra [1]	0.151	0.175	0.195	0.220	0.264	0.616	0.696	0.758	0.833	0.973
reflectance continuum aband [1]	3.121×10^{-2}	6.019×10^{-2}	9.658×10^{-2}	0.142	0.223	0.591	0.678	0.750	0.834	0.983

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.598 ± 0.382	12699080	0.720	0.800	0.0	1.000	0.200	0.920
cloud fraction [1]	0.602 ± 0.351	12699080	0.739	0.625	7.334×10^{-3}	1.000	0.261	1.000
cloud top height [m]	$(0.374 \pm 0.280) \times 10^4$	12699080	3.745×10^3	3.117×10^3	0.0	2.000×10^4	1.549×10^3	5.294×10^3
cloud optical thickness [1]	22.2 ± 38.9	12699080	12.0	11.0	1.000	250	6.97	19.0
cloud fraction crb [1]	0.600 ± 0.351	12699080	0.740	0.623	8.405×10^{-3}	1.000	0.259	0.999
cloud height crb [m]	$(0.293 \pm 0.240) \times 10^4$	12699080	3.343×10^3	2.419×10^3	0.0	2.000×10^4	990	4.333×10^3
cloud albedo crb [1]	0.581 ± 0.193	12699080	0.232	0.573	0.0	1.000	0.469	0.701
surface albedo fitted [1]	0.194 ± 0.198	12699080	0.261	0.146	0.0	1.000	3.070×10^{-2}	0.292
surface albedo fitted crb [1]	0.186 ± 0.194	12699080	0.267	0.144	0.0	1.000	2.287×10^{-2}	0.290
fitted root mean square [1]	$(8.453 \pm 12.869) \times 10^{-4}$	12699080	9.742×10^{-4}	5.109×10^{-4}	1.305×10^{-6}	0.537	1.615×10^{-4}	1.136×10^{-3}
fitted root mean square crb [1]	$(7.765 \pm 10.540) \times 10^{-4}$	12699080	9.527×10^{-4}	4.510×10^{-4}	6.693×10^{-7}	0.524	1.405×10^{-4}	1.093×10^{-3}
wavelength shift [nm]	$(8.307 \pm 6.706) \times 10^{-3}$	12699080	8.966×10^{-3}	8.063×10^{-3}	-5.054×10^{-2}	0.318	3.611×10^{-3}	1.258×10^{-2}
cloud fraction apriori [1]	0.606 ± 0.356	12699080	0.743	0.635	0.0	1.000	0.257	1.000
reflectance blue ocra [1]	0.513 ± 0.192	12699080	0.309	0.495	0.134	1.88	0.347	0.656
reflectance green ocra [1]	0.465 ± 0.217	12699080	0.366	0.447	8.027×10^{-2}	1.89	0.266	0.632
reflectance continuum aband [1]	0.440 ± 0.238	12699080	0.355	0.424	1.259×10^{-2}	7.36	0.258	0.614

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.677 ± 0.365	7137867	0.600	0.900	0.0	1.000	0.400	1.000
cloud fraction [1]	0.529 ± 0.343	7137867	0.690	0.491	7.171×10^{-3}	1.000	0.204	0.893
cloud top height [m]	$(0.377 \pm 0.261) \times 10^4$	7137867	3.316×10^3	2.999×10^3	0.0	2.000×10^4	1.799×10^3	5.115×10^3
cloud optical thickness [1]	27.1 ± 42.8	7137867	17.2	12.2	1.000	250	7.30	24.5
cloud fraction crb [1]	0.526 ± 0.343	7137867	0.689	0.487	8.064×10^{-3}	1.000	0.202	0.891
cloud height crb [m]	$(0.302 \pm 0.224) \times 10^4$	7137867	2.961×10^3	2.334×10^3	0.0	1.877×10^4	1.276×10^3	4.238×10^3
cloud albedo crb [1]	0.596 ± 0.176	7137867	0.199	0.583	0.0	1.000	0.495	0.694
surface albedo fitted [1]	$(8.174 \pm 13.348) \times 10^{-2}$	7137867	4.609×10^{-2}	3.698×10^{-2}	0.0	1.000	2.120×10^{-2}	6.729×10^{-2}
surface albedo fitted crb [1]	$(6.964 \pm 13.011) \times 10^{-2}$	7137867	3.034×10^{-2}	2.473×10^{-2}	0.0	1.000	1.493×10^{-2}	4.526×10^{-2}
fitted root mean square [1]	$(4.023 \pm 5.610) \times 10^{-4}$	7137867	3.913×10^{-4}	2.064×10^{-4}	9.840×10^{-7}	0.112	8.623×10^{-5}	4.775×10^{-4}
fitted root mean square crb [1]	$(3.406 \pm 5.035) \times 10^{-4}$	7137867	3.596×10^{-4}	1.379×10^{-4}	1.184×10^{-6}	4.628×10^{-2}	5.045×10^{-5}	4.100×10^{-4}
wavelength shift [nm]	$(6.056 \pm 6.670) \times 10^{-3}$	7137867	8.741×10^{-3}	4.936×10^{-3}	-4.335×10^{-2}	6.369×10^{-2}	1.271×10^{-3}	1.001×10^{-2}
cloud fraction apriori [1]	0.528 ± 0.351	7137867	0.723	0.489	0.0	1.000	0.192	0.915
reflectance blue ocra [1]	0.505 ± 0.188	7137867	0.262	0.470	0.128	2.13	0.358	0.620
reflectance green ocra [1]	0.440 ± 0.213	7137867	0.322	0.401	7.838×10^{-2}	2.36	0.260	0.582
reflectance continuum aband [1]	0.372 ± 0.249	7137867	0.377	0.339	1.218×10^{-2}	3.89	0.166	0.543

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.622 ± 0.374	14338380	0.700	0.820	0.0	1.000	0.250	0.950
cloud fraction [1]	0.573 ± 0.349	14338380	0.742	0.571	7.171×10^{-3}	1.000	0.236	0.977
cloud top height [m]	$(0.373 \pm 0.277) \times 10^4$	14338380	3.573×10^3	2.981×10^3	0.0	2.000×10^4	1.627×10^3	5.200×10^3
cloud optical thickness [1]	26.6 ± 43.6	14338380	15.0	12.2	1.000	250	7.84	22.8
cloud fraction crb [1]	0.571 ± 0.349	14338380	0.743	0.567	8.453×10^{-3}	1.000	0.233	0.976
cloud height crb [m]	$(0.295 \pm 0.242) \times 10^4$	14338380	3.221×10^3	2.295×10^3	0.0	2.000×10^4	1.066×10^3	4.287×10^3
cloud albedo crb [1]	0.587 ± 0.184	14338380	0.216	0.576	0.0	1.000	0.480	0.696
surface albedo fitted [1]	0.105 ± 0.167	14338380	4.998×10^{-2}	3.665×10^{-2}	0.0	1.000	2.001×10^{-2}	6.999×10^{-2}
surface albedo fitted crb [1]	$(9.478 \pm 16.380) \times 10^{-2}$	14338380	3.682×10^{-2}	2.573×10^{-2}	0.0	1.000	1.437×10^{-2}	5.119×10^{-2}
fitted root mean square [1]	$(5.735 \pm 11.255) \times 10^{-4}$	14338380	5.855×10^{-4}	2.606×10^{-4}	9.840×10^{-7}	0.537	9.824×10^{-5}	6.838×10^{-4}
fitted root mean square crb [1]	$(4.946 \pm 8.884) \times 10^{-4}$	14338380	5.258×10^{-4}	2.046×10^{-4}	6.693×10^{-7}	0.524	6.948×10^{-5}	5.953×10^{-4}
wavelength shift [nm]	$(7.220 \pm 6.875) \times 10^{-3}$	14338380	9.384×10^{-3}	6.558×10^{-3}	-5.054×10^{-2}	0.318	2.153×10^{-3}	1.154×10^{-2}
cloud fraction apriori [1]	0.574 ± 0.355	14338380	0.772	0.575	0.0	1.000	0.228	1.000
reflectance blue ocra [1]	0.516 ± 0.183	14338380	0.281	0.495	0.162	1.86	0.363	0.644
reflectance green ocra [1]	0.459 ± 0.210	14338380	0.341	0.441	9.588×10^{-2}	1.85	0.273	0.614
reflectance continuum aband [1]	0.391 ± 0.248	14338380	0.409	0.377	1.218×10^{-2}	4.20	0.168	0.576

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.642 ± 0.387	3389722	0.740	0.850	0.0	1.000	0.210	0.950
cloud fraction [1]	0.547 ± 0.353	3389722	0.757	0.504	7.941×10^{-3}	1.000	0.209	0.966
cloud top height [m]	$(0.408 \pm 0.273) \times 10^4$	3389722	3.683×10^3	3.578×10^3	0.0	2.000×10^4	1.979×10^3	5.662×10^3
cloud optical thickness [1]	16.9 ± 29.7	3389722	9.33	8.98	1.000	250	5.84	15.2
cloud fraction crb [1]	0.546 ± 0.353	3389722	0.758	0.504	8.064×10^{-3}	1.000	0.208	0.965
cloud height crb [m]	$(0.320 \pm 0.220) \times 10^4$	3389722	3.102×10^3	2.752×10^3	0.0	2.000×10^4	1.467×10^3	4.569×10^3
cloud albedo crb [1]	0.604 ± 0.198	3389722	0.238	0.596	0.0	1.000	0.493	0.731
surface albedo fitted [1]	0.324 ± 0.190	3389722	0.112	0.267	0.0	1.000	0.220	0.331
surface albedo fitted crb [1]	0.316 ± 0.181	3389722	0.110	0.261	6.154×10^{-3}	1.000	0.216	0.325
fitted root mean square [1]	$(1.110 \pm 1.004) \times 10^{-3}$	3389722	1.089×10^{-3}	8.331×10^{-4}	2.386×10^{-6}	0.112	4.268×10^{-4}	1.516×10^{-3}
fitted root mean square crb [1]	$(1.078 \pm 0.953) \times 10^{-3}$	3389722	1.098×10^{-3}	8.254×10^{-4}	1.165×10^{-6}	5.217×10^{-2}	3.994×10^{-4}	1.498×10^{-3}
wavelength shift [nm]	$(8.371 \pm 6.242) \times 10^{-3}$	3389722	8.316×10^{-3}	8.191×10^{-3}	-4.254×10^{-2}	5.017×10^{-2}	4.046×10^{-3}	1.236×10^{-2}
cloud fraction apriori [1]	0.554 ± 0.360	3389722	0.798	0.518	0.0	1.000	0.202	1.000
reflectance blue ocra [1]	0.499 ± 0.224	3389722	0.356	0.438	0.128	2.13	0.312	0.668
reflectance green ocra [1]	0.453 ± 0.250	3389722	0.414	0.382	7.838×10^{-2}	2.36	0.236	0.650
reflectance continuum aband [1]	0.499 ± 0.223	3389722	0.344	0.440	1.762×10^{-2}	7.36	0.318	0.662

OCRA cloud fraction

	Cloud albedo (CRB)	Cloud height (CRB)	Cloud fraction (CRB)	Cloud optical thickness	Cloud top height	Cloud radiometric fraction	Cloud top height	Cloud optical thickness	Cloud fraction (CRB)	Cloud height (CRB)	Cloud albedo (CRB)	OCRA cloud fraction
Viewing zenith angle	1.000	3.791×10^{-2}	-3.410×10^{-2}	-4.375×10^{-3}	2.972×10^{-2}	-1.418×10^{-2}	-4.482×10^{-3}	7.457×10^{-2}	6.838×10^{-2}	-7.311×10^{-3}	1.000	1.000
Solar zenith angle	3.791×10^{-2}	1.000	-8.151×10^{-2}	0.214	-3.608×10^{-2}	0.243	0.214	-1.786×10^{-2}	1.762×10^{-2}	0.213	-8.151×10^{-2}	1.000
Latitude	-3.410×10^{-2}	-8.151×10^{-2}	1.000	0.141	-0.148	-4.037×10^{-2}	0.143	-0.158	-9.192×10^{-2}	0.149	0.214	0.213
Radiometric cloud fraction	-4.375×10^{-3}	0.214	0.141	1.000	-2.655×10^{-2}	0.283	1.000	3.069×10^{-2}	0.203	0.990	0.214	0.213
Cloud top height	2.972×10^{-2}	-3.608×10^{-2}	-0.148	-2.655×10^{-2}	1.000	0.163	-2.740×10^{-2}	0.960	0.141	-3.458×10^{-2}	0.278	0.278
Cloud optical thickness	-1.418×10^{-2}	0.243	-4.037×10^{-2}	0.283	0.163	1.000	0.279	0.214	0.520	0.278	0.520	0.520
Cloud fraction (CRB)	-4.482×10^{-3}	0.214	0.143	1.000	-2.740×10^{-2}	0.279	1.000	3.007×10^{-2}	0.199	0.990	0.207	0.990
Cloud height (CRB)	7.457×10^{-2}	-1.786×10^{-2}	-0.158	3.069×10^{-2}	0.960	0.214	3.007×10^{-2}	1.000	0.120	2.190×10^{-2}	0.207	0.207
Cloud albedo (CRB)	6.838×10^{-2}	1.762×10^{-2}	-9.192×10^{-2}	0.203	0.141	0.520	0.199	0.120	1.000	0.207	0.207	0.207
OCRA cloud fraction	-7.311×10^{-3}	0.213	0.149	0.990	-3.458×10^{-2}	0.278	0.990	2.190×10^{-2}	0.207	1.000	0.207	1.000

Table 7: Correlation matrix

OCRA cloud fraction

Viewing zenith angle										
Solar zenith angle										
Latitude										
Radiometric cloud fraction										
Cloud top height										
Cloud optical thickness										
Cloud fraction (CRB)										
Cloud height (CRB)										
Cloud albedo (CRB)										
OCRA cloud fraction										

Table 8: Covariance matrix




Figure 1: Map of correlation graph for 2023-07-30 to 2023-08-01.




Figure 2: Map of correlation matrix for 2023-07-30 to 2023-08-01.

3 Granule outlines




Figure 3: Outline of the granules.

4 Input data monitoring




Figure 4: Input data per granule

5 Warnings and errors




Figure 5: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 6: Map of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 7: Map of “Cloud top height” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 8: Map of “Cloud optical thickness” for 2023-07-30 to 2023-08-01

2023-07-31






Figure 9: Map of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 10: Map of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 11: Map of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01

2023-07-31






Figure 12: Map of “Fitted surface albedo” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 13: Map of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 14: Map of “RMS” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 15: Map of “RMS (CRB)” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 16: Map of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01

2023-07-31






Figure 17: Map of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 18: Map of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 19: Map of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01

2023-07-31





Figure 20: Map of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01

2023-07-31






Figure 21: Map of the number of observations for 2023-07-30 to 2023-08-01

7 Zonal average




Figure 22: Zonal average of “QA value” for 2023-07-30 to 2023-08-01.




Figure 23: Zonal average of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 24: Zonal average of “Cloud top height” for 2023-07-30 to 2023-08-01.




Figure 25: Zonal average of “Cloud optical thickness” for 2023-07-30 to 2023-08-01.




Figure 26: Zonal average of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 27: Zonal average of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 28: Zonal average of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 29: Zonal average of “Fitted surface albedo” for 2023-07-30 to 2023-08-01.




Figure 30: Zonal average of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 31: Zonal average of “RMS” for 2023-07-30 to 2023-08-01.




Figure 32: Zonal average of “RMS (CRB)” for 2023-07-30 to 2023-08-01.




Figure 33: Zonal average of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01.




Figure 34: Zonal average of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 35: Zonal average of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01.




Figure 36: Zonal average of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01.




Figure 37: Zonal average of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 38: Histogram of “QA value” for 2023-07-30 to 2023-08-01




Figure 39: Histogram of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01




Figure 40: Histogram of “Cloud top height” for 2023-07-30 to 2023-08-01




Figure 41: Histogram of “Cloud optical thickness” for 2023-07-30 to 2023-08-01




Figure 42: Histogram of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01




Figure 43: Histogram of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01




Figure 44: Histogram of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01




Figure 45: Histogram of “Fitted surface albedo” for 2023-07-30 to 2023-08-01




Figure 46: Histogram of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01




Figure 47: Histogram of “RMS” for 2023-07-30 to 2023-08-01




Figure 48: Histogram of “RMS (CRB)” for 2023-07-30 to 2023-08-01




Figure 49: Histogram of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01




Figure 50: Histogram of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01




Figure 51: Histogram of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01




Figure 52: Histogram of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01




Figure 53: Histogram of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 54: Along track statistics of “QA value” for 2023-07-30 to 2023-08-01




Figure 55: Along track statistics of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01




Figure 56: Along track statistics of “Cloud top height” for 2023-07-30 to 2023-08-01




Figure 57: Along track statistics of “Cloud optical thickness” for 2023-07-30 to 2023-08-01




Figure 58: Along track statistics of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01




Figure 59: Along track statistics of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01




Figure 60: Along track statistics of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01




Figure 61: Along track statistics of “Fitted surface albedo” for 2023-07-30 to 2023-08-01




Figure 62: Along track statistics of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01




Figure 63: Along track statistics of “RMS” for 2023-07-30 to 2023-08-01




Figure 64: Along track statistics of “RMS (CRB)” for 2023-07-30 to 2023-08-01




Figure 65: Along track statistics of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01




Figure 66: Along track statistics of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01




Figure 67: Along track statistics of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01




Figure 68: Along track statistics of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01




Figure 69: Along track statistics of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.




Figure 70: Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 71: Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 72: Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 73: Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 74: Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 75: Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.




Figure 76: Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2023-07-30 to 2023-08-01.




Figure 77: Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 78: Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 79: Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 80: Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 81: Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 82: Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 83: Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 84: Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 85: Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 86: Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 87: Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 88: Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 89: Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 90: Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.




Figure 91: Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 92: Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 93: Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 94: Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 95: Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 96: Scatter density plot of “Latitude” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.




Figure 97: Scatter density plot of “Latitude” against “Cloud top height” for 2023-07-30 to 2023-08-01.




Figure 98: Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 99: Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 100: Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 101: Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 102: Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 103: Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.




Figure 104: Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2023-07-30 to 2023-08-01.




Figure 105: Scatter density plot of “Solar zenith angle” against “Latitude” for 2023-07-30 to 2023-08-01.




Figure 106: Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.




Figure 107: Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 108: Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.




Figure 109: Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.




Figure 110: Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.




Figure 111: Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.




Figure 112: Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2023-07-30 to 2023-08-01.




Figure 113: Scatter density plot of “Viewing zenith angle” against “Latitude” for 2023-07-30 to 2023-08-01.




Figure 114: Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2023-07-30 to 2023-08-01.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	12
4	Input data monitoring	13
5	Warnings and errors	14
6	World maps	15
7	Zonal average	31
8	Histograms	47
9	Along track statistics	63
10	Coincidence density	79
11	Copyright information of ‘PyCAMA’	124

List of Figures

1	Map of correlation graph for 2023-07-30 to 2023-08-01.	10
2	Map of correlation matrix for 2023-07-30 to 2023-08-01.	11
3	Outline of the granules.	12
4	Input data per granule	13
5	Fraction of pixels with specific warnings and errors during processing	14
6	Map of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01	15
7	Map of “Cloud top height” for 2023-07-30 to 2023-08-01	16
8	Map of “Cloud optical thickness” for 2023-07-30 to 2023-08-01	17
9	Map of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01	18
10	Map of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01	19
11	Map of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01	20
12	Map of “Fitted surface albedo” for 2023-07-30 to 2023-08-01	21
13	Map of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01	22
14	Map of “RMS” for 2023-07-30 to 2023-08-01	23
15	Map of “RMS (CRB)” for 2023-07-30 to 2023-08-01	24
16	Map of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01	25
17	Map of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01	26
18	Map of “OCRA [Please insert intopreamble]blue[Pleasinsert intopreamble] reflectance” for 2023-07-30 to 2023-08-01	27
19	Map of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01	28
20	Map of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01	29
21	Map of the number of observations for 2023-07-30 to 2023-08-01	30
22	Zonal average of “QA value” for 2023-07-30 to 2023-08-01.	31
23	Zonal average of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.	32
24	Zonal average of “Cloud top height” for 2023-07-30 to 2023-08-01.	33
25	Zonal average of “Cloud optical thickness” for 2023-07-30 to 2023-08-01.	34
26	Zonal average of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.	35
27	Zonal average of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	36
28	Zonal average of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	37
29	Zonal average of “Fitted surface albedo” for 2023-07-30 to 2023-08-01.	38
30	Zonal average of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01.	39
31	Zonal average of “RMS” for 2023-07-30 to 2023-08-01.	40
32	Zonal average of “RMS (CRB)” for 2023-07-30 to 2023-08-01.	41
33	Zonal average of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01.	42
34	Zonal average of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	43
35	Zonal average of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01.	44

36	Zonal average of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01.	45
37	Zonal average of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01.	46
38	Histogram of “QA value” for 2023-07-30 to 2023-08-01	47
39	Histogram of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01	48
40	Histogram of “Cloud top height” for 2023-07-30 to 2023-08-01	49
41	Histogram of “Cloud optical thickness” for 2023-07-30 to 2023-08-01	50
42	Histogram of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01	51
43	Histogram of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01	52
44	Histogram of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01	53
45	Histogram of “Fitted surface albedo” for 2023-07-30 to 2023-08-01	54
46	Histogram of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01	55
47	Histogram of “RMS” for 2023-07-30 to 2023-08-01	56
48	Histogram of “RMS (CRB)” for 2023-07-30 to 2023-08-01	57
49	Histogram of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01	58
50	Histogram of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01	59
51	Histogram of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01	60
52	Histogram of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01	61
53	Histogram of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01	62
54	Along track statistics of “QA value” for 2023-07-30 to 2023-08-01	63
55	Along track statistics of “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01	64
56	Along track statistics of “Cloud top height” for 2023-07-30 to 2023-08-01	65
57	Along track statistics of “Cloud optical thickness” for 2023-07-30 to 2023-08-01	66
58	Along track statistics of “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01	67
59	Along track statistics of “Cloud height (CRB)” for 2023-07-30 to 2023-08-01	68
60	Along track statistics of “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01	69
61	Along track statistics of “Fitted surface albedo” for 2023-07-30 to 2023-08-01	70
62	Along track statistics of “Fitted surface albedo (CRB)” for 2023-07-30 to 2023-08-01	71
63	Along track statistics of “RMS” for 2023-07-30 to 2023-08-01	72
64	Along track statistics of “RMS (CRB)” for 2023-07-30 to 2023-08-01	73
65	Along track statistics of “Fitting wavelength shift” for 2023-07-30 to 2023-08-01	74
66	Along track statistics of “OCRA cloud fraction” for 2023-07-30 to 2023-08-01	75
67	Along track statistics of “OCRA “blue” reflectance” for 2023-07-30 to 2023-08-01	76
68	Along track statistics of “OCRA “green” reflectance” for 2023-07-30 to 2023-08-01	77
69	Along track statistics of “ROCINN “red” reflectance” for 2023-07-30 to 2023-08-01	78
70	Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	79
71	Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	80
72	Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	81
73	Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.	82
74	Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	83
75	Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.	84
76	Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2023-07-30 to 2023-08-01.	85
77	Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	86
78	Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	87
79	Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	88
80	Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	89
81	Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	90
82	Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	91
83	Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	92
84	Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.	93
85	Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	94
86	Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	95
87	Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	96
88	Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.	97
89	Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	98
90	Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.	99
91	Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	100
92	Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.	101

93	Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	102
94	Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.	103
95	Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	104
96	Scatter density plot of “Latitude” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.	105
97	Scatter density plot of “Latitude” against “Cloud top height” for 2023-07-30 to 2023-08-01.	106
98	Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01. .	107
99	Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.	108
100	Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01. .	109
101	Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01. .	110
102	Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01. .	111
103	Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.	112
104	Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2023-07-30 to 2023-08-01. . .	113
105	Scatter density plot of “Solar zenith angle” against “Latitude” for 2023-07-30 to 2023-08-01.	114
106	Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2023-07-30 to 2023-08-01.	115
107	Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2023-07-30 to 2023-08-01.	116
108	Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2023-07-30 to 2023-08-01.	117
109	Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2023-07-30 to 2023-08-01.	118
110	Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2023-07-30 to 2023-08-01.	119
111	Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2023-07-30 to 2023-08-01.	120
112	Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2023-07-30 to 2023-08-01. .	121
113	Scatter density plot of “Viewing zenith angle” against “Latitude” for 2023-07-30 to 2023-08-01.	122
114	Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2023-07-30 to 2023-08-01. .	123

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7
7	Correlation matrix	8
8	Covariance matrix	9

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).