

PyCAMA report generated by trop12-proc

trop12-proc

2023-12-26 (01:30)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighted* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of $1/2$ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Variable	$\text{mean} \pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.513 ± 0.410	21573067	5.000×10^{-3}	0.830	0.540	0.0	1.000
cloud fraction [1]	0.588 ± 0.340	21573067	0.995	0.713	0.592	0.0	1.000
cloud top height [m]	$(0.409 \pm 0.274) \times 10^4$	21573067	1.575×10^3	3.846×10^3	3.536×10^3	0.0	2.000×10^4
cloud optical thickness [1]	18.9 ± 34.7	21573067	9.34	10.5	9.13	1.000	250
cloud fraction crb [1]	0.588 ± 0.341	21573067	0.995	0.714	0.591	0.0	1.000
cloud height crb [m]	$(0.305 \pm 0.234) \times 10^4$	21573067	75.0	3.082×10^3	2.554×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.626 ± 0.215	21573067	0.995	0.314	0.610	0.0	1.000
surface albedo fitted [1]	0.295 ± 0.362	21573067	1.500×10^{-2}	0.580	5.603×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.281 ± 0.348	21573067	1.500×10^{-2}	0.598	4.278×10^{-2}	0.0	1.000
fitted root mean square [1]	$(8.225 \pm 10.108) \times 10^{-4}$	21573067	5.000×10^{-5}	1.089×10^{-3}	4.851×10^{-4}	9.316×10^{-7}	0.396
fitted root mean square crb [1]	$(7.407 \pm 9.605) \times 10^{-4}$	21573067	5.000×10^{-5}	1.038×10^{-3}	3.937×10^{-4}	8.726×10^{-7}	1.09
wavelength shift [nm]	$(9.313 \pm 7.454) \times 10^{-3}$	21573067	9.000×10^{-4}	1.124×10^{-2}	8.972×10^{-3}	-5.831×10^{-2}	0.102
cloud fraction apriori [1]	0.593 ± 0.344	21573067	0.995	0.731	0.602	0.0	1.000
reflectance blue ocra [1]	0.597 ± 0.237	21573067	0.905	0.428	0.586	0.140	2.01
reflectance green ocra [1]	0.551 ± 0.269	21573067	0.185	0.505	0.548	8.360×10^{-2}	1.97
reflectance continuum aband [1]	0.504 ± 0.296	21573067	4.500×10^{-2}	0.524	0.512	1.017×10^{-2}	4.76

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	0.0	7.000×10^{-2}	0.900	0.980	1.000	1.000	1.000
cloud fraction [1]	2.355×10^{-2}	7.276×10^{-2}	0.113	0.168	0.271	0.984	1.000	1.000	1.000	1.000
cloud top height [m]	274	763	1.141×10^3	1.446×10^3	1.856×10^3	5.702×10^3	6.934×10^3	8.036×10^3	9.371×10^3	1.173×10^4
cloud optical thickness [1]	1.000	2.43	3.63	4.58	5.52	16.0	24.5	36.7	65.5	250
cloud fraction crb [1]	2.324×10^{-2}	7.199×10^{-2}	0.113	0.167	0.270	0.984	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	210	552	835	1.189×10^3	4.271×10^3	5.486×10^3	6.591×10^3	7.811×10^3	9.663×10^3
cloud albedo crb [1]	5.274×10^{-2}	0.274	0.381	0.432	0.478	0.792	0.872	0.926	0.989	1.000
surface albedo fitted [1]	0.0	7.320×10^{-3}	1.225×10^{-2}	1.662×10^{-2}	2.300×10^{-2}	0.603	0.864	0.938	0.980	1.000
surface albedo fitted crb [1]	0.0	5.892×10^{-3}	9.128×10^{-3}	1.230×10^{-2}	1.719×10^{-2}	0.615	0.825	0.881	0.916	0.956
fitted root mean square [1]	1.510×10^{-5}	3.035×10^{-5}	5.029×10^{-5}	8.174×10^{-5}	1.429×10^{-4}	1.232×10^{-3}	1.685×10^{-3}	2.081×10^{-3}	2.592×10^{-3}	3.715×10^{-3}
fitted root mean square crb [1]	8.794×10^{-6}	2.107×10^{-5}	3.587×10^{-5}	5.726×10^{-5}	1.029×10^{-4}	1.141×10^{-3}	1.585×10^{-3}	1.968×10^{-3}	2.467×10^{-3}	3.515×10^{-3}
wavelength shift [nm]	-6.965×10^{-3}	-4.454×10^{-4}	4.596×10^{-4}	1.506×10^{-3}	3.409×10^{-3}	1.465×10^{-2}	1.705×10^{-2}	1.904×10^{-2}	2.160×10^{-2}	2.695×10^{-2}
cloud fraction apriori [1]	3.475×10^{-2}	6.994×10^{-2}	0.109	0.163	0.269	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.235	0.260	0.288	0.322	0.380	0.808	0.873	0.909	0.943	1.06
reflectance green ocra [1]	0.154	0.176	0.198	0.228	0.290	0.795	0.869	0.911	0.944	1.04
reflectance continuum aband [1]	3.171×10^{-2}	5.782×10^{-2}	9.352×10^{-2}	0.139	0.239	0.763	0.840	0.887	0.930	1.05

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.568 ± 0.407	7495934	0.850	0.770	0.0	1.000	0.1000	0.950
cloud fraction [1]	0.542 ± 0.348	7495934	0.729	0.511	0.0	1.000	0.209	0.938
cloud top height [m]	$(0.434 \pm 0.279) \times 10^4$	7495934	4.173×10^3	3.701×10^3	0.0	2.000×10^4	2.030×10^3	6.203×10^3
cloud optical thickness [1]	27.2 ± 46.1	7495934	17.0	10.6	1.000	250	6.43	23.4
cloud fraction crb [1]	0.541 ± 0.348	7495934	0.728	0.508	0.0	1.000	0.207	0.936
cloud height crb [m]	$(0.366 \pm 0.244) \times 10^4$	7495934	3.746×10^3	3.133×10^3	0.0	1.976×10^4	1.575×10^3	5.321×10^3
cloud albedo crb [1]	0.594 ± 0.196	7495934	0.247	0.580	0.0	1.000	0.471	0.718
surface albedo fitted [1]	0.137 ± 0.172	7495934	0.194	4.484×10^{-2}	0.0	1.000	2.334×10^{-2}	0.217
surface albedo fitted crb [1]	0.128 ± 0.170	7495934	0.189	3.321×10^{-2}	0.0	1.000	1.689×10^{-2}	0.206
fitted root mean square [1]	$(3.930 \pm 5.498) \times 10^{-4}$	7495934	4.104×10^{-4}	2.134×10^{-4}	9.316×10^{-7}	0.234	8.420×10^{-5}	4.946×10^{-4}
fitted root mean square crb [1]	$(3.439 \pm 4.896) \times 10^{-4}$	7495934	3.730×10^{-4}	1.521×10^{-4}	8.726×10^{-7}	9.693×10^{-2}	5.340×10^{-5}	4.264×10^{-4}
wavelength shift [nm]	$(6.619 \pm 6.753) \times 10^{-3}$	7495934	9.142×10^{-3}	5.519×10^{-3}	-5.291×10^{-2}	6.146×10^{-2}	1.582×10^{-3}	1.072×10^{-2}
cloud fraction apriori [1]	0.543 ± 0.352	7495934	0.764	0.509	0.0	1.000	0.202	0.966
reflectance blue ocra [1]	0.527 ± 0.203	7495934	0.308	0.496	0.140	2.01	0.359	0.668
reflectance green ocra [1]	0.466 ± 0.229	7495934	0.370	0.432	8.360×10^{-2}	1.97	0.265	0.635
reflectance continuum aband [1]	0.415 ± 0.264	7495934	0.407	0.387	1.017×10^{-2}	4.05	0.196	0.603

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.483 ± 0.408	14077133	0.840	0.400	0.0	1.000	6.000×10^{-2}	0.900
cloud fraction [1]	0.613 ± 0.334	14077133	0.684	0.630	0.0	1.000	0.311	0.995
cloud top height [m]	$(0.395 \pm 0.270) \times 10^4$	14077133	3.706×10^3	3.450×10^3	0.0	2.000×10^4	1.766×10^3	5.472×10^3
cloud optical thickness [1]	14.5 ± 25.6	14077133	8.38	8.59	1.000	250	5.22	13.6
cloud fraction crb [1]	0.613 ± 0.334	14077133	0.686	0.631	0.0	1.000	0.311	0.997
cloud height crb [m]	$(0.273 \pm 0.222) \times 10^4$	14077133	2.761×10^3	2.301×10^3	0.0	2.000×10^4	992	3.753×10^3
cloud albedo crb [1]	0.642 ± 0.223	14077133	0.346	0.636	0.0	1.000	0.481	0.827
surface albedo fitted [1]	0.379 ± 0.406	14077133	0.830	7.612×10^{-2}	0.0	1.000	2.279×10^{-2}	0.853
surface albedo fitted crb [1]	0.363 ± 0.389	14077133	0.799	5.900×10^{-2}	0.0	1.000	1.740×10^{-2}	0.817
fitted root mean square [1]	$(1.051 \pm 1.120) \times 10^{-3}$	14077133	1.345×10^{-3}	7.883×10^{-4}	1.504×10^{-6}	0.396	2.428×10^{-4}	1.588×10^{-3}
fitted root mean square crb [1]	$(9.520 \pm 10.759) \times 10^{-4}$	14077133	1.306×10^{-3}	6.878×10^{-4}	1.092×10^{-6}	1.09	1.766×10^{-4}	1.483×10^{-3}
wavelength shift [nm]	$(1.075 \pm 0.741) \times 10^{-2}$	14077133	1.087×10^{-2}	1.106×10^{-2}	-5.831×10^{-2}	0.102	5.143×10^{-3}	1.601×10^{-2}
cloud fraction apriori [1]	0.620 ± 0.337	14077133	0.685	0.645	0.0	1.000	0.315	1.000
reflectance blue ocra [1]	0.634 ± 0.245	14077133	0.457	0.671	0.146	2.00	0.398	0.855
reflectance green ocra [1]	0.596 ± 0.278	14077133	0.534	0.646	8.474×10^{-2}	1.89	0.316	0.850
reflectance continuum aband [1]	0.551 ± 0.301	14077133	0.537	0.607	1.194×10^{-2}	4.76	0.278	0.814

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.655 ± 0.362	13858330	0.570	0.850	0.0	1.000	0.380	0.950
cloud fraction [1]	0.611 ± 0.360	13858330	0.757	0.663	0.0	1.000	0.243	1.000
cloud top height [m]	$(0.367 \pm 0.268) \times 10^4$	13858330	3.519×10^3	2.821×10^3	0.0	2.000×10^4	1.617×10^3	5.135×10^3
cloud optical thickness [1]	18.4 ± 29.6	13858330	10.4	10.1	1.000	250	6.88	17.2
cloud fraction crb [1]	0.610 ± 0.360	13858330	0.759	0.661	0.0	1.000	0.241	1.000
cloud height crb [m]	$(0.290 \pm 0.242) \times 10^4$	13858330	3.146×10^3	2.139×10^3	0.0	2.000×10^4	1.038×10^3	4.184×10^3
cloud albedo crb [1]	0.568 ± 0.180	13858330	0.235	0.551	0.0	1.000	0.457	0.692
surface albedo fitted [1]	0.114 ± 0.220	13858330	3.486×10^{-2}	2.873×10^{-2}	0.0	1.000	1.684×10^{-2}	5.170×10^{-2}
surface albedo fitted crb [1]	0.109 ± 0.224	13858330	2.696×10^{-2}	2.166×10^{-2}	0.0	1.000	1.245×10^{-2}	3.941×10^{-2}
fitted root mean square [1]	$(7.434 \pm 10.243) \times 10^{-4}$	13858330	1.040×10^{-3}	3.350×10^{-4}	9.316×10^{-7}	0.115	9.650×10^{-5}	1.136×10^{-3}
fitted root mean square crb [1]	$(7.037 \pm 8.668) \times 10^{-4}$	13858330	1.021×10^{-3}	2.981×10^{-4}	8.726×10^{-7}	9.693×10^{-2}	7.948×10^{-5}	1.101×10^{-3}
wavelength shift [nm]	$(8.523 \pm 7.649) \times 10^{-3}$	13858330	1.124×10^{-2}	7.741×10^{-3}	-4.833×10^{-2}	7.303×10^{-2}	2.605×10^{-3}	1.384×10^{-2}
cloud fraction apriori [1]	0.610 ± 0.366	13858330	0.769	0.665	0.0	1.000	0.231	1.000
reflectance blue ocra [1]	0.525 ± 0.208	13858330	0.341	0.490	0.160	2.00	0.345	0.686
reflectance green ocra [1]	0.467 ± 0.236	13858330	0.412	0.431	8.650×10^{-2}	1.89	0.248	0.661
reflectance continuum aband [1]	0.402 ± 0.273	13858330	0.489	0.376	1.282×10^{-2}	4.76	0.142	0.631

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.243 ± 0.353	6563972	0.230	9.000×10^{-2}	0.0	1.000	0.0	0.230
cloud fraction [1]	0.534 ± 0.289	6563972	0.463	0.513	0.0	1.000	0.302	0.765
cloud top height [m]	$(0.491 \pm 0.268) \times 10^4$	6563972	3.173×10^3	4.668×10^3	0.0	2.000×10^4	3.075×10^3	6.248×10^3
cloud optical thickness [1]	16.0 ± 35.9	6563972	6.67	6.06	1.000	250	4.46	11.1
cloud fraction crb [1]	0.535 ± 0.289	6563972	0.465	0.515	0.0	1.000	0.303	0.767
cloud height crb [m]	$(0.326 \pm 0.214) \times 10^4$	6563972	2.435×10^3	3.022×10^3	0.0	2.000×10^4	1.767×10^3	4.202×10^3
cloud albedo crb [1]	0.740 ± 0.234	6563972	0.333	0.804	0.0	1.000	0.593	0.927
surface albedo fitted [1]	0.675 ± 0.326	6563972	0.657	0.865	0.0	1.000	0.301	0.959
surface albedo fitted crb [1]	0.642 ± 0.304	6563972	0.599	0.819	0.0	1.000	0.298	0.897
fitted root mean square [1]	$(1.029 \pm 0.959) \times 10^{-3}$	6563972	1.109×10^{-3}	7.635×10^{-4}	1.939×10^{-6}	0.395	3.664×10^{-4}	1.475×10^{-3}
fitted root mean square crb [1]	$(8.682 \pm 11.320) \times 10^{-4}$	6563972	1.052×10^{-3}	6.212×10^{-4}	1.718×10^{-6}	1.09	2.329×10^{-4}	1.285×10^{-3}
wavelength shift [nm]	$(1.139 \pm 0.669) \times 10^{-2}$	6563972	9.860×10^{-3}	1.173×10^{-2}	-5.538×10^{-2}	0.102	6.343×10^{-3}	1.620×10^{-2}
cloud fraction apriori [1]	0.551 ± 0.291	6563972	0.474	0.535	0.0	1.000	0.316	0.790
reflectance blue ocra [1]	0.741 ± 0.229	6563972	0.324	0.833	0.146	1.95	0.583	0.906
reflectance green ocra [1]	0.720 ± 0.257	6563972	0.369	0.829	8.360×10^{-2}	1.90	0.544	0.913
reflectance continuum aband [1]	0.708 ± 0.237	6563972	0.358	0.793	1.457×10^{-2}	4.11	0.529	0.887

OCRA cloud fraction

	Cloud albedo (CRB)	Cloud height (CRB)	Cloud fraction (CRB)	Cloud optical thickness	Cloud top height	Cloudy days (CRB)	Cloudy days (OCRA)	Cloudy days (OCRA)	Cloudy days (OCRA)	Cloudy days (OCRA)
Viewing zenith angle	1.000	-1.625×10^{-2}	2.421×10^{-2}	-4.543×10^{-2}	1.789×10^{-2}	-2.980×10^{-2}	-4.602×10^{-2}	9.086×10^{-2}	1.452×10^{-2}	-5.129×10^{-2}
Solar zenith angle	-1.625×10^{-2}	1.000	8.656×10^{-2}	8.756×10^{-2}	9.768×10^{-2}	0.168	8.891×10^{-2}	3.013×10^{-2}	0.271	0.103
Latitude	2.421×10^{-2}	8.656×10^{-2}	1.000	-0.117	6.892×10^{-2}	0.201	-0.121	0.236	-0.213	-0.133
Radiometric cloud fraction	-4.543×10^{-2}	8.756×10^{-2}	-0.117	1.000	-5.181×10^{-2}	0.288	1.000	-5.197×10^{-2}	0.307	0.981
Cloudy days (CRB)	1.789×10^{-2}	9.768×10^{-2}	6.892×10^{-2}	-5.181×10^{-2}	1.000	2.970×10^{-2}	-5.044×10^{-2}	0.914	7.822×10^{-2}	-5.646×10^{-2}
Cloudy days (OCRA)	-2.980×10^{-2}	0.168	0.201	0.288	2.970×10^{-2}	1.000	0.285	0.109	0.329	0.289
Cloudy days (OCRA)	-4.602×10^{-2}	8.891×10^{-2}	-0.121	1.000	-5.044×10^{-2}	0.285	1.000	-5.209×10^{-2}	0.308	0.981
Cloudy days (OCRA)	9.086×10^{-2}	3.013×10^{-2}	0.236	-5.197×10^{-2}	0.914	0.109	-5.209×10^{-2}	1.000	-6.584×10^{-2}	-6.237×10^{-2}
Cloudy days (OCRA)	1.452×10^{-2}	0.271	-0.213	0.307	7.822×10^{-2}	0.329	0.308	-6.584×10^{-2}	1.000	0.331
Cloudy days (OCRA)	-5.129×10^{-2}	0.103	-0.133	0.981	-5.646×10^{-2}	0.289	0.981	-6.237×10^{-2}	0.331	1.000

Table 7: Correlation matrix

OCRA cloud fraction

Viewing zenith angle									
Solar zenith angle									
Latitude									
Radiometric cloud fraction									
Cloud top height									
Cloud optical thickness									
Cloud fraction (CRB)									
Cloud height (CRB)									
Cloud albedo (CRB)									
OCRA cloud fraction									

Table 8: Covariance matrix




Figure 1: Map of correlation graph for 2023-12-10 to 2023-12-12.




Figure 2: Map of correlation matrix for 2023-12-10 to 2023-12-12.

3 Granule outlines




Figure 3: Outline of the granules.

4 Input data monitoring




Figure 4: Input data per granule

5 Warnings and errors




Figure 5: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 6: Map of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 7: Map of “Cloud top height” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 8: Map of “Cloud optical thickness” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 9: Map of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 10: Map of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 11: Map of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 12: Map of “Fitted surface albedo” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 13: Map of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 14: Map of “RMS” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 15: Map of “RMS (CRB)” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 16: Map of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12

2023-12-11






Figure 17: Map of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 18: Map of "OCRA "blue" reflectance" for 2023-12-10 to 2023-12-12

2023-12-11





Figure 19: Map of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 20: Map of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12

2023-12-11





Figure 21: Map of the number of observations for 2023-12-10 to 2023-12-12

7 Zonal average




Figure 22: Zonal average of “QA value” for 2023-12-10 to 2023-12-12.




Figure 23: Zonal average of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 24: Zonal average of “Cloud top height” for 2023-12-10 to 2023-12-12.




Figure 25: Zonal average of “Cloud optical thickness” for 2023-12-10 to 2023-12-12.




Figure 26: Zonal average of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 27: Zonal average of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 28: Zonal average of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 29: Zonal average of “Fitted surface albedo” for 2023-12-10 to 2023-12-12.




Figure 30: Zonal average of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 31: Zonal average of “RMS” for 2023-12-10 to 2023-12-12.




Figure 32: Zonal average of “RMS (CRB)” for 2023-12-10 to 2023-12-12.




Figure 33: Zonal average of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12.




Figure 34: Zonal average of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 35: Zonal average of “OCRA “blue” reflectance” for 2023-12-10 to 2023-12-12.




Figure 36: Zonal average of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12.




Figure 37: Zonal average of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 38: Histogram of “QA value” for 2023-12-10 to 2023-12-12




Figure 39: Histogram of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12




Figure 40: Histogram of “Cloud top height” for 2023-12-10 to 2023-12-12




Figure 41: Histogram of “Cloud optical thickness” for 2023-12-10 to 2023-12-12




Figure 42: Histogram of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12




Figure 43: Histogram of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12




Figure 44: Histogram of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12




Figure 45: Histogram of “Fitted surface albedo” for 2023-12-10 to 2023-12-12




Figure 46: Histogram of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12




Figure 47: Histogram of “RMS” for 2023-12-10 to 2023-12-12




Figure 48: Histogram of “RMS (CRB)” for 2023-12-10 to 2023-12-12




Figure 49: Histogram of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12




Figure 50: Histogram of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12




Figure 51: Histogram of “OCRA “blue” reflectance” for 2023-12-10 to 2023-12-12




Figure 52: Histogram of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12




Figure 53: Histogram of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 54: Along track statistics of “QA value” for 2023-12-10 to 2023-12-12




Figure 55: Along track statistics of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12




Figure 56: Along track statistics of “Cloud top height” for 2023-12-10 to 2023-12-12




Figure 57: Along track statistics of “Cloud optical thickness” for 2023-12-10 to 2023-12-12




Figure 58: Along track statistics of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12




Figure 59: Along track statistics of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12




Figure 60: Along track statistics of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12




Figure 61: Along track statistics of “Fitted surface albedo” for 2023-12-10 to 2023-12-12




Figure 62: Along track statistics of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12




Figure 63: Along track statistics of “RMS” for 2023-12-10 to 2023-12-12




Figure 64: Along track statistics of “RMS (CRB)” for 2023-12-10 to 2023-12-12




Figure 65: Along track statistics of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12




Figure 66: Along track statistics of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12




Figure 67: Along track statistics of “OCRA “blue” reflectance” for 2023-12-10 to 2023-12-12




Figure 68: Along track statistics of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12




Figure 69: Along track statistics of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.




Figure 70: Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 71: Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 72: Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 73: Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 74: Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 75: Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.




Figure 76: Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2023-12-10 to 2023-12-12.




Figure 77: Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 78: Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 79: Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 80: Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 81: Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 82: Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 83: Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 84: Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 85: Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 86: Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 87: Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 88: Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 89: Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 90: Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.




Figure 91: Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 92: Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 93: Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 94: Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 95: Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 96: Scatter density plot of “Latitude” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.




Figure 97: Scatter density plot of “Latitude” against “Cloud top height” for 2023-12-10 to 2023-12-12.




Figure 98: Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 99: Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 100: Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 101: Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 102: Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 103: Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.




Figure 104: Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2023-12-10 to 2023-12-12.




Figure 105: Scatter density plot of “Solar zenith angle” against “Latitude” for 2023-12-10 to 2023-12-12.




Figure 106: Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.




Figure 107: Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 108: Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.




Figure 109: Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.




Figure 110: Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.




Figure 111: Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.




Figure 112: Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2023-12-10 to 2023-12-12.




Figure 113: Scatter density plot of “Viewing zenith angle” against “Latitude” for 2023-12-10 to 2023-12-12.




Figure 114: Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2023-12-10 to 2023-12-12.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	12
4	Input data monitoring	13
5	Warnings and errors	14
6	World maps	15
7	Zonal average	31
8	Histograms	47
9	Along track statistics	63
10	Coincidence density	79
11	Copyright information of ‘PyCAMA’	124

List of Figures

1	Map of correlation graph for 2023-12-10 to 2023-12-12.	10
2	Map of correlation matrix for 2023-12-10 to 2023-12-12.	11
3	Outline of the granules.	12
4	Input data per granule	13
5	Fraction of pixels with specific warnings and errors during processing	14
6	Map of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12	15
7	Map of “Cloud top height” for 2023-12-10 to 2023-12-12	16
8	Map of “Cloud optical thickness” for 2023-12-10 to 2023-12-12	17
9	Map of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12	18
10	Map of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12	19
11	Map of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12	20
12	Map of “Fitted surface albedo” for 2023-12-10 to 2023-12-12	21
13	Map of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12	22
14	Map of “RMS” for 2023-12-10 to 2023-12-12	23
15	Map of “RMS (CRB)” for 2023-12-10 to 2023-12-12	24
16	Map of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12	25
17	Map of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12	26
18	Map of “OCRA [Please insert intopreamble]blue[Pleasinsert intopreamble] reflectance” for 2023-12-10 to 2023-12-12	27
19	Map of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12	28
20	Map of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12	29
21	Map of the number of observations for 2023-12-10 to 2023-12-12	30
22	Zonal average of “QA value” for 2023-12-10 to 2023-12-12.	31
23	Zonal average of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.	32
24	Zonal average of “Cloud top height” for 2023-12-10 to 2023-12-12.	33
25	Zonal average of “Cloud optical thickness” for 2023-12-10 to 2023-12-12.	34
26	Zonal average of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.	35
27	Zonal average of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	36
28	Zonal average of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	37
29	Zonal average of “Fitted surface albedo” for 2023-12-10 to 2023-12-12.	38
30	Zonal average of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12.	39
31	Zonal average of “RMS” for 2023-12-10 to 2023-12-12.	40
32	Zonal average of “RMS (CRB)” for 2023-12-10 to 2023-12-12.	41
33	Zonal average of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12.	42
34	Zonal average of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	43
35	Zonal average of “OCRA “blue” reflectance” for 2023-12-10 to 2023-12-12.	44

36	Zonal average of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12.	45
37	Zonal average of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12.	46
38	Histogram of “QA value” for 2023-12-10 to 2023-12-12	47
39	Histogram of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12	48
40	Histogram of “Cloud top height” for 2023-12-10 to 2023-12-12	49
41	Histogram of “Cloud optical thickness” for 2023-12-10 to 2023-12-12	50
42	Histogram of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12	51
43	Histogram of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12	52
44	Histogram of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12	53
45	Histogram of “Fitted surface albedo” for 2023-12-10 to 2023-12-12	54
46	Histogram of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12	55
47	Histogram of “RMS” for 2023-12-10 to 2023-12-12	56
48	Histogram of “RMS (CRB)” for 2023-12-10 to 2023-12-12	57
49	Histogram of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12	58
50	Histogram of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12	59
51	Histogram of “OCRA “blue” reflectance” for 2023-12-10 to 2023-12-12	60
52	Histogram of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12	61
53	Histogram of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12	62
54	Along track statistics of “QA value” for 2023-12-10 to 2023-12-12	63
55	Along track statistics of “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12	64
56	Along track statistics of “Cloud top height” for 2023-12-10 to 2023-12-12	65
57	Along track statistics of “Cloud optical thickness” for 2023-12-10 to 2023-12-12	66
58	Along track statistics of “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12	67
59	Along track statistics of “Cloud height (CRB)” for 2023-12-10 to 2023-12-12	68
60	Along track statistics of “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12	69
61	Along track statistics of “Fitted surface albedo” for 2023-12-10 to 2023-12-12	70
62	Along track statistics of “Fitted surface albedo (CRB)” for 2023-12-10 to 2023-12-12	71
63	Along track statistics of “RMS” for 2023-12-10 to 2023-12-12	72
64	Along track statistics of “RMS (CRB)” for 2023-12-10 to 2023-12-12	73
65	Along track statistics of “Fitting wavelength shift” for 2023-12-10 to 2023-12-12	74
66	Along track statistics of “OCRA cloud fraction” for 2023-12-10 to 2023-12-12	75
67	Along track statistics of “OCRA “blue” reflectance” for 2023-12-10 to 2023-12-12	76
68	Along track statistics of “OCRA “green” reflectance” for 2023-12-10 to 2023-12-12	77
69	Along track statistics of “ROCINN “red” reflectance” for 2023-12-10 to 2023-12-12	78
70	Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	79
71	Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	80
72	Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	81
73	Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.	82
74	Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	83
75	Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.	84
76	Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2023-12-10 to 2023-12-12.	85
77	Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	86
78	Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	87
79	Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	88
80	Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	89
81	Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	90
82	Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	91
83	Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	92
84	Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.	93
85	Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	94
86	Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	95
87	Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	96
88	Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.	97
89	Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	98
90	Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.	99
91	Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	100
92	Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.	101

93	Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	102
94	Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.	103
95	Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	104
96	Scatter density plot of “Latitude” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.	105
97	Scatter density plot of “Latitude” against “Cloud top height” for 2023-12-10 to 2023-12-12.	106
98	Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12. .	107
99	Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.	108
100	Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12. .	109
101	Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12. .	110
102	Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12. .	111
103	Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.	112
104	Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2023-12-10 to 2023-12-12. . .	113
105	Scatter density plot of “Solar zenith angle” against “Latitude” for 2023-12-10 to 2023-12-12.	114
106	Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2023-12-10 to 2023-12-12.	115
107	Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2023-12-10 to 2023-12-12.	116
108	Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2023-12-10 to 2023-12-12.	117
109	Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2023-12-10 to 2023-12-12.	118
110	Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2023-12-10 to 2023-12-12.	119
111	Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2023-12-10 to 2023-12-12.	120
112	Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2023-12-10 to 2023-12-12. .	121
113	Scatter density plot of “Viewing zenith angle” against “Latitude” for 2023-12-10 to 2023-12-12.	122
114	Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2023-12-10 to 2023-12-12. .	123

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7
7	Correlation matrix	8
8	Covariance matrix	9

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).