

PyCAMA report generated by tropl2-proc

tropl2-proc

2024-07-11 (04:15)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of 1/2 in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl} .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl} , a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.587 ± 0.387	20339635	0.995	0.760	0.770	0.0	1.000
cloud fraction [1]	0.583 ± 0.351	20339635	0.995	0.750	0.586	0.0	1.000
cloud top height [m]	$(0.380 \pm 0.262) \times 10^4$	20339635	1.725×10^3	3.516×10^3	3.255×10^3	0.0	2.000×10^4
cloud optical thickness [1]	20.8 ± 34.0	20339635	9.34	13.2	10.5	1.000	250
cloud fraction crb [1]	0.581 ± 0.351	20339635	0.995	0.751	0.583	0.0	1.000
cloud height crb [m]	$(0.297 \pm 0.228) \times 10^4$	20339635	75.0	3.117×10^3	2.484×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.561 ± 0.195	20339635	0.505	0.229	0.558	0.0	1.000
surface albedo fitted [1]	0.169 ± 0.214	20339635	1.500×10^{-2}	0.230	5.151×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.167 ± 0.224	20339635	1.500×10^{-2}	0.238	3.316×10^{-2}	0.0	1.000
fitted root mean square [1]	$(7.920 \pm 13.943) \times 10^{-4}$	20339635	5.000×10^{-5}	9.258×10^{-4}	3.795×10^{-4}	8.300×10^{-7}	0.855
fitted root mean square crb [1]	$(6.889 \pm 10.472) \times 10^{-4}$	20339635	5.000×10^{-5}	8.806×10^{-4}	3.242×10^{-4}	7.026×10^{-7}	0.625
wavelength shift [nm]	$(7.024 \pm 6.771) \times 10^{-3}$	20339635	3.000×10^{-4}	9.643×10^{-3}	6.453×10^{-3}	-5.380×10^{-2}	0.403
cloud fraction apriori [1]	0.585 ± 0.355	20339635	0.995	0.762	0.589	0.0	1.000
reflectance blue ocra [1]	0.514 ± 0.192	20339635	0.265	0.308	0.492	0.135	1.92
reflectance green ocra [1]	0.460 ± 0.219	20339635	0.185	0.370	0.436	7.692×10^{-2}	2.29
reflectance continuum aband [1]	0.415 ± 0.248	20339635	4.500×10^{-2}	0.385	0.396	1.110×10^{-2}	6.03

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	4.000×10^{-2}	0.190	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	1.852×10^{-2}	6.488×10^{-2}	0.100	0.149	0.244	0.994	1.000	1.000	1.000	1.000
cloud top height [m]	175	641	1.000×10^3	1.323×10^3	1.752×10^3	5.268×10^3	6.460×10^3	7.528×10^3	8.944×10^3	1.140×10^4
cloud optical thickness [1]	1.000	2.52	3.85	4.94	6.41	19.6	29.6	42.7	71.7	227
cloud fraction crb [1]	1.817×10^{-2}	6.389×10^{-2}	9.951×10^{-2}	0.148	0.243	0.994	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	173	501	783	1.159×10^3	4.276×10^3	5.301×10^3	6.242×10^3	7.459×10^3	9.578×10^3
cloud albedo crb [1]	0.0	0.208	0.326	0.400	0.455	0.684	0.750	0.808	0.886	1.000
surface albedo fitted [1]	0.0	6.483×10^{-3}	1.124×10^{-2}	1.559×10^{-2}	2.207×10^{-2}	0.252	0.359	0.499	0.652	0.909
surface albedo fitted crb [1]	0.0	4.588×10^{-3}	7.477×10^{-3}	1.037×10^{-2}	1.466×10^{-2}	0.253	0.387	0.521	0.678	0.903
fitted root mean square [1]	1.034×10^{-5}	2.376×10^{-5}	3.974×10^{-5}	6.326×10^{-5}	1.106×10^{-4}	1.036×10^{-3}	1.526×10^{-3}	2.064×10^{-3}	2.801×10^{-3}	4.578×10^{-3}
fitted root mean square crb [1]	5.407×10^{-6}	1.373×10^{-5}	2.502×10^{-5}	3.990×10^{-5}	7.304×10^{-5}	9.537×10^{-4}	1.407×10^{-3}	1.909×10^{-3}	2.601×10^{-3}	3.946×10^{-3}
wavelength shift [nm]	-8.205×10^{-3}	-1.541×10^{-3}	-1.865×10^{-4}	3.866×10^{-4}	1.806×10^{-3}	1.145×10^{-2}	1.381×10^{-2}	1.587×10^{-2}	1.860×10^{-2}	2.458×10^{-2}
cloud fraction apriori [1]	2.698×10^{-2}	6.300×10^{-2}	9.540×10^{-2}	0.142	0.238	1.000	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.231	0.258	0.280	0.307	0.349	0.657	0.727	0.781	0.843	0.966
reflectance green ocra [1]	0.149	0.172	0.192	0.217	0.261	0.630	0.707	0.764	0.831	0.961
reflectance continuum aband [1]	2.939×10^{-2}	5.413×10^{-2}	8.873×10^{-2}	0.133	0.214	0.599	0.683	0.749	0.834	0.969

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.572 ± 0.385	13437471	0.760	0.740	0.0	1.000	0.150	0.910
cloud fraction [1]	0.628 ± 0.353	13437471	0.716	0.689	0.0	1.000	0.284	1.000
cloud top height [m]	$(0.386 \pm 0.274) \times 10^4$	13437471	3.777×10^3	3.336×10^3	0.0	2.000×10^4	1.685×10^3	5.463×10^3
cloud optical thickness [1]	18.4 ± 30.3	13437471	11.9	9.81	1.000	250	5.86	17.8
cloud fraction crb [1]	0.627 ± 0.354	13437471	0.717	0.688	0.0	1.000	0.283	1.000
cloud height crb [m]	$(0.296 \pm 0.235) \times 10^4$	13437471	3.371×10^3	2.499×10^3	0.0	2.000×10^4	1.033×10^3	4.404×10^3
cloud albedo crb [1]	0.549 ± 0.209	13437471	0.251	0.550	0.0	1.000	0.436	0.688
surface albedo fitted [1]	0.226 ± 0.238	13437471	0.318	0.175	0.0	1.000	2.404×10^{-2}	0.342
surface albedo fitted crb [1]	0.230 ± 0.247	13437471	0.347	0.175	0.0	1.000	1.769×10^{-2}	0.365
fitted root mean square [1]	$(1.037 \pm 1.629) \times 10^{-3}$	13437471	1.216×10^{-3}	6.517×10^{-4}	9.767×10^{-7}	0.855	1.856×10^{-4}	1.402×10^{-3}
fitted root mean square crb [1]	$(9.032 \pm 11.973) \times 10^{-4}$	13437471	1.133×10^{-3}	5.744×10^{-4}	7.026×10^{-7}	0.625	1.503×10^{-4}	1.283×10^{-3}
wavelength shift [nm]	$(8.133 \pm 6.737) \times 10^{-3}$	13437471	9.207×10^{-3}	7.975×10^{-3}	-5.380×10^{-2}	0.403	3.330×10^{-3}	1.254×10^{-2}
cloud fraction apriori [1]	0.633 ± 0.356	13437471	0.716	0.700	0.0	1.000	0.284	1.000
reflectance blue oca [1]	0.529 ± 0.199	13437471	0.338	0.522	0.135	1.92	0.348	0.685
reflectance green oca [1]	0.483 ± 0.226	13437471	0.399	0.480	7.692×10^{-2}	2.29	0.267	0.667
reflectance continuum aband [1]	0.455 ± 0.246	13437471	0.377	0.451	1.110×10^{-2}	6.03	0.264	0.641

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.617 ± 0.390	6902164	0.710	0.850	0.0	1.000	0.290	1.000
cloud fraction [1]	0.494 ± 0.328	6902164	0.599	0.450	0.0	1.000	0.192	0.791
cloud top height [m]	$(0.370 \pm 0.237) \times 10^4$	6902164	2.995×10^3	3.124×10^3	0.0	1.930×10^4	1.840×10^3	4.834×10^3
cloud optical thickness [1]	25.5 ± 39.7	6902164	16.3	12.0	1.000	250	7.35	23.6
cloud fraction crb [1]	0.492 ± 0.328	6902164	0.597	0.445	0.0	1.000	0.190	0.787
cloud height crb [m]	$(0.299 \pm 0.214) \times 10^4$	6902164	2.669×10^3	2.458×10^3	0.0	2.000×10^4	1.313×10^3	3.982×10^3
cloud albedo crb [1]	0.583 ± 0.159	6902164	0.192	0.569	0.0	1.000	0.485	0.677
surface albedo fitted [1]	$(5.869 \pm 7.941) \times 10^{-2}$	6902164	3.575×10^{-2}	3.360×10^{-2}	0.0	1.000	2.025×10^{-2}	5.599×10^{-2}
surface albedo fitted crb [1]	$(4.591 \pm 8.014) \times 10^{-2}$	6902164	1.976×10^{-2}	1.986×10^{-2}	0.0	1.000	1.254×10^{-2}	3.230×10^{-2}
fitted root mean square [1]	$(3.142 \pm 4.679) \times 10^{-4}$	6902164	3.112×10^{-4}	1.583×10^{-4}	8.300×10^{-7}	0.172	6.219×10^{-5}	3.734×10^{-4}
fitted root mean square crb [1]	$(2.717 \pm 4.207) \times 10^{-4}$	6902164	2.896×10^{-4}	9.583×10^{-5}	9.437×10^{-7}	2.409×10^{-2}	3.545×10^{-5}	3.250×10^{-4}
wavelength shift [nm]	$(4.863 \pm 6.298) \times 10^{-3}$	6902164	7.762×10^{-3}	3.429×10^{-3}	-4.372×10^{-2}	5.817×10^{-2}	5.182×10^{-4}	8.281×10^{-3}
cloud fraction apriori [1]	0.490 ± 0.334	6902164	0.615	0.439	0.0	1.000	0.180	0.795
reflectance blue ocr [1]	0.485 ± 0.172	6902164	0.239	0.452	0.143	1.88	0.350	0.589
reflectance green ocr [1]	0.414 ± 0.196	6902164	0.289	0.377	9.111×10^{-2}	1.98	0.252	0.541
reflectance continuum aband [1]	0.337 ± 0.234	6902164	0.345	0.301	1.331×10^{-2}	4.94	0.141	0.486

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.577 ± 0.383	14321881	0.740	0.730	0.0	1.000	0.210	0.950
cloud fraction [1]	0.563 ± 0.349	14321881	0.745	0.550	0.0	1.000	0.227	0.972
cloud top height [m]	$(0.367 \pm 0.265) \times 10^4$	14321881	3.382×10^3	3.028×10^3	0.0	2.000×10^4	1.635×10^3	5.017×10^3
cloud optical thickness [1]	22.5 ± 35.8	14321881	14.1	11.2	1.000	250	7.17	21.2
cloud fraction crb [1]	0.561 ± 0.349	14321881	0.745	0.546	0.0	1.000	0.225	0.970
cloud height crb [m]	$(0.286 \pm 0.232) \times 10^4$	14321881	3.014×10^3	2.301×10^3	0.0	2.000×10^4	1.051×10^3	4.065×10^3
cloud albedo crb [1]	0.566 ± 0.179	14321881	0.216	0.556	0.0	1.000	0.461	0.677
surface albedo fitted [1]	0.113 ± 0.196	14321881	4.355×10^{-2}	3.096×10^{-2}	0.0	1.000	1.691×10^{-2}	6.046×10^{-2}
surface albedo fitted crb [1]	0.107 ± 0.201	14321881	2.834×10^{-2}	2.010×10^{-2}	0.0	1.000	1.125×10^{-2}	3.959×10^{-2}
fitted root mean square [1]	$(6.381 \pm 12.998) \times 10^{-4}$	14321881	7.095×10^{-4}	2.546×10^{-4}	8.300×10^{-7}	0.855	8.740×10^{-5}	7.969×10^{-4}
fitted root mean square crb [1]	$(5.570 \pm 9.858) \times 10^{-4}$	14321881	6.703×10^{-4}	2.058×10^{-4}	7.891×10^{-7}	0.625	5.812×10^{-5}	7.284×10^{-4}
wavelength shift [nm]	$(6.681 \pm 6.819) \times 10^{-3}$	14321881	9.550×10^{-3}	5.907×10^{-3}	-5.029×10^{-2}	0.403	1.528×10^{-3}	1.108×10^{-2}
cloud fraction apriori [1]	0.563 ± 0.353	14321881	0.781	0.550	0.0	1.000	0.219	1.000
reflectance blue oca [1]	0.516 ± 0.184	14321881	0.298	0.500	0.152	1.89	0.356	0.654
reflectance green oca [1]	0.458 ± 0.212	14321881	0.364	0.444	9.587×10^{-2}	2.02	0.262	0.626
reflectance continuum aband [1]	0.385 ± 0.250	14321881	0.427	0.373	1.198×10^{-2}	4.94	0.153	0.581

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.632 ± 0.391	3646820	0.770	0.850	0.0	1.000	0.180	0.950
cloud fraction [1]	0.605 ± 0.357	3646820	0.741	0.638	0.0	1.000	0.258	0.999
cloud top height [m]	$(0.433 \pm 0.254) \times 10^4$	3646820	3.508×10^3	3.936×10^3	0.0	2.000×10^4	2.373×10^3	5.882×10^3
cloud optical thickness [1]	16.2 ± 26.5	3646820	10.00	8.72	1.000	250	5.42	15.4
cloud fraction crb [1]	0.605 ± 0.357	3646820	0.741	0.637	0.0	1.000	0.258	0.999
cloud height crb [m]	$(0.338 \pm 0.218) \times 10^4$	3646820	3.101×10^3	2.919×10^3	0.0	2.000×10^4	1.680×10^3	4.781×10^3
cloud albedo crb [1]	0.579 ± 0.217	3646820	0.270	0.582	0.0	1.000	0.460	0.729
surface albedo fitted [1]	0.334 ± 0.213	3646820	0.124	0.261	0.0	1.000	0.212	0.336
surface albedo fitted crb [1]	0.336 ± 0.217	3646820	0.131	0.258	2.560×10^{-3}	1.000	0.208	0.339
fitted root mean square [1]	$(1.200 \pm 1.317) \times 10^{-3}$	3646820	1.253×10^{-3}	8.597×10^{-4}	2.269×10^{-6}	0.215	4.144×10^{-4}	1.668×10^{-3}
fitted root mean square crb [1]	$(1.121 \pm 1.105) \times 10^{-3}$	3646820	1.226×10^{-3}	8.336×10^{-4}	7.570×10^{-7}	0.516	3.758×10^{-4}	1.602×10^{-3}
wavelength shift [nm]	$(7.986 \pm 6.385) \times 10^{-3}$	3646820	8.758×10^{-3}	7.857×10^{-3}	-3.476×10^{-2}	5.831×10^{-2}	3.412×10^{-3}	1.217×10^{-2}
cloud fraction apriori [1]	0.612 ± 0.362	3646820	0.745	0.653	0.0	1.000	0.255	1.000
reflectance blue ocr [1]	0.513 ± 0.225	3646820	0.372	0.457	0.135	1.92	0.320	0.692
reflectance green ocr [1]	0.468 ± 0.251	3646820	0.427	0.402	7.692×10^{-2}	2.29	0.247	0.675
reflectance continuum aband [1]	0.505 ± 0.229	3646820	0.365	0.445	1.110×10^{-2}	6.03	0.317	0.683

Table 7: Correlation matrix

Viewing zenith angle	Solar zenith angle	Latitude	Radiometric cloud fraction	Cloud top height	Cloud optical thickness	Cloud fraction (CRB)	Cloud height (CRB)	Cloud albedo (CRB)	OCRA cloud fraction
1.000	-1.022×10^{-4}	-2.304×10^{-2}	-7.650×10^{-2}	7.155×10^{-2}	1.782×10^{-2}	-7.713×10^{-2}	0.116	2.635×10^{-2}	-8.030×10^{-2}
-1.022×10^{-4}	1.000	-0.148	0.128	-1.711×10^{-2}	0.218	0.127	7.192×10^{-3}	2.217×10^{-2}	0.130
-2.304×10^{-2}	-0.148	1.000	0.213	-5.351×10^{-2}	-8.838×10^{-2}	0.217	-9.988×10^{-2}	-9.158×10^{-2}	0.228
-7.650×10^{-2}	0.128	0.213	1.000	-1.215×10^{-2}	0.312	1.000	1.216×10^{-2}	0.312	0.986
7.155×10^{-2}	-1.711×10^{-2}	-5.351×10^{-2}	-1.215×10^{-2}	1.000	0.101	-1.231×10^{-2}	0.945	2.063×10^{-2}	-2.216×10^{-2}
1.782×10^{-2}	0.218	-8.838×10^{-2}	0.312	0.101	1.000	0.308	0.162	0.522	0.309
-7.713×10^{-2}	0.127	0.217	1.000	-1.231×10^{-2}	0.308	1.000	1.188×10^{-2}	0.307	0.986
0.116	7.192×10^{-3}	-9.988×10^{-2}	1.216×10^{-2}	0.945	0.162	1.188×10^{-2}	1.000	7.848×10^{-3}	2.311×10^{-3}
2.635×10^{-2}	2.217×10^{-2}	-9.158×10^{-2}	0.312	2.063×10^{-2}	0.522	0.307	7.848×10^{-3}	1.000	0.317
-8.030×10^{-2}	0.130	0.228	0.986	-2.216×10^{-2}	0.309	0.986	2.311×10^{-3}	0.317	1.000

Table 8: Covariance matrix

Viewing zenith angle	Solar zenith angle	Latitude	Radiometric cloud fraction	Cloud top height	Cloud optical thickness	Cloud fraction (CRB)	Cloud height (CRB)	Cloud albedo (CRB)	OCRA cloud fraction
390	-4.607×10^{-2}	-21.0	-0.530	3.705×10^3	12.0	-0.535	5.238×10^3	0.101	-0.563
-4.607×10^{-2}	521	-156	1.02	-1.024×10^3	169	1.01	374	9.851×10^{-2}	1.05
-21.0	-156	2.125×10^3	3.45	-6.468×10^3	-138	3.51	-1.050×10^4	-0.822	3.73
-0.530	1.02	3.45	0.123	-11.2	3.71	0.123	9.72	2.128×10^{-2}	0.123
3.705×10^3	-1.024×10^3	-6.468×10^3	-11.2	6.873×10^6	8.988×10^3	-11.3	5.651×10^6	10.5	-20.6
12.0	169	-138	3.71	8.988×10^3	1.154×10^3	3.67	1.254×10^4	3.45	3.72
-0.535	1.01	3.51	0.123	-11.3	3.67	0.123	9.50	2.098×10^{-2}	0.123
5.238×10^3	374	-1.050×10^4	9.72	5.651×10^6	1.254×10^4	9.50	5.199×10^6	3.48	1.87
0.101	9.851×10^{-2}	-0.822	2.128×10^{-2}	10.5	3.45	2.098×10^{-2}	3.48	3.788×10^{-2}	2.195×10^{-2}
-0.563	1.05	3.73	0.123	-20.6	3.72	0.123	1.87	2.195×10^{-2}	0.126




Figure 1: Map of correlation graph for 2024-06-25 to 2024-06-27.




Figure 2: Map of correlation matrix for 2024-06-25 to 2024-06-27.

3 Granule outlines




Figure 3: Outline of the granules.

4 Input data monitoring




Figure 4: Input data per granule

5 Warnings and errors




Figure 5: Fraction of pixels with specific warnings and errors during processing

6 World maps




Figure 6: Map of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27




Figure 7: Map of “Cloud top height” for 2024-06-25 to 2024-06-27




Figure 8: Map of “Cloud optical thickness” for 2024-06-25 to 2024-06-27




Figure 9: Map of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27




Figure 10: Map of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27




Figure 11: Map of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27




Figure 12: Map of “Fitted surface albedo” for 2024-06-25 to 2024-06-27




Figure 13: Map of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27




Figure 14: Map of “RMS” for 2024-06-25 to 2024-06-27




Figure 15: Map of “RMS (CRB)” for 2024-06-25 to 2024-06-27




Figure 16: Map of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27




Figure 17: Map of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27




Figure 18: Map of "OCRA "blue" reflectance" for 2024-06-25 to 2024-06-27




Figure 19: Map of "OCRA "green" reflectance" for 2024-06-25 to 2024-06-27




Figure 20: Map of "ROCINN "red" reflectance" for 2024-06-25 to 2024-06-27




Figure 21: Map of the number of observations for 2024-06-25 to 2024-06-27

7 Zonal average




Figure 22: Zonal average of “QA value” for 2024-06-25 to 2024-06-27.




Figure 23: Zonal average of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 24: Zonal average of “Cloud top height” for 2024-06-25 to 2024-06-27.




Figure 25: Zonal average of “Cloud optical thickness” for 2024-06-25 to 2024-06-27.




Figure 26: Zonal average of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 27: Zonal average of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 28: Zonal average of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 29: Zonal average of “Fitted surface albedo” for 2024-06-25 to 2024-06-27.




Figure 30: Zonal average of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 31: Zonal average of “RMS” for 2024-06-25 to 2024-06-27.




Figure 32: Zonal average of “RMS (CRB)” for 2024-06-25 to 2024-06-27.




Figure 33: Zonal average of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27.




Figure 34: Zonal average of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 35: Zonal average of “OCRA “blue” reflectance” for 2024-06-25 to 2024-06-27.




Figure 36: Zonal average of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27.




Figure 37: Zonal average of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 38: Histogram of “QA value” for 2024-06-25 to 2024-06-27




Figure 39: Histogram of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27




Figure 40: Histogram of “Cloud top height” for 2024-06-25 to 2024-06-27




Figure 41: Histogram of “Cloud optical thickness” for 2024-06-25 to 2024-06-27




Figure 42: Histogram of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27




Figure 43: Histogram of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27




Figure 44: Histogram of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27




Figure 45: Histogram of “Fitted surface albedo” for 2024-06-25 to 2024-06-27




Figure 46: Histogram of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27




Figure 47: Histogram of “RMS” for 2024-06-25 to 2024-06-27




Figure 48: Histogram of “RMS (CRB)” for 2024-06-25 to 2024-06-27




Figure 49: Histogram of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27




Figure 50: Histogram of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27




Figure 51: Histogram of “OCRA “blue” reflectance” for 2024-06-25 to 2024-06-27




Figure 52: Histogram of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27




Figure 53: Histogram of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 54: Along track statistics of “QA value” for 2024-06-25 to 2024-06-27




Figure 55: Along track statistics of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27




Figure 56: Along track statistics of “Cloud top height” for 2024-06-25 to 2024-06-27




Figure 57: Along track statistics of “Cloud optical thickness” for 2024-06-25 to 2024-06-27




Figure 58: Along track statistics of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27




Figure 59: Along track statistics of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27




Figure 60: Along track statistics of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27




Figure 61: Along track statistics of “Fitted surface albedo” for 2024-06-25 to 2024-06-27




Figure 62: Along track statistics of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27




Figure 63: Along track statistics of “RMS” for 2024-06-25 to 2024-06-27




Figure 64: Along track statistics of “RMS (CRB)” for 2024-06-25 to 2024-06-27




Figure 65: Along track statistics of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27




Figure 66: Along track statistics of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27




Figure 67: Along track statistics of “OCRA “blue” reflectance” for 2024-06-25 to 2024-06-27




Figure 68: Along track statistics of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27




Figure 69: Along track statistics of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.




Figure 70: Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 71: Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 72: Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 73: Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 74: Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 75: Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.




Figure 76: Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2024-06-25 to 2024-06-27.




Figure 77: Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 78: Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 79: Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 80: Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 81: Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 82: Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 83: Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 84: Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 85: Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 86: Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 87: Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 88: Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 89: Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 90: Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.




Figure 91: Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 92: Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 93: Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 94: Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 95: Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 96: Scatter density plot of “Latitude” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.




Figure 97: Scatter density plot of “Latitude” against “Cloud top height” for 2024-06-25 to 2024-06-27.




Figure 98: Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 99: Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 100: Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 101: Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 102: Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 103: Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.




Figure 104: Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2024-06-25 to 2024-06-27.




Figure 105: Scatter density plot of “Solar zenith angle” against “Latitude” for 2024-06-25 to 2024-06-27.




Figure 106: Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.




Figure 107: Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 108: Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.




Figure 109: Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.




Figure 110: Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.




Figure 111: Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.




Figure 112: Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2024-06-25 to 2024-06-27.




Figure 113: Scatter density plot of “Viewing zenith angle” against “Latitude” for 2024-06-25 to 2024-06-27.




Figure 114: Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2024-06-25 to 2024-06-27.

Contents

1	Short Introduction	1
1.1	The list of parameters	1
2	Definitions	1
3	Granule outlines	12
4	Input data monitoring	13
5	Warnings and errors	14
6	World maps	15
7	Zonal average	31
8	Histograms	47
9	Along track statistics	63
10	Coincidence density	79
11	Copyright information of ‘PyCAMA’	124

List of Figures

1	Map of correlation graph for 2024-06-25 to 2024-06-27.	10
2	Map of correlation matrix for 2024-06-25 to 2024-06-27.	11
3	Outline of the granules.	12
4	Input data per granule	13
5	Fraction of pixels with specific warnings and errors during processing	14
6	Map of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27	15
7	Map of “Cloud top height” for 2024-06-25 to 2024-06-27	16
8	Map of “Cloud optical thickness” for 2024-06-25 to 2024-06-27	17
9	Map of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27	18
10	Map of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27	19
11	Map of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27	20
12	Map of “Fitted surface albedo” for 2024-06-25 to 2024-06-27	21
13	Map of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27	22
14	Map of “RMS” for 2024-06-25 to 2024-06-27	23
15	Map of “RMS (CRB)” for 2024-06-25 to 2024-06-27	24
16	Map of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27	25
17	Map of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27	26
18	Map of “OCRA [Pleaseinsertintopreamble]blue[Pleaseinsertintopreamble] reflectance” for 2024-06-25 to 2024-06-27	27
19	Map of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27	28
20	Map of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27	29
21	Map of the number of observations for 2024-06-25 to 2024-06-27	30
22	Zonal average of “QA value” for 2024-06-25 to 2024-06-27.	31
23	Zonal average of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.	32
24	Zonal average of “Cloud top height” for 2024-06-25 to 2024-06-27.	33
25	Zonal average of “Cloud optical thickness” for 2024-06-25 to 2024-06-27.	34
26	Zonal average of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	35
27	Zonal average of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	36
28	Zonal average of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	37
29	Zonal average of “Fitted surface albedo” for 2024-06-25 to 2024-06-27.	38
30	Zonal average of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27.	39
31	Zonal average of “RMS” for 2024-06-25 to 2024-06-27.	40
32	Zonal average of “RMS (CRB)” for 2024-06-25 to 2024-06-27.	41
33	Zonal average of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27.	42
34	Zonal average of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	43
35	Zonal average of “OCRA “blue” reflectance” for 2024-06-25 to 2024-06-27.	44

36	Zonal average of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27.	45
37	Zonal average of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27.	46
38	Histogram of “QA value” for 2024-06-25 to 2024-06-27	47
39	Histogram of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27	48
40	Histogram of “Cloud top height” for 2024-06-25 to 2024-06-27	49
41	Histogram of “Cloud optical thickness” for 2024-06-25 to 2024-06-27	50
42	Histogram of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27	51
43	Histogram of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27	52
44	Histogram of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27	53
45	Histogram of “Fitted surface albedo” for 2024-06-25 to 2024-06-27	54
46	Histogram of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27	55
47	Histogram of “RMS” for 2024-06-25 to 2024-06-27	56
48	Histogram of “RMS (CRB)” for 2024-06-25 to 2024-06-27	57
49	Histogram of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27	58
50	Histogram of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27	59
51	Histogram of “OCRA “blue” reflectance” for 2024-06-25 to 2024-06-27	60
52	Histogram of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27	61
53	Histogram of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27	62
54	Along track statistics of “QA value” for 2024-06-25 to 2024-06-27	63
55	Along track statistics of “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27	64
56	Along track statistics of “Cloud top height” for 2024-06-25 to 2024-06-27	65
57	Along track statistics of “Cloud optical thickness” for 2024-06-25 to 2024-06-27	66
58	Along track statistics of “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27	67
59	Along track statistics of “Cloud height (CRB)” for 2024-06-25 to 2024-06-27	68
60	Along track statistics of “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27	69
61	Along track statistics of “Fitted surface albedo” for 2024-06-25 to 2024-06-27	70
62	Along track statistics of “Fitted surface albedo (CRB)” for 2024-06-25 to 2024-06-27	71
63	Along track statistics of “RMS” for 2024-06-25 to 2024-06-27	72
64	Along track statistics of “RMS (CRB)” for 2024-06-25 to 2024-06-27	73
65	Along track statistics of “Fitting wavelength shift” for 2024-06-25 to 2024-06-27	74
66	Along track statistics of “OCRA cloud fraction” for 2024-06-25 to 2024-06-27	75
67	Along track statistics of “OCRA “blue” reflectance” for 2024-06-25 to 2024-06-27	76
68	Along track statistics of “OCRA “green” reflectance” for 2024-06-25 to 2024-06-27	77
69	Along track statistics of “ROCINN “red” reflectance” for 2024-06-25 to 2024-06-27	78
70	Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	79
71	Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	80
72	Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	81
73	Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	82
74	Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	83
75	Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.	84
76	Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2024-06-25 to 2024-06-27.	85
77	Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	86
78	Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	87
79	Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	88
80	Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	89
81	Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	90
82	Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	91
83	Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	92
84	Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	93
85	Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	94
86	Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	95
87	Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	96
88	Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	97
89	Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	98
90	Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.	99
91	Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	100
92	Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.	101

93	Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	102
94	Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	103
95	Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	104
96	Scatter density plot of “Latitude” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.	105
97	Scatter density plot of “Latitude” against “Cloud top height” for 2024-06-25 to 2024-06-27.	106
98	Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	107
99	Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.	108
100	Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	109
101	Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	110
102	Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	111
103	Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.	112
104	Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2024-06-25 to 2024-06-27.	113
105	Scatter density plot of “Solar zenith angle” against “Latitude” for 2024-06-25 to 2024-06-27.	114
106	Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2024-06-25 to 2024-06-27.	115
107	Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2024-06-25 to 2024-06-27.	116
108	Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2024-06-25 to 2024-06-27.	117
109	Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2024-06-25 to 2024-06-27.	118
110	Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2024-06-25 to 2024-06-27.	119
111	Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2024-06-25 to 2024-06-27.	120
112	Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2024-06-25 to 2024-06-27.	121
113	Scatter density plot of “Viewing zenith angle” against “Latitude” for 2024-06-25 to 2024-06-27.	122
114	Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2024-06-25 to 2024-06-27.	123

List of Tables

1	Parameterlist and basic statistics for the analysis	2
2	Percentile ranges	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere	5
5	Parameterlist and basic statistics for the analysis for observations over water	6
6	Parameterlist and basic statistics for the analysis for observations over land	7
7	Correlation matrix	8
8	Covariance matrix	9

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).