PyCAMA report generated by tropl2-proc

tropl2-proc

2025-05-02 (02:35)

1 Short Introduction

1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

2 Definitions

The averages shown here are *unweighed* averages:

$$\overline{x} = \frac{1}{N}\sum_{i=1}^{N} x_i \tag{1}$$

with N the number of observations in the dataset.

The spread of the measurements is indicated with the variance $V(x)$, or rather the standard deviation $\sigma(x) = \sqrt{V(x)}$.

$$V(x) = \frac{1}{N-1}\sum_{i=1}^{N}(x_i - \overline{x})^2 \tag{2}$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median m is the value of parameter x for which half of the observations of x is smaller than m:

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^{m} f(x)\,\mathrm{d}x = \frac{1}{2} \tag{3}$$

with $f(x)$ the probability density function.

The median is a special case of a percentile. Instead of ½ in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the $\mu \pm \sigma$ values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable $x_{(k)}$ with another $x_{(l)}$, we calculate the covariance matrix C_{kl}.

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1}\sum_{i=1}^{N}(x_{(k),i} - \overline{x_{(k)}})(x_{(l),i} - \overline{x_{(l)}}) \tag{4}$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix R_{kl}, a matrix of Pearson's r coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \tag{5}$$

The diagonal elements of the covariance matrix are the variances of the elements, $V(x_{(k)}) = C_{kk}$ and obviously $R_{kk} = 1$.

Table 1: Parameterlist and basic statistics for the analysis

Variable	mean $\pm\sigma$	Count	Mode	IQR	Median	Minimum	Maximum
qa value [1]	0.627 ± 0.376	21094478	0.995	0.650	0.800	0.0	1.000
cloud fraction [1]	0.554 ± 0.342	21094478	0.995	0.706	0.534	0.0	1.000
cloud top height [m]	$(0.378 \pm 0.270) \times 10^4$	21094478	1.575×10^3	3.574×10^3	3.108×10^3	0.0	2.000×10^4
cloud optical thickness [1]	18.3 ± 30.9	21094478	8.91	10.7	9.47	1.000	250
cloud fraction crb [1]	0.553 ± 0.342	21094478	0.995	0.705	0.533	0.0	1.000
cloud height crb [m]	$(0.291 \pm 0.235) \times 10^4$	21094478	75.0	3.152×10^3	2.332×10^3	0.0	2.000×10^4
cloud albedo crb [1]	0.592 ± 0.203	21094478	0.995	0.264	0.569	0.0	1.000
surface albedo fitted [1]	0.229 ± 0.317	21094478	1.500×10^{-2}	0.295	3.971×10^{-2}	0.0	1.000
surface albedo fitted crb [1]	0.216 ± 0.304	21094478	1.500×10^{-2}	0.307	2.870×10^{-2}	0.0	1.000
fitted root mean square [1]	$(6.750 \pm 9.986) \times 10^{-4}$	21094478	5.000×10^{-5}	8.285×10^{-4}	3.551×10^{-4}	1.079×10^{-6}	0.749
fitted root mean square crb [1]	$(6.138 \pm 7.740) \times 10^{-4}$	21094478	5.000×10^{-5}	7.884×10^{-4}	2.907×10^{-4}	1.156×10^{-6}	0.277
wavelength shift [nm]	$(7.335 \pm 6.864) \times 10^{-3}$	21094478	3.000×10^{-4}	9.554×10^{-3}	6.723×10^{-3}	-5.546×10^{-2}	0.254
cloud fraction apriori [1]	0.561 ± 0.346	21094478	0.995	0.741	0.547	0.0	1.000
reflectance blue ocra [1]	0.552 ± 0.223	21094478	0.265	0.381	0.525	0.125	1.94
reflectance green ocra [1]	0.500 ± 0.252	21094478	0.185	0.452	0.476	7.447×10^{-2}	2.03
reflectance continuum aband [1]	0.453 ± 0.280	21094478	4.500×10^{-2}	0.477	0.439	1.248×10^{-2}	5.25

Table 2: Percentile ranges

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	0.0	0.0	0.300	0.950	1.000	1.000	1.000	1.000
cloud fraction [1]	1.886×10^{-2}	6.519×10^{-2}	9.927×10^{-2}	0.145	0.232	0.937	1.000	1.000	1.000	1.000
cloud top height [m]	155	595	994	1.312×10^{3}	1.694×10^{3}	5.268×10^{3}	6.611×10^{3}	7.762×10^{3}	9.162×10^{3}	1.156×10^{4}
cloud optical thickness [1]	1.24	3.10	4.15	4.93	5.96	16.7	25.0	36.3	60.5	202
cloud fraction crb [1]	1.852×10^{-2}	6.401×10^{-2}	9.827×10^{-2}	0.144	0.231	0.936	1.000	1.000	1.000	1.000
cloud height crb [m]	0.0	40.1	420	738	1.075×10^{3}	4.227×10^{3}	5.412×10^{3}	6.437×10^{3}	7.649×10^{3}	9.657×10^{3}
cloud albedo crb [1]	3.262×10^{-2}	0.268	0.367	0.420	0.464	0.728	0.814	0.883	0.963	1.000
surface albedo fitted [1]	0.0	7.919×10^{-3}	1.210×10^{-2}	1.567×10^{-2}	2.066×10^{-2}	0.316	0.717	0.827	0.914	0.996
surface albedo fitted crb [1]	0.0	5.505×10^{-3}	8.422×10^{-3}	1.105×10^{-2}	1.480×10^{-2}	0.322	0.703	0.783	0.850	0.929
fitted root mean square [1]	1.452×10^{-5}	2.850×10^{-5}	4.523×10^{-5}	7.029×10^{-5}	1.166×10^{-4}	9.450×10^{-4}	1.354×10^{-3}	1.746×10^{-3}	2.283×10^{-3}	3.487×10^{-3}
fitted root mean square crb [1]	8.331×10^{-6}	1.973×10^{-5}	3.237×10^{-5}	4.955×10^{-5}	8.526×10^{-5}	8.736×10^{-4}	1.292×10^{-3}	1.692×10^{-3}	2.225×10^{-3}	3.341×10^{-3}
wavelength shift [nm]	-8.781×10^{-3}	-1.566×10^{-3}	-7.347×10^{-5}	8.219×10^{-4}	2.288×10^{-3}	1.184×10^{-2}	1.423×10^{-2}	1.627×10^{-2}	1.896×10^{-2}	2.489×10^{-2}
cloud fraction apriori [1]	2.969×10^{-2}	6.397×10^{-2}	9.622×10^{-2}	0.142	0.232	0.973	1.000	1.000	1.000	1.000
reflectance blue ocra [1]	0.233	0.257	0.279	0.306	0.354	0.734	0.803	0.855	0.912	1.08
reflectance green ocra [1]	0.151	0.172	0.189	0.213	0.263	0.714	0.792	0.847	0.904	1.04
reflectance continuum aband [1]	3.012×10^{-2}	5.289×10^{-2}	8.337×10^{-2}	0.122	0.206	0.683	0.768	0.827	0.891	1.03

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.570 ± 0.374	11487471	0.720	0.700	0.0	1.000	0.180	0.900
cloud fraction [1]	0.524 ± 0.345	11487471	0.710	0.471	0.0	1.000	0.203	0.913
cloud top height [m]	$(0.349 \pm 0.264) \times 10^4$	11487471	3.264×10^3	2.843×10^3	0.0	2.000×10^4	1.526×10^3	4.789×10^3
cloud optical thickness [1]	13.9 ± 24.1	11487471	7.42	8.16	1.000	250	5.25	12.7
cloud fraction crb [1]	0.524 ± 0.345	11487471	0.710	0.472	0.0	1.000	0.203	0.913
cloud height crb [m]	$(0.252 \pm 0.222) \times 10^4$	11487471	2.833×10^3	1.973×10^3	0.0	2.000×10^4	802	3.636×10^3
cloud albedo crb [1]	0.610 ± 0.227	11487471	0.326	0.594	0.0	1.000	0.461	0.787
surface albedo fitted [1]	0.346 ± 0.360	11487471	0.716	0.184	0.0	1.000	2.853×10^{-2}	0.744
surface albedo fitted crb [1]	0.331 ± 0.343	11487471	0.701	0.182	0.0	1.000	2.211×10^{-2}	0.723
fitted root mean square [1]	$(8.894 \pm 12.205) \times 10^{-4}$	11487471	1.138×10^{-3}	5.772×10^{-4}	1.890×10^{-6}	0.749	1.694×10^{-4}	1.307×10^{-3}
fitted root mean square crb [1]	$(8.077 \pm 8.916) \times 10^{-4}$	11487471	1.093×10^{-3}	4.787×10^{-4}	1.606×10^{-6}	0.277	1.360×10^{-4}	1.229×10^{-3}
wavelength shift [nm]	$(8.648 \pm 6.907) \times 10^{-3}$	11487471	9.586×10^{-3}	8.501×10^{-3}	-5.546×10^{-2}	0.254	3.724×10^{-3}	1.331×10^{-2}
cloud fraction apriori [1]	0.541 ± 0.347	11487471	0.750	0.502	0.0	1.000	0.211	0.961
reflectance blue ocra [1]	0.575 ± 0.238	11487471	0.439	0.574	0.125	1.94	0.343	0.782
reflectance green ocra [1]	0.532 ± 0.268	11487471	0.517	0.544	7.447×10^{-2}	1.92	0.256	0.772
reflectance continuum aband [1]	0.498 ± 0.291	11487471	0.519	0.526	1.418×10^{-2}	3.81	0.229	0.748

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.696 ± 0.366	9607007	0.600	0.900	0.0	1.000	0.400	1.000
cloud fraction [1]	0.590 ± 0.336	9607007	0.677	0.608	0.0	1.000	0.277	0.954
cloud top height [m]	$(0.414 \pm 0.274) \times 10^4$	9607007	3.967×10^3	3.467×10^3	0.0	2.000×10^4	1.876×10^3	5.843×10^3
cloud optical thickness [1]	23.6 ± 36.7	9607007	15.2	11.7	1.000	250	7.41	22.6
cloud fraction crb [1]	0.588 ± 0.336	9607007	0.676	0.605	0.0	1.000	0.275	0.951
cloud height crb [m]	$(0.339 \pm 0.242) \times 10^4$	9607007	3.542×10^3	2.802×10^3	0.0	2.000×10^4	1.370×10^3	4.912×10^3
cloud albedo crb [1]	0.570 ± 0.168	9607007	0.198	0.552	0.0	1.000	0.467	0.665
surface albedo fitted [1]	$(8.814 \pm 17.085) \times 10^{-2}$	9607007	3.138×10^{-2}	2.677×10^{-2}	0.0	1.000	1.625×10^{-2}	4.763×10^{-2}
surface albedo fitted crb [1]	$(7.924 \pm 16.708) \times 10^{-2}$	9607007	2.160×10^{-2}	1.847×10^{-2}	0.0	1.000	1.095×10^{-2}	3.255×10^{-2}
fitted root mean square [1]	$(4.186 \pm 5.362) \times 10^{-4}$	9607007	4.593×10^{-4}	2.169×10^{-4}	1.079×10^{-6}	6.669×10^{-2}	8.635×10^{-5}	5.457×10^{-4}
fitted root mean square crb [1]	$(3.819 \pm 5.158) \times 10^{-4}$	9607007	4.486×10^{-4}	1.663×10^{-4}	1.156×10^{-6}	3.489×10^{-2}	5.602×10^{-5}	5.046×10^{-4}
wavelength shift [nm]	$(5.766 \pm 6.472) \times 10^{-3}$	9607007	8.293×10^{-3}	4.782×10^{-3}	-4.367×10^{-2}	6.100×10^{-2}	1.229×10^{-3}	9.523×10^{-3}
cloud fraction apriori [1]	0.586 ± 0.342	9607007	0.719	0.602	0.0	1.000	0.262	0.981
reflectance blue ocra [1]	0.525 ± 0.200	9607007	0.283	0.496	0.140	1.94	0.365	0.648
reflectance green ocra [1]	0.462 ± 0.225	9607007	0.343	0.434	8.376×10^{-2}	2.03	0.270	0.613
reflectance continuum aband [1]	0.399 ± 0.256	9607007	0.388	0.378	1.248×10^{-2}	5.25	0.186	0.573

Table 5: Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.643 ± 0.376	15911834	0.620	0.850	0.0	1.000	0.350	0.970
cloud fraction [1]	0.553 ± 0.345	15911834	0.720	0.532	0.0	1.000	0.223	0.943
cloud top height [m]	$(0.359 \pm 0.255) \times 10^4$	15911834	3.333×10^3	2.912×10^3	0.0	2.000×10^4	1.629×10^3	4.961×10^3
cloud optical thickness [1]	19.1 ± 30.7	15911834	11.1	10.1	1.000	250	6.62	17.7
cloud fraction crb [1]	0.552 ± 0.346	15911834	0.719	0.530	0.0	1.000	0.222	0.941
cloud height crb [m]	$(0.282 \pm 0.230) \times 10^4$	15911834	3.006×10^3	2.228×10^3	0.0	2.000×10^4	1.042×10^3	4.048×10^3
cloud albedo crb [1]	0.572 ± 0.185	15911834	0.227	0.550	0.0	1.000	0.458	0.685
surface albedo fitted [1]	0.148 ± 0.278	15911834	3.522×10^{-2}	2.851×10^{-2}	0.0	1.000	1.736×10^{-2}	5.258×10^{-2}
surface albedo fitted crb [1]	0.135 ± 0.265	15911834	2.525×10^{-2}	2.061×10^{-2}	0.0	1.000	1.232×10^{-2}	3.757×10^{-2}
fitted root mean square [1]	$(5.259 \pm 8.930) \times 10^{-4}$	15911834	5.781×10^{-4}	2.348×10^{-4}	1.079×10^{-6}	0.749	8.925×10^{-5}	6.674×10^{-4}
fitted root mean square crb [1]	$(4.752 \pm 6.812) \times 10^{-4}$	15911834	5.225×10^{-4}	1.920×10^{-4}	1.156×10^{-6}	0.277	6.715×10^{-5}	5.896×10^{-4}
wavelength shift [nm]	$(6.658 \pm 6.763) \times 10^{-3}$	15911834	9.004×10^{-3}	5.870×10^{-3}	-4.750×10^{-2}	0.254	1.870×10^{-3}	1.087×10^{-2}
cloud fraction apriori [1]	0.556 ± 0.350	15911834	0.755	0.536	0.0	1.000	0.219	0.974
reflectance blue ocra [1]	0.532 ± 0.207	15911834	0.344	0.505	0.152	1.91	0.351	0.695
reflectance green ocra [1]	0.474 ± 0.235	15911834	0.414	0.448	8.884×10^{-2}	2.03	0.253	0.668
reflectance continuum aband [1]	0.406 ± 0.270	15911834	0.480	0.389	1.248×10^{-2}	5.25	0.149	0.629

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm\sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.603 ± 0.373	3501624	0.660	0.700	0.0	1.000	0.240	0.900
cloud fraction [1]	0.542 ± 0.334	3501624	0.655	0.514	0.0	1.000	0.239	0.894
cloud top height [m]	$(0.465 \pm 0.300) \times 10^4$	3501624	4.055×10^3	4.040×10^3	0.0	2.000×10^4	2.356×10^3	6.410×10^3
cloud optical thickness [1]	14.6 ± 27.6	3501624	7.76	7.24	1.000	250	4.71	12.5
cloud fraction crb [1]	0.542 ± 0.334	3501624	0.655	0.514	0.0	1.000	0.239	0.894
cloud height crb [m]	$(0.350 \pm 0.248) \times 10^4$	3501624	3.466×10^3	2.912×10^3	0.0	2.000×10^4	1.560×10^3	5.026×10^3
cloud albedo crb [1]	0.639 ± 0.238	3501624	0.341	0.642	0.0	1.000	0.491	0.832
surface albedo fitted [1]	0.455 ± 0.282	3501624	0.487	0.314	0.0	1.000	0.235	0.722
surface albedo fitted crb [1]	0.443 ± 0.263	3501624	0.472	0.318	5.295×10^{-3}	1.000	0.232	0.704
fitted root mean square [1]	$(1.105 \pm 1.167) \times 10^{-3}$	3501624	1.037×10^{-3}	8.621×10^{-4}	3.846×10^{-6}	0.286	4.710×10^{-4}	1.508×10^{-3}
fitted root mean square crb [1]	$(1.015 \pm 0.868) \times 10^{-3}$	3501624	1.044×10^{-3}	8.082×10^{-4}	3.113×10^{-6}	8.175×10^{-2}	3.871×10^{-4}	1.431×10^{-3}
wavelength shift [nm]	$(8.913 \pm 6.610) \times 10^{-3}$	3501624	9.397×10^{-3}	8.830×10^{-3}	-4.021×10^{-2}	5.185×10^{-2}	4.066×10^{-3}	1.346×10^{-2}
cloud fraction apriori [1]	0.557 ± 0.337	3501624	0.689	0.538	0.0	1.000	0.247	0.937
reflectance blue ocra [1]	0.589 ± 0.265	3501624	0.473	0.567	0.125	1.94	0.341	0.814
reflectance green ocra [1]	0.553 ± 0.287	3501624	0.535	0.541	7.447×10^{-2}	1.92	0.272	0.808
reflectance continuum aband [1]	0.575 ± 0.256	3501624	0.442	0.555	1.746×10^{-2}	3.91	0.347	0.789

Table 7: Correlation matrix

Viewing zenith angle	Solar zenith angle	Latitude	Radiometric cloud fraction	Cloud top height	Cloud optical thickness	Cloud fraction (CRB)	Cloud height (CRB)	Cloud albedo (CRB)	OCRA cloud fraction
1.000	-1.807×10^{-2}	-8.547×10^{-3}	-3.750×10^{-2}	8.814×10^{-2}	-8.272×10^{-3}	-3.814×10^{-2}	0.135	3.483×10^{-2}	-4.670×10^{-2}
-1.807×10^{-2}	1.000	-9.943×10^{-2}	0.193	-0.148	0.191	0.193	-0.172	0.261	0.209
-8.547×10^{-3}	-9.943×10^{-2}	1.000	-7.703×10^{-2}	-0.151	-0.191	-7.294×10^{-2}	-0.222	0.143	-3.786×10^{-2}
-3.750×10^{-2}	0.193	-7.703×10^{-2}	1.000	-3.615×10^{-2}	0.324	1.000	-8.187×10^{-3}	0.298	0.976
8.814×10^{-2}	-0.148	-0.151	-3.615×10^{-2}	1.000	4.986×10^{-2}	-3.658×10^{-2}	0.940	-4.005×10^{-2}	-6.046×10^{-2}
-8.272×10^{-3}	0.191	-0.191	0.324	4.986×10^{-2}	1.000	0.321	9.769×10^{-2}	0.384	0.323
-3.814×10^{-2}	0.193	-7.294×10^{-2}	1.000	-3.658×10^{-2}	0.321	1.000	-9.029×10^{-3}	0.298	0.976
0.135	-0.172	-0.222	-8.187×10^{-3}	0.940	9.769×10^{-2}	-9.029×10^{-3}	1.000	-0.126	-3.434×10^{-2}
3.483×10^{-2}	0.261	0.143	0.298	-4.005×10^{-2}	0.384	0.298	-0.126	1.000	0.334
-4.670×10^{-2}	0.209	-3.786×10^{-2}	0.976	-6.046×10^{-2}	0.323	0.976	-3.434×10^{-2}	0.334	1.000

Table 8: Covariance matrix

Viewing zenith angle	Solar zenith angle	Latitude	Radiometric cloud fraction	Cloud top height	Cloud optical thickness	Cloud fraction (CRB)	Cloud height (CRB)	Cloud albedo (CRB)	OCRA cloud fraction
386	-7.66	-8.34	-0.252	4.682×10^3	-5.01	-0.256	6.242×10^3	0.139	-0.317
-7.66	465	-107	1.42	-8.658×10^3	127	1.43	-8.712×10^3	1.15	1.56
-8.34	-107	2.468×10^3	-1.31	-2.034×10^4	-293	-1.24	-2.601×10^4	1.44	-0.650
-0.252	1.42	-1.31	0.117	-33.4	3.42	0.117	-6.59	2.078×10^{-2}	0.115
4.682×10^3	-8.658×10^3	-2.034×10^4	-33.4	7.312×10^6	4.160×10^3	-33.9	5.984×10^6	-22.0	-56.5
-5.01	127	-293	3.42	4.160×10^3	952	3.39	7.097×10^3	2.41	3.45
-0.256	1.43	-1.24	0.117	-33.9	3.39	0.117	-7.27	2.078×10^{-2}	0.116
6.242×10^3	-8.712×10^3	-2.601×10^4	-6.59	5.984×10^6	7.097×10^3	-7.27	5.542×10^6	-60.6	-27.9
0.139	1.15	1.44	2.078×10^{-2}	-22.0	2.41	2.078×10^{-2}	-60.6	4.139×10^{-2}	2.347×10^{-2}
-0.317	1.56	-0.650	0.115	-56.5	3.45	0.116	-27.9	2.347×10^{-2}	0.119



Figure 1: Map of correlation graph for 2025-04-16 to 2025-04-18.



Figure 2: Map of correlation matrix for 2025-04-16 to 2025-04-18.

3 Granule outlines



Figure 3: Outline of the granules.

4 Input data monitoring



Figure 4: Input data per granule

5 Warnings and errors



Figure 5: Fraction of pixels with specific warnings and errors during processing

6 World maps



Figure 6: Map of “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18



Figure 7: Map of “Cloud top height” for 2025-04-16 to 2025-04-18



Figure 8: Map of “Cloud optical thickness” for 2025-04-16 to 2025-04-18



Figure 9: Map of “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18



Figure 10: Map of “Cloud height (CRB)” for 2025-04-16 to 2025-04-18



Figure 11: Map of “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18



Figure 12: Map of “Fitted surface albedo” for 2025-04-16 to 2025-04-18



Figure 13: Map of “Fitted surface albedo (CRB)” for 2025-04-16 to 2025-04-18



Figure 14: Map of “RMS” for 2025-04-16 to 2025-04-18



Figure 15: Map of “RMS (CRB)” for 2025-04-16 to 2025-04-18



Figure 16: Map of “Fitting wavelength shift” for 2025-04-16 to 2025-04-18



Figure 17: Map of “OCRA cloud fraction” for 2025-04-16 to 2025-04-18



Figure 18: Map of “OCRA “blue” reflectance” for 2025-04-16 to 2025-04-18



Figure 19: Map of “OCRA “green” reflectance” for 2025-04-16 to 2025-04-18



Figure 20: Map of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18



Figure 21: Map of the number of observations for 2025-04-16 to 2025-04-18

7 Zonal average



Figure 22: Zonal average of “QA value” for 2025-04-16 to 2025-04-18.



Figure 23: Zonal average of “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 24: Zonal average of “Cloud top height” for 2025-04-16 to 2025-04-18.



Figure 25: Zonal average of “Cloud optical thickness” for 2025-04-16 to 2025-04-18.



Figure 26: Zonal average of “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 27: Zonal average of “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 28: Zonal average of “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 29: Zonal average of “Fitted surface albedo” for 2025-04-16 to 2025-04-18.



Figure 30: Zonal average of “Fitted surface albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 31: Zonal average of “RMS” for 2025-04-16 to 2025-04-18.



Figure 32: Zonal average of “RMS (CRB)” for 2025-04-16 to 2025-04-18.



Figure 33: Zonal average of “Fitting wavelength shift” for 2025-04-16 to 2025-04-18.



Figure 34: Zonal average of “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 35: Zonal average of “OCRA “blue” reflectance” for 2025-04-16 to 2025-04-18.



Figure 36: Zonal average of “OCRA “green” reflectance” for 2025-04-16 to 2025-04-18.



Figure 37: Zonal average of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18.

8 Histograms

The definitions of the parameters given in this section can be found in section 2.



Figure 38: Histogram of “QA value” for 2025-04-16 to 2025-04-18



Figure 39: Histogram of “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18



Figure 40: Histogram of “Cloud top height” for 2025-04-16 to 2025-04-18



Figure 41: Histogram of “Cloud optical thickness” for 2025-04-16 to 2025-04-18



Figure 42: Histogram of “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18



Figure 43: Histogram of “Cloud height (CRB)” for 2025-04-16 to 2025-04-18



Figure 44: Histogram of “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18



Figure 45: Histogram of “Fitted surface albedo” for 2025-04-16 to 2025-04-18



Figure 46: Histogram of “Fitted surface albedo (CRB)” for 2025-04-16 to 2025-04-18



Figure 47: Histogram of “RMS” for 2025-04-16 to 2025-04-18



Figure 48: Histogram of “RMS (CRB)” for 2025-04-16 to 2025-04-18



Figure 49: Histogram of “Fitting wavelength shift” for 2025-04-16 to 2025-04-18



Figure 50: Histogram of “OCRA cloud fraction” for 2025-04-16 to 2025-04-18



Figure 51: Histogram of “OCRA “blue” reflectance” for 2025-04-16 to 2025-04-18



Figure 52: Histogram of “OCRA “green” reflectance” for 2025-04-16 to 2025-04-18



Figure 53: Histogram of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18

9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.



Figure 54: Along track statistics of “QA value” for 2025-04-16 to 2025-04-18



Figure 55: Along track statistics of “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18



Figure 56: Along track statistics of “Cloud top height” for 2025-04-16 to 2025-04-18



Figure 57: Along track statistics of “Cloud optical thickness” for 2025-04-16 to 2025-04-18



Figure 58: Along track statistics of “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18



Figure 59: Along track statistics of “Cloud height (CRB)” for 2025-04-16 to 2025-04-18



Figure 60: Along track statistics of “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18



Figure 61: Along track statistics of “Fitted surface albedo” for 2025-04-16 to 2025-04-18



Figure 62: Along track statistics of “Fitted surface albedo (CRB)” for 2025-04-16 to 2025-04-18



Figure 63: Along track statistics of “RMS” for 2025-04-16 to 2025-04-18



Figure 64: Along track statistics of “RMS (CRB)” for 2025-04-16 to 2025-04-18



Figure 65: Along track statistics of “Fitting wavelength shift” for 2025-04-16 to 2025-04-18



Figure 66: Along track statistics of “OCRA cloud fraction” for 2025-04-16 to 2025-04-18



Figure 67: Along track statistics of “OCRA “blue” reflectance” for 2025-04-16 to 2025-04-18



Figure 68: Along track statistics of "OCRA "green" reflectance" for 2025-04-16 to 2025-04-18



Figure 69: Along track statistics of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18

10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some 'hidden' parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.



Figure 70: Scatter density plot of "Cloud albedo (CRB)" against "OCRA cloud fraction" for 2025-04-16 to 2025-04-18.



Figure 71: Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 72: Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 73: Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 74: Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 75: Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18.



Figure 76: Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2025-04-16 to 2025-04-18.



Figure 77: Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 78: Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 79: Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 80: Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 81: Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 82: Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 83: Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 84: Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 85: Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 86: Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 87: Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 88: Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 89: Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 90: Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18.



Figure 91: Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 92: Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 93: Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 94: Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 95: Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 96: Scatter density plot of “Latitude” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18.



Figure 97: Scatter density plot of “Latitude” against “Cloud top height” for 2025-04-16 to 2025-04-18.



Figure 98: Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 99: Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 100: Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 101: Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 102: Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 103: Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18.



Figure 104: Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2025-04-16 to 2025-04-18.



Figure 105: Scatter density plot of “Solar zenith angle” against “Latitude” for 2025-04-16 to 2025-04-18.



Figure 106: Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18.



Figure 107: Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 108: Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18.



Figure 109: Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18.



Figure 110: Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18.



Figure 111: Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18.



Figure 112: Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2025-04-16 to 2025-04-18.



Figure 113: Scatter density plot of “Viewing zenith angle” against “Latitude” for 2025-04-16 to 2025-04-18.



Figure 114: Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2025-04-16 to 2025-04-18.

Contents

1 Short Introduction **1**
1.1 The list of parameters 1

2 Definitions **1**

3 Granule outlines **12**

4 Input data monitoring **13**

5 Warnings and errors **14**

6 World maps **15**

7 Zonal average **31**

8 Histograms **47**

9 Along track statistics **63**

10 Coincidence density **79**

11 Copyright information of 'PyCAMA' **124**

List of Figures

1 Map of correlation graph for 2025-04-16 to 2025-04-18. 10
2 Map of correlation matrix for 2025-04-16 to 2025-04-18. 11
3 Outline of the granules. 12
4 Input data per granule 13
5 Fraction of pixels with specific warnings and errors during processing 14
6 Map of "Radiometric cloud fraction" for 2025-04-16 to 2025-04-18 15
7 Map of "Cloud top height" for 2025-04-16 to 2025-04-18 16
8 Map of "Cloud optical thickness" for 2025-04-16 to 2025-04-18 17
9 Map of "Cloud fraction (CRB)" for 2025-04-16 to 2025-04-18 18
10 Map of "Cloud height (CRB)" for 2025-04-16 to 2025-04-18 19
11 Map of "Cloud albedo (CRB)" for 2025-04-16 to 2025-04-18 20
12 Map of "Fitted surface albedo" for 2025-04-16 to 2025-04-18 21
13 Map of "Fitted surface albedo (CRB)" for 2025-04-16 to 2025-04-18 22
14 Map of "RMS" for 2025-04-16 to 2025-04-18 23
15 Map of "RMS (CRB)" for 2025-04-16 to 2025-04-18 24
16 Map of "Fitting wavelength shift" for 2025-04-16 to 2025-04-18 25
17 Map of "OCRA cloud fraction" for 2025-04-16 to 2025-04-18 26
18 Map of "OCRA "blue" reflectance" for 2025-04-16 to 2025-04-18 27
19 Map of "OCRA "green" reflectance" for 2025-04-16 to 2025-04-18 28
20 Map of "ROCINN "red" reflectance" for 2025-04-16 to 2025-04-18 29
21 Map of the number of observations for 2025-04-16 to 2025-04-18 30
22 Zonal average of "QA value" for 2025-04-16 to 2025-04-18. 31
23 Zonal average of "Radiometric cloud fraction" for 2025-04-16 to 2025-04-18. 32
24 Zonal average of "Cloud top height" for 2025-04-16 to 2025-04-18. 33
25 Zonal average of "Cloud optical thickness" for 2025-04-16 to 2025-04-18. 34
26 Zonal average of "Cloud fraction (CRB)" for 2025-04-16 to 2025-04-18. 35
27 Zonal average of "Cloud height (CRB)" for 2025-04-16 to 2025-04-18. 36
28 Zonal average of "Cloud albedo (CRB)" for 2025-04-16 to 2025-04-18. 37
29 Zonal average of "Fitted surface albedo" for 2025-04-16 to 2025-04-18. 38
30 Zonal average of "Fitted surface albedo (CRB)" for 2025-04-16 to 2025-04-18. 39
31 Zonal average of "RMS" for 2025-04-16 to 2025-04-18. 40
32 Zonal average of "RMS (CRB)" for 2025-04-16 to 2025-04-18. 41
33 Zonal average of "Fitting wavelength shift" for 2025-04-16 to 2025-04-18. 42
34 Zonal average of "OCRA cloud fraction" for 2025-04-16 to 2025-04-18. 43
35 Zonal average of "OCRA "blue" reflectance" for 2025-04-16 to 2025-04-18. 44
36 Zonal average of "OCRA "green" reflectance" for 2025-04-16 to 2025-04-18. 45

37 Zonal average of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18. 46
38 Histogram of “QA value” for 2025-04-16 to 2025-04-18 47
39 Histogram of “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18 48
40 Histogram of “Cloud top height” for 2025-04-16 to 2025-04-18 49
41 Histogram of “Cloud optical thickness” for 2025-04-16 to 2025-04-18 50
42 Histogram of “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18 51
43 Histogram of “Cloud height (CRB)” for 2025-04-16 to 2025-04-18 52
44 Histogram of “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18 53
45 Histogram of “Fitted surface albedo” for 2025-04-16 to 2025-04-18 54
46 Histogram of “Fitted surface albedo (CRB)” for 2025-04-16 to 2025-04-18 55
47 Histogram of “RMS” for 2025-04-16 to 2025-04-18 56
48 Histogram of “RMS (CRB)” for 2025-04-16 to 2025-04-18 57
49 Histogram of “Fitting wavelength shift” for 2025-04-16 to 2025-04-18 58
50 Histogram of “OCRA cloud fraction” for 2025-04-16 to 2025-04-18 59
51 Histogram of “OCRA “blue” reflectance” for 2025-04-16 to 2025-04-18 60
52 Histogram of “OCRA “green” reflectance” for 2025-04-16 to 2025-04-18 61
53 Histogram of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18 62
54 Along track statistics of “QA value” for 2025-04-16 to 2025-04-18 63
55 Along track statistics of “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18 64
56 Along track statistics of “Cloud top height” for 2025-04-16 to 2025-04-18 65
57 Along track statistics of “Cloud optical thickness” for 2025-04-16 to 2025-04-18 66
58 Along track statistics of “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18 67
59 Along track statistics of “Cloud height (CRB)” for 2025-04-16 to 2025-04-18 68
60 Along track statistics of “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18 69
61 Along track statistics of “Fitted surface albedo” for 2025-04-16 to 2025-04-18 70
62 Along track statistics of “Fitted surface albedo (CRB)” for 2025-04-16 to 2025-04-18 71
63 Along track statistics of “RMS” for 2025-04-16 to 2025-04-18 72
64 Along track statistics of “RMS (CRB)” for 2025-04-16 to 2025-04-18 73
65 Along track statistics of “Fitting wavelength shift” for 2025-04-16 to 2025-04-18 74
66 Along track statistics of “OCRA cloud fraction” for 2025-04-16 to 2025-04-18 75
67 Along track statistics of “OCRA “blue” reflectance” for 2025-04-16 to 2025-04-18 76
68 Along track statistics of “OCRA “green” reflectance” for 2025-04-16 to 2025-04-18 77
69 Along track statistics of “ROCINN “red” reflectance” for 2025-04-16 to 2025-04-18 78
70 Scatter density plot of “Cloud albedo (CRB)” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 79
71 Scatter density plot of “Radiometric cloud fraction” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. 80
72 Scatter density plot of “Radiometric cloud fraction” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 81
73 Scatter density plot of “Radiometric cloud fraction” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18. 82
74 Scatter density plot of “Radiometric cloud fraction” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. 83
75 Scatter density plot of “Radiometric cloud fraction” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18. 84
76 Scatter density plot of “Radiometric cloud fraction” against “Cloud top height” for 2025-04-16 to 2025-04-18. 85
77 Scatter density plot of “Cloud fraction (CRB)” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. 86
78 Scatter density plot of “Cloud fraction (CRB)” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 87
79 Scatter density plot of “Cloud fraction (CRB)” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. 88
80 Scatter density plot of “Cloud height (CRB)” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. 89
81 Scatter density plot of “Cloud height (CRB)” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 90
82 Scatter density plot of “Cloud optical thickness” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. 91
83 Scatter density plot of “Cloud optical thickness” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 92
84 Scatter density plot of “Cloud optical thickness” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18. 93
85 Scatter density plot of “Cloud optical thickness” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. 94
86 Scatter density plot of “Cloud top height” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. . . 95
87 Scatter density plot of “Cloud top height” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. . 96
88 Scatter density plot of “Cloud top height” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18. . 97
89 Scatter density plot of “Cloud top height” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. . . 98
90 Scatter density plot of “Cloud top height” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18. 99
91 Scatter density plot of “Latitude” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. 100
92 Scatter density plot of “Latitude” against “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18. . . . 101
93 Scatter density plot of “Latitude” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 102

94 Scatter density plot of “Latitude” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18. 103
95 Scatter density plot of “Latitude” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. 104
96 Scatter density plot of “Latitude” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18. 105
97 Scatter density plot of “Latitude” against “Cloud top height” for 2025-04-16 to 2025-04-18. 106
98 Scatter density plot of “Solar zenith angle” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. . 107
99 Scatter density plot of “Solar zenith angle” against “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18.108
100 Scatter density plot of “Solar zenith angle” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. . 109
101 Scatter density plot of “Solar zenith angle” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18. . 110
102 Scatter density plot of “Solar zenith angle” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. . 111
103 Scatter density plot of “Solar zenith angle” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18. 112
104 Scatter density plot of “Solar zenith angle” against “Cloud top height” for 2025-04-16 to 2025-04-18. . . . 113
105 Scatter density plot of “Solar zenith angle” against “Latitude” for 2025-04-16 to 2025-04-18. 114
106 Scatter density plot of “Viewing zenith angle” against “Cloud albedo (CRB)” for 2025-04-16 to 2025-04-18. 115
107 Scatter density plot of “Viewing zenith angle” against “Radiometric cloud fraction” for 2025-04-16 to 2025-04-18. 116
108 Scatter density plot of “Viewing zenith angle” against “OCRA cloud fraction” for 2025-04-16 to 2025-04-18. 117
109 Scatter density plot of “Viewing zenith angle” against “Cloud fraction (CRB)” for 2025-04-16 to 2025-04-18. 118
110 Scatter density plot of “Viewing zenith angle” against “Cloud height (CRB)” for 2025-04-16 to 2025-04-18. 119
111 Scatter density plot of “Viewing zenith angle” against “Cloud optical thickness” for 2025-04-16 to 2025-04-18.120
112 Scatter density plot of “Viewing zenith angle” against “Cloud top height” for 2025-04-16 to 2025-04-18. . . 121
113 Scatter density plot of “Viewing zenith angle” against “Latitude” for 2025-04-16 to 2025-04-18. 122
114 Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2025-04-16 to 2025-04-18. . 123

List of Tables

1 Parameterlist and basic statistics for the analysis 2
2 Percentile ranges 3
3 Parameterlist and basic statistics for the analysis for observations in the northern hemisphere 4
4 Parameterlist and basic statistics for the analysis for observations in the southern hemisphere 5
5 Parameterlist and basic statistics for the analysis for observations over water 6
6 Parameterlist and basic statistics for the analysis for observations over land 7
7 Correlation matrix 8
8 Covariance matrix 9

11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

Maarten Sneep (maarten.sneep@knmi.nl).