

# PyCAMA report generated by trop12-proc

trop12-proc

2024-06-24 (04:17)

## 1 Short Introduction

### 1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

## 2 Definitions

The averages shown here are *unweighted* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with  $N$  the number of observations in the dataset.

The spread of the measurements is indicated with the variance  $V(x)$ , or rather the standard deviation  $\sigma(x) = \sqrt{V(x)}$ .

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median  $m$  is the value of parameter  $x$  for which half of the observations of  $x$  is smaller than  $m$ :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with  $f(x)$  the probability density function.

The median is a special case of a percentile. Instead of  $1/2$  in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the  $\mu \pm \sigma$  values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable  $x_{(k)}$  with another  $x_{(l)}$ , we calculate the covariance matrix  $C_{kl}$ .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix  $R_{kl}$ , a matrix of Pearson's  $r$  coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements,  $V(x_{(k)}) = C_{kk}$  and obviously  $R_{kk} = 1$ .

| Variable   | mean $\pm \sigma$                     | Count    | Mode                    | IQR                    | Median                  | Minimum                 | Maximum                |
|--|---------------------------------------|----------|-------------------------|------------------------|-------------------------|-------------------------|------------------------|
| qa value [1]   | $0.541 \pm 0.411$                     | 24485528 | 0.995                   | 0.800                  | 0.530                   | 0.0                     | 1.000                  |
| sulfurdioxide total vertical column [DU]                   | $-0.476 \pm 11.398$                   | 24485528 | 0.602                   | 1.08                   | $9.491 \times 10^{-3}$  | -953                    | $2.074 \times 10^3$    |
| sulfurdioxide total vertical column precision [DU]         | $1.94 \pm 6.37$                       | 24485528 | 0.346                   | 0.770                  | 0.574                   | $5.468 \times 10^{-2}$  | 957                    |
| sulfurdioxide slant column density corrected [DU]          | $(-5.437 \pm 172.488) \times 10^{-2}$ | 24485528 | 0.542                   | 0.891                  | $8.685 \times 10^{-3}$  | -166                    | 265                    |
| sulfurdioxide slant column density window1 [DU]            | $-0.211 \pm 1.658$                    | 24485528 | $-7.500 \times 10^{-2}$ | 0.913                  | $-9.347 \times 10^{-2}$ | -166                    | 131                    |
| sulfurdioxide slant column density window1 precision [DU]  | $0.702 \pm 0.727$                     | 24485528 | 0.337                   | 0.368                  | 0.437                   | 0.117                   | 33.6                   |
| sulfurdioxide slant column density corrected win1 [DU]     | $(-5.685 \pm 166.580) \times 10^{-2}$ | 24485528 | $2.500 \times 10^{-2}$  | 0.891                  | $8.685 \times 10^{-3}$  | -166                    | 131                    |
| background so2 slant column offset window1 [DU]            | $0.154 \pm 0.252$                     | 24485528 | $2.000 \times 10^{-2}$  | 0.230                  | $9.421 \times 10^{-2}$  | -1.49                   | 3.61                   |
| sulfurdioxide slant column density window2 [DU]            | $3.07 \pm 12.07$                      | 24485528 | 1.25                    | 12.7                   | 2.17                    | $-1.715 \times 10^3$    | $1.616 \times 10^3$    |
| sulfurdioxide slant column density window2 precision [DU]  | $9.63 \pm 4.70$                       | 24485528 | 7.43                    | 3.99                   | 8.30                    | 2.22                    | 961                    |
| sulfurdioxide slant column density corrected win2 [DU]     | $1.76 \pm 11.80$                      | 24485528 | 0.750                   | 12.3                   | 1.09                    | $-1.716 \times 10^3$    | $1.614 \times 10^3$    |
| background so2 slant column offset window2 [DU]            | $-1.31 \pm 2.21$                      | 24485528 | 0.750                   | 3.42                   | -1.02                   | -12.6                   | 7.94                   |
| sulfurdioxide slant column density window3 [DU]            | $-8.19 \pm 27.32$                     | 24485528 | -7.28                   | 31.5                   | -7.51                   | -775                    | $1.887 \times 10^3$    |
| sulfurdioxide slant column density window3 precision [DU]  | $30.2 \pm 14.0$                       | 24485528 | 22.5                    | 13.2                   | 26.3                    | 8.99                    | $1.594 \times 10^3$    |
| sulfurdioxide slant column density corrected win3 [DU]     | $-9.98 \pm 26.72$                     | 24485528 | -8.40                   | 30.9                   | -9.39                   | -784                    | $1.877 \times 10^3$    |
| background so2 slant column offset window3 [DU]            | $-1.79 \pm 5.37$                      | 24485528 | 0.560                   | 7.41                   | -0.869                  | -40.4                   | 56.6                   |
| fitted radiance shift [nm]                                 | $(-3.637 \pm 27.675) \times 10^{-4}$  | 24485528 | $1.000 \times 10^{-4}$  | $2.003 \times 10^{-3}$ | $-2.247 \times 10^{-4}$ | -0.110                  | $9.736 \times 10^{-2}$ |
| fitted radiance squeeze [1]                                | $(-5.187 \pm 43.630) \times 10^{-5}$  | 24485528 | $-3.000 \times 10^{-5}$ | $2.658 \times 10^{-4}$ | $-4.200 \times 10^{-5}$ | $-2.466 \times 10^{-2}$ | $2.386 \times 10^{-2}$ |
| fitted root mean square [1]                                | $(2.054 \pm 2.124) \times 10^{-3}$    | 24485528 | $1.025 \times 10^{-3}$  | $1.082 \times 10^{-3}$ | $1.279 \times 10^{-3}$  | $3.394 \times 10^{-4}$  | $9.747 \times 10^{-2}$ |
| sulfurdioxide total air mass factor polluted [1]           | $0.891 \pm 0.517$                     | 24485528 | 0.660                   | 0.597                  | 0.801                   | $5.000 \times 10^{-2}$  | 3.12                   |
| sulfurdioxide total air mass factor polluted precision [1] | $0.111 \pm 0.129$                     | 24485528 | $3.500 \times 10^{-2}$  | $9.437 \times 10^{-2}$ | $6.795 \times 10^{-2}$  | $2.500 \times 10^{-3}$  | 2.03                   |
| sulfurdioxide clear air mass factor polluted [1]           | $0.836 \pm 0.480$                     | 24485528 | 0.660                   | 0.434                  | 0.734                   | $1.016 \times 10^{-2}$  | 2.96                   |
| number of spectral points in retrieval [1]                 | $73.4 \pm 0.6$                        | 24485528 | 73.0                    | 1.000                  | 73.0                    | 52.0                    | 74.0                   |

Table 1: Parameterlist and basic statistics for the analysis

| Variable   | 1 %                     | 5 %                     | 10 %                    | 15.9 %                  | 25 %                    | 75 %                   | 84.1 %                 | 90 %                   | 95 %                   | 99 %                   |
|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| qa value [1]   | 0.0                     | 0.0                     | 0.0                     | 0.0                     | 0.200                   | 1.000                  | 1.000                  | 1.000                  | 1.000                  | 1.000                  |
| sulfurdioxide total vertical column [DU]                   | -28.7                   | -4.29                   | -1.70                   | -0.972                  | -0.523                  | 0.558                  | 0.993                  | 1.62                   | 3.26                   | 15.7                   |
| sulfurdioxide total vertical column precision [DU]         | 0.150                   | 0.208                   | 0.251                   | 0.295                   | 0.358                   | 1.13                   | 1.83                   | 3.24                   | 6.91                   | 28.6                   |
| sulfurdioxide slant column density corrected [DU]          | -6.35                   | -1.96                   | -1.06                   | -0.711                  | -0.436                  | 0.455                  | 0.726                  | 1.04                   | 1.72                   | 4.33                   |
| sulfurdioxide slant column density window1 [DU]            | -6.57                   | -2.29                   | -1.29                   | -0.879                  | -0.568                  | 0.346                  | 0.595                  | 0.872                  | 1.44                   | 3.96                   |
| sulfurdioxide slant column density window1 precision [DU]  | 0.210                   | 0.265                   | 0.294                   | 0.316                   | 0.343                   | 0.711                  | 0.998                  | 1.38                   | 2.20                   | 4.02                   |
| sulfurdioxide slant column density corrected win1 [DU]     | -6.35                   | -1.96                   | -1.06                   | -0.711                  | -0.436                  | 0.455                  | 0.726                  | 1.04                   | 1.72                   | 4.33                   |
| background so2 slant column offset window1 [DU]            | -0.222                  | $-6.080 \times 10^{-2}$ | $-2.837 \times 10^{-2}$ | $-7.540 \times 10^{-3}$ | $8.025 \times 10^{-3}$  | 0.238                  | 0.323                  | 0.413                  | 0.566                  | 1.07                   |
| sulfurdioxide slant column density window2 [DU]            | -22.8                   | -13.6                   | -9.76                   | -7.00                   | -3.96                   | 8.75                   | 12.5                   | 16.3                   | 22.8                   | 42.0                   |
| sulfurdioxide slant column density window2 precision [DU]  | 4.32                    | 5.22                    | 5.79                    | 6.25                    | 6.83                    | 10.8                   | 12.7                   | 15.0                   | 18.9                   | 28.3                   |
| sulfurdioxide slant column density corrected win2 [DU]     | -24.6                   | -14.8                   | -10.8                   | -7.99                   | -4.94                   | 7.39                   | 10.9                   | 14.4                   | 20.3                   | 39.6                   |
| background so2 slant column offset window2 [DU]            | -6.84                   | -5.12                   | -4.30                   | -3.68                   | -2.91                   | 0.506                  | 0.826                  | 1.07                   | 1.45                   | 2.85                   |
| sulfurdioxide slant column density window3 [DU]            | -84.2                   | -53.2                   | -40.5                   | -32.0                   | -23.4                   | 8.14                   | 16.3                   | 23.9                   | 34.4                   | 56.9                   |
| sulfurdioxide slant column density window3 precision [DU]  | 13.4                    | 16.0                    | 18.1                    | 19.6                    | 21.4                    | 34.6                   | 40.4                   | 46.8                   | 57.1                   | 83.4                   |
| sulfurdioxide slant column density corrected win3 [DU]     | -83.0                   | -53.6                   | -41.6                   | -33.4                   | -25.0                   | 5.91                   | 13.8                   | 21.2                   | 31.6                   | 55.1                   |
| background so2 slant column offset window3 [DU]            | -14.5                   | -11.2                   | -9.09                   | -7.42                   | -5.56                   | 1.85                   | 3.18                   | 4.31                   | 6.12                   | 9.79                   |
| fitted radiance shift [nm]                                 | $-8.947 \times 10^{-3}$ | $-4.679 \times 10^{-3}$ | $-3.144 \times 10^{-3}$ | $-2.207 \times 10^{-3}$ | $-1.349 \times 10^{-3}$ | $6.538 \times 10^{-4}$ | $1.318 \times 10^{-3}$ | $2.162 \times 10^{-3}$ | $3.647 \times 10^{-3}$ | $7.857 \times 10^{-3}$ |
| fitted radiance squeeze [1]                                | $-1.327 \times 10^{-3}$ | $-5.670 \times 10^{-4}$ | $-3.690 \times 10^{-4}$ | $-2.684 \times 10^{-4}$ | $-1.810 \times 10^{-4}$ | $8.486 \times 10^{-5}$ | $1.557 \times 10^{-4}$ | $2.333 \times 10^{-4}$ | $3.925 \times 10^{-4}$ | $1.262 \times 10^{-3}$ |
| fitted root mean square [1]                                | $6.141 \times 10^{-4}$  | $7.728 \times 10^{-4}$  | $8.571 \times 10^{-4}$  | $9.219 \times 10^{-4}$  | $1.004 \times 10^{-3}$  | $2.086 \times 10^{-3}$ | $2.923 \times 10^{-3}$ | $4.050 \times 10^{-3}$ | $6.423 \times 10^{-3}$ | $1.173 \times 10^{-2}$ |
| sulfurdioxide total air mass factor polluted [1]           | $5.789 \times 10^{-2}$  | 0.180                   | 0.299                   | 0.406                   | 0.534                   | 1.13                   | 1.40                   | 1.68                   | 1.98                   | 2.29                   |
| sulfurdioxide total air mass factor polluted precision [1] | $8.565 \times 10^{-3}$  | $1.772 \times 10^{-2}$  | $2.520 \times 10^{-2}$  | $3.084 \times 10^{-2}$  | $3.838 \times 10^{-2}$  | 0.133                  | 0.184                  | 0.237                  | 0.338                  | 0.684                  |
| sulfurdioxide clear air mass factor polluted [1]           | 0.129                   | 0.282                   | 0.371                   | 0.443                   | 0.532                   | 0.966                  | 1.13                   | 1.55                   | 2.02                   | 2.33                   |
| number of spectral points in retrieval [1]                 | 73.0                    | 73.0                    | 73.0                    | 73.0                    | 73.0                    | 74.0                   | 74.0                   | 74.0                   | 74.0                   | 74.0                   |

Table 2: Percentile ranges

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

| Variable   | mean $\pm \sigma$                     | Count    | IQR                    | Median                  | Minimum                 | Maximum                | 25 % percentile         | 75 % percentile        |
|--|---------------------------------------|----------|------------------------|-------------------------|-------------------------|------------------------|-------------------------|------------------------|
| qa value [1]   | 0.514 $\pm$ 0.406                     | 16179893 | 0.800                  | 0.500                   | 0.0                     | 1.000                  | 0.200                   | 1.000                  |
| sulfurdioxide total vertical column [DU]                   | -0.595 $\pm$ 12.564                   | 16179893 | 0.931                  | $4.960 \times 10^{-3}$  | -953                    | $2.074 \times 10^3$    | -0.455                  | 0.476                  |
| sulfurdioxide total vertical column precision [DU]         | 1.86 $\pm$ 7.09                       | 16179893 | 0.583                  | 0.496                   | $5.516 \times 10^{-2}$  | 957                    | 0.322                   | 0.904                  |
| sulfurdioxide slant column density corrected [DU]          | $(-6.447 \pm 154.847) \times 10^{-2}$ | 16179893 | 0.818                  | $4.752 \times 10^{-3}$  | -88.1                   | 148                    | -0.404                  | 0.413                  |
| sulfurdioxide slant column density window1 [DU]            | -0.235 $\pm$ 1.509                    | 16179893 | 0.846                  | -0.112                  | -88.1                   | 103                    | -0.555                  | 0.292                  |
| sulfurdioxide slant column density window1 precision [DU]  | 0.631 $\pm$ 0.669                     | 16179893 | 0.279                  | 0.407                   | 0.117                   | 20.2                   | 0.330                   | 0.609                  |
| sulfurdioxide slant column density corrected win1 [DU]     | $(-6.612 \pm 150.557) \times 10^{-2}$ | 16179893 | 0.818                  | $4.752 \times 10^{-3}$  | -88.1                   | 104                    | -0.404                  | 0.413                  |
| background so2 slant column offset window1 [DU]            | 0.169 $\pm$ 0.218                     | 16179893 | 0.247                  | 0.129                   | -1.43                   | 3.09                   | $1.511 \times 10^{-2}$  | 0.262                  |
| sulfurdioxide slant column density window2 [DU]            | 2.43 $\pm$ 10.57                      | 16179893 | 11.6                   | 1.94                    | -436                    | $1.265 \times 10^3$    | -3.77                   | 7.86                   |
| sulfurdioxide slant column density window2 precision [DU]  | 8.78 $\pm$ 4.14                       | 16179893 | 3.14                   | 7.68                    | 2.22                    | 524                    | 6.45                    | 9.59                   |
| sulfurdioxide slant column density corrected win2 [DU]     | 1.24 $\pm$ 10.39                      | 16179893 | 11.3                   | 0.861                   | -439                    | $1.260 \times 10^3$    | -4.74                   | 6.58                   |
| background so2 slant column offset window2 [DU]            | -1.19 $\pm$ 2.00                      | 16179893 | 3.30                   | -1.23                   | -7.92                   | 7.94                   | -2.74                   | 0.561                  |
| sulfurdioxide slant column density window3 [DU]            | -6.93 $\pm$ 24.73                     | 16179893 | 28.8                   | -6.85                   | -775                    | $1.887 \times 10^3$    | -21.1                   | 7.68                   |
| sulfurdioxide slant column density window3 precision [DU]  | 28.1 $\pm$ 14.0                       | 16179893 | 11.0                   | 24.0                    | 8.99                    | $1.594 \times 10^3$    | 20.2                    | 31.2                   |
| sulfurdioxide slant column density corrected win3 [DU]     | -9.44 $\pm$ 24.15                     | 16179893 | 28.2                   | -9.08                   | -784                    | $1.877 \times 10^3$    | -23.3                   | 4.97                   |
| background so2 slant column offset window3 [DU]            | -2.51 $\pm$ 5.13                      | 16179893 | 7.71                   | -1.02                   | -31.3                   | 10.4                   | -6.42                   | 1.29                   |
| fitted radiance shift [nm]                                 | $(-1.561 \pm 27.664) \times 10^{-4}$  | 16179893 | $1.823 \times 10^{-3}$ | $-9.048 \times 10^{-5}$ | $-5.512 \times 10^{-2}$ | $4.290 \times 10^{-2}$ | $-1.060 \times 10^{-3}$ | $7.626 \times 10^{-4}$ |
| fitted radiance squeeze [1]                                | $(-1.147 \pm 3.965) \times 10^{-4}$   | 16179893 | $2.548 \times 10^{-4}$ | $-7.557 \times 10^{-5}$ | $-1.589 \times 10^{-2}$ | $1.698 \times 10^{-2}$ | $-2.161 \times 10^{-4}$ | $3.868 \times 10^{-5}$ |
| fitted root mean square [1]                                | $(1.845 \pm 1.956) \times 10^{-3}$    | 16179893 | $8.230 \times 10^{-4}$ | $1.193 \times 10^{-3}$  | $3.394 \times 10^{-4}$  | $5.955 \times 10^{-2}$ | $9.628 \times 10^{-4}$  | $1.786 \times 10^{-3}$ |
| sulfurdioxide total air mass factor polluted [1]           | 0.965 $\pm$ 0.570                     | 16179893 | 0.747                  | 0.857                   | $5.000 \times 10^{-2}$  | 3.12                   | 0.550                   | 1.30                   |
| sulfurdioxide total air mass factor polluted precision [1] | 0.128 $\pm$ 0.147                     | 16179893 | 0.113                  | $8.385 \times 10^{-2}$  | $2.500 \times 10^{-3}$  | 2.03                   | $4.189 \times 10^{-2}$  | 0.155                  |
| sulfurdioxide clear air mass factor polluted [1]           | 0.908 $\pm$ 0.551                     | 16179893 | 0.532                  | 0.765                   | $1.016 \times 10^{-2}$  | 2.96                   | 0.530                   | 1.06                   |
| number of spectral points in retrieval [1]                 | 73.4 $\pm$ 0.5                        | 16179893 | 1.000                  | 73.0                    | 52.0                    | 74.0                   | 73.0                    | 74.0                   |

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

| Variable   | mean $\pm \sigma$                     | Count   | IQR                    | Median                  | Minimum                 | Maximum                | 25 % percentile         | 75 % percentile        |
|--|---------------------------------------|---------|------------------------|-------------------------|-------------------------|------------------------|-------------------------|------------------------|
| qa value [1]   | $0.593 \pm 0.415$                     | 8305635 | 0.790                  | $0.550$                 | 0.0                     | 1.000                  | 0.210                   | 1.000                  |
| sulfurdioxide total vertical column [DU]                   | $-0.245 \pm 8.682$                    | 8305635 | 1.49                   | $2.280 \times 10^{-2}$  | -645                    | 624                    | -0.707                  | 0.781                  |
| sulfurdioxide total vertical column precision [DU]         | $2.10 \pm 4.67$                       | 8305635 | 1.21                   | 0.779                   | $5.468 \times 10^{-2}$  | 424                    | 0.464                   | 1.68                   |
| sulfurdioxide slant column density corrected [DU]          | $(-3.470 \pm 202.474) \times 10^{-2}$ | 8305635 | 1.07                   | $1.848 \times 10^{-2}$  | -166                    | 265                    | -0.512                  | 0.557                  |
| sulfurdioxide slant column density window1 [DU]            | $-0.163 \pm 1.914$                    | 8305635 | 1.07                   | $-4.794 \times 10^{-2}$ | -166                    | 131                    | -0.600                  | 0.471                  |
| sulfurdioxide slant column density window1 precision [DU]  | $0.841 \pm 0.811$                     | 8305635 | 0.557                  | 0.522                   | 0.127                   | 33.6                   | 0.380                   | 0.937                  |
| sulfurdioxide slant column density corrected win1 [DU]     | $(-3.879 \pm 194.017) \times 10^{-2}$ | 8305635 | 1.07                   | $1.848 \times 10^{-2}$  | -166                    | 131                    | -0.512                  | 0.557                  |
| background so2 slant column offset window1 [DU]            | $0.125 \pm 0.305$                     | 8305635 | 0.167                  | $4.324 \times 10^{-2}$  | -1.49                   | 3.61                   | $6.977 \times 10^{-8}$  | 0.167                  |
| sulfurdioxide slant column density window2 [DU]            | $4.31 \pm 14.48$                      | 8305635 | 15.4                   | 2.75                    | $-1.715 \times 10^3$    | $1.616 \times 10^3$    | -4.42                   | 11.0                   |
| sulfurdioxide slant column density window2 precision [DU]  | $11.3 \pm 5.2$                        | 8305635 | 4.90                   | 9.83                    | 2.57                    | 961                    | 8.00                    | 12.9                   |
| sulfurdioxide slant column density corrected win2 [DU]     | $2.77 \pm 14.08$                      | 8305635 | 14.8                   | 1.67                    | $-1.716 \times 10^3$    | $1.614 \times 10^3$    | -5.42                   | 9.34                   |
| background so2 slant column offset window2 [DU]            | $-1.53 \pm 2.57$                      | 8305635 | 3.98                   | -0.549                  | -12.6                   | 7.76                   | -3.55                   | 0.427                  |
| sulfurdioxide slant column density window3 [DU]            | $-10.6 \pm 31.6$                      | 8305635 | 38.0                   | -9.21                   | -650                    | 543                    | -28.8                   | 9.19                   |
| sulfurdioxide slant column density window3 precision [DU]  | $34.1 \pm 13.3$                       | 8305635 | 13.6                   | 31.0                    | 9.90                    | 486                    | 25.5                    | 39.1                   |
| sulfurdioxide slant column density corrected win3 [DU]     | $-11.0 \pm 31.1$                      | 8305635 | 37.2                   | -10.2                   | -650                    | 548                    | -29.0                   | 8.14                   |
| background so2 slant column offset window3 [DU]            | $-0.400 \pm 5.543$                    | 8305635 | 8.43                   | -0.353                  | -40.4                   | 56.6                   | -4.68                   | 3.75                   |
| fitted radiance shift [nm]                                 | $(-7.682 \pm 27.244) \times 10^{-4}$  | 8305635 | $2.310 \times 10^{-3}$ | $-5.482 \times 10^{-4}$ | -0.110                  | $9.736 \times 10^{-2}$ | $-1.905 \times 10^{-3}$ | $4.054 \times 10^{-4}$ |
| fitted radiance squeeze [1]                                | $(7.056 \pm 48.188) \times 10^{-5}$   | 8305635 | $2.912 \times 10^{-4}$ | $3.362 \times 10^{-5}$  | $-2.466 \times 10^{-2}$ | $2.386 \times 10^{-2}$ | $-1.024 \times 10^{-4}$ | $1.888 \times 10^{-4}$ |
| fitted root mean square [1]                                | $(2.460 \pm 2.366) \times 10^{-3}$    | 8305635 | $1.631 \times 10^{-3}$ | $1.528 \times 10^{-3}$  | $3.723 \times 10^{-4}$  | $9.747 \times 10^{-2}$ | $1.113 \times 10^{-3}$  | $2.744 \times 10^{-3}$ |
| sulfurdioxide total air mass factor polluted [1]           | $0.745 \pm 0.350$                     | 8305635 | 0.439                  | 0.726                   | $5.000 \times 10^{-2}$  | 3.07                   | 0.511                   | 0.949                  |
| sulfurdioxide total air mass factor polluted precision [1] | $(7.764 \pm 7.087) \times 10^{-2}$    | 8305635 | $6.078 \times 10^{-2}$ | $5.125 \times 10^{-2}$  | $2.676 \times 10^{-3}$  | 1.54                   | $3.451 \times 10^{-2}$  | $9.528 \times 10^{-2}$ |
| sulfurdioxide clear air mass factor polluted [1]           | $0.695 \pm 0.240$                     | 8305635 | 0.323                  | 0.697                   | $4.263 \times 10^{-2}$  | 2.21                   | 0.536                   | 0.859                  |
| number of spectral points in retrieval [1]                 | $73.4 \pm 0.6$                        | 8305635 | 1.000                  | 73.0                    | 52.0                    | 74.0                   | 73.0                    | 74.0                   |

Table 5: Parameterlist and basic statistics for the analysis for observations over water

| Variable   | mean $\pm \sigma$                     | Count    | IQR                    | Median                  | Minimum                 | Maximum                | 25 % percentile         | 75 % percentile        |
|--|---------------------------------------|----------|------------------------|-------------------------|-------------------------|------------------------|-------------------------|------------------------|
| qa value [1]   | $0.541 \pm 0.404$                     | 17065766 | 0.800                  | 0.530                   | 0.0                     | 1.000                  | 0.200                   | 1.000                  |
| sulfurdioxide total vertical column [DU]                   | $-0.350 \pm 9.651$                    | 17065766 | 1.08                   | $1.251 \times 10^{-2}$  | -784                    | $2.074 \times 10^3$    | -0.521                  | 0.561                  |
| sulfurdioxide total vertical column precision [DU]         | $1.77 \pm 5.38$                       | 17065766 | 0.813                  | 0.561                   | $5.758 \times 10^{-2}$  | 709                    | 0.352                   | 1.17                   |
| sulfurdioxide slant column density corrected [DU]          | $(-4.310 \pm 171.392) \times 10^{-2}$ | 17065766 | 0.911                  | $1.150 \times 10^{-2}$  | -102                    | 141                    | -0.442                  | 0.468                  |
| sulfurdioxide slant column density window1 [DU]            | $-0.203 \pm 1.647$                    | 17065766 | 0.934                  | $-8.758 \times 10^{-2}$ | -102                    | 131                    | -0.575                  | 0.359                  |
| sulfurdioxide slant column density window1 precision [DU]  | $0.713 \pm 0.712$                     | 17065766 | 0.418                  | 0.445                   | 0.117                   | 29.4                   | 0.341                   | 0.759                  |
| sulfurdioxide slant column density corrected win1 [DU]     | $(-4.551 \pm 165.650) \times 10^{-2}$ | 17065766 | 0.911                  | $1.150 \times 10^{-2}$  | -102                    | 131                    | -0.442                  | 0.468                  |
| background so2 slant column offset window1 [DU]            | $0.157 \pm 0.271$                     | 17065766 | 0.245                  | $8.532 \times 10^{-2}$  | -1.49                   | 3.61                   | $5.196 \times 10^{-3}$  | 0.250                  |
| sulfurdioxide slant column density window2 [DU]            | $3.33 \pm 12.23$                      | 17065766 | 12.9                   | 2.28                    | $-1.715 \times 10^3$    | $1.265 \times 10^3$    | -3.87                   | 9.00                   |
| sulfurdioxide slant column density window2 precision [DU]  | $9.65 \pm 4.65$                       | 17065766 | 4.13                   | 8.27                    | 2.22                    | 961                    | 6.82                    | 10.9                   |
| sulfurdioxide slant column density corrected win2 [DU]     | $1.96 \pm 11.90$                      | 17065766 | 12.4                   | 1.21                    | $-1.716 \times 10^3$    | $1.260 \times 10^3$    | -4.84                   | 7.58                   |
| background so2 slant column offset window2 [DU]            | $-1.37 \pm 2.35$                      | 17065766 | 3.70                   | -0.890                  | -12.6                   | 7.94                   | -3.15                   | 0.550                  |
| sulfurdioxide slant column density window3 [DU]            | $-6.38 \pm 27.40$                     | 17065766 | 31.7                   | -5.72                   | -775                    | 543                    | -21.6                   | 10.1                   |
| sulfurdioxide slant column density window3 precision [DU]  | $29.3 \pm 12.6$                       | 17065766 | 12.6                   | 25.7                    | 9.30                    | 610                    | 21.2                    | 33.8                   |
| sulfurdioxide slant column density corrected win3 [DU]     | $-8.35 \pm 26.52$                     | 17065766 | 30.8                   | -7.90                   | -784                    | 548                    | -23.3                   | 7.47                   |
| background so2 slant column offset window3 [DU]            | $-1.97 \pm 5.60$                      | 17065766 | 7.63                   | -1.29                   | -40.4                   | 56.6                   | -5.88                   | 1.75                   |
| fitted radiance shift [nm]                                 | $(-4.171 \pm 24.936) \times 10^{-4}$  | 17065766 | $1.979 \times 10^{-3}$ | $-2.435 \times 10^{-4}$ | -0.110                  | $9.736 \times 10^{-2}$ | $-1.376 \times 10^{-3}$ | $6.032 \times 10^{-4}$ |
| fitted radiance squeeze [1]                                | $(-3.212 \pm 42.804) \times 10^{-5}$  | 17065766 | $2.687 \times 10^{-4}$ | $-3.054 \times 10^{-5}$ | $-1.787 \times 10^{-2}$ | $1.698 \times 10^{-2}$ | $-1.702 \times 10^{-4}$ | $9.849 \times 10^{-5}$ |
| fitted root mean square [1]                                | $(2.084 \pm 2.077) \times 10^{-3}$    | 17065766 | $1.226 \times 10^{-3}$ | $1.302 \times 10^{-3}$  | $3.403 \times 10^{-4}$  | $8.483 \times 10^{-2}$ | $9.974 \times 10^{-4}$  | $2.223 \times 10^{-3}$ |
| sulfurdioxide total air mass factor polluted [1]           | $0.903 \pm 0.506$                     | 17065766 | 0.587                  | 0.828                   | $5.000 \times 10^{-2}$  | 3.01                   | 0.554                   | 1.14                   |
| sulfurdioxide total air mass factor polluted precision [1] | $0.106 \pm 0.122$                     | 17065766 | $7.820 \times 10^{-2}$ | $6.812 \times 10^{-2}$  | $2.500 \times 10^{-3}$  | 2.03                   | $4.099 \times 10^{-2}$  | 0.119                  |
| sulfurdioxide clear air mass factor polluted [1]           | $0.862 \pm 0.478$                     | 17065766 | 0.436                  | 0.767                   | $1.126 \times 10^{-2}$  | 2.55                   | 0.553                   | 0.990                  |
| number of spectral points in retrieval [1]                 | 73.4 $\pm$ 0.5                        | 17065766 | 1.000                  | 73.0                    | 52.0                    | 74.0                   | 73.0                    | 74.0                   |

Table 6: Parameterlist and basic statistics for the analysis for observations over land

| Variable   | mean $\pm \sigma$                     | Count   | IQR                    | Median                  | Minimum                 | Maximum                | 25 % percentile         | 75 % percentile        |
|--|---------------------------------------|---------|------------------------|-------------------------|-------------------------|------------------------|-------------------------|------------------------|
| qa value [1]   | $0.596 \pm 0.420$                     | 4871445 | 0.800                  | 0.600                   | 0.0                     | 1.000                  | 0.200                   | 1.000                  |
| sulfurdioxide total vertical column [DU]                   | $-0.514 \pm 12.272$                   | 4871445 | 1.00                   | $9.841 \times 10^{-3}$  | -953                    | $1.765 \times 10^3$    | -0.476                  | 0.526                  |
| sulfurdioxide total vertical column precision [DU]         | $1.82 \pm 6.89$                       | 4871445 | 0.546                  | 0.571                   | $5.516 \times 10^{-2}$  | 898                    | 0.370                   | 0.916                  |
| sulfurdioxide slant column density corrected [DU]          | $(-4.681 \pm 153.949) \times 10^{-2}$ | 4871445 | 0.793                  | $8.920 \times 10^{-3}$  | -166                    | 265                    | -0.386                  | 0.407                  |
| sulfurdioxide slant column density window1 [DU]            | $-0.168 \pm 1.477$                    | 4871445 | 0.811                  | $-7.866 \times 10^{-2}$ | -166                    | 103                    | -0.492                  | 0.320                  |
| sulfurdioxide slant column density window1 precision [DU]  | $0.598 \pm 0.668$                     | 4871445 | 0.199                  | 0.407                   | 0.117                   | 33.6                   | 0.341                   | 0.540                  |
| sulfurdioxide slant column density corrected win1 [DU]     | $(-4.909 \pm 147.754) \times 10^{-2}$ | 4871445 | 0.793                  | $8.920 \times 10^{-3}$  | -166                    | 104                    | -0.386                  | 0.407                  |
| background so2 slant column offset window1 [DU]            | $0.119 \pm 0.184$                     | 4871445 | 0.180                  | $7.095 \times 10^{-2}$  | -1.43                   | 3.09                   | $5.192 \times 10^{-3}$  | 0.185                  |
| sulfurdioxide slant column density window2 [DU]            | $1.92 \pm 11.13$                      | 4871445 | 12.1                   | 1.52                    | $-1.228 \times 10^3$    | $1.616 \times 10^3$    | -4.49                   | 7.63                   |
| sulfurdioxide slant column density window2 precision [DU]  | $9.27 \pm 4.41$                       | 4871445 | 3.39                   | 8.27                    | 2.29                    | 526                    | 6.85                    | 10.2                   |
| sulfurdioxide slant column density corrected win2 [DU]     | $1.10 \pm 10.98$                      | 4871445 | 11.9                   | 0.747                   | $-1.226 \times 10^3$    | $1.614 \times 10^3$    | -5.14                   | 6.73                   |
| background so2 slant column offset window2 [DU]            | $-0.820 \pm 1.848$                    | 4871445 | 2.77                   | -0.500                  | -12.6                   | 7.94                   | -2.16                   | 0.612                  |
| sulfurdioxide slant column density window3 [DU]            | $-12.4 \pm 26.1$                      | 4871445 | 30.3                   | -11.6                   | -439                    | 273                    | -27.1                   | 3.23                   |
| sulfurdioxide slant column density window3 precision [DU]  | $32.1 \pm 17.3$                       | 4871445 | 14.0                   | 27.4                    | 8.99                    | $1.594 \times 10^3$    | 22.1                    | 36.0                   |
| sulfurdioxide slant column density corrected win3 [DU]     | $-14.6 \pm 26.3$                      | 4871445 | 30.8                   | -13.7                   | -443                    | 273                    | -29.6                   | 1.24                   |
| background so2 slant column offset window3 [DU]            | $-2.17 \pm 4.95$                      | 4871445 | 7.36                   | -1.07                   | -27.0                   | 56.6                   | -5.81                   | 1.55                   |
| fitted radiance shift [nm]                                 | $(-1.758 \pm 34.037) \times 10^{-4}$  | 4871445 | $1.918 \times 10^{-3}$ | $-1.545 \times 10^{-4}$ | $-9.592 \times 10^{-2}$ | $5.364 \times 10^{-2}$ | $-1.144 \times 10^{-3}$ | $7.736 \times 10^{-4}$ |
| fitted radiance squeeze [1]                                | $(-7.281 \pm 40.225) \times 10^{-5}$  | 4871445 | $2.387 \times 10^{-4}$ | $-5.083 \times 10^{-5}$ | $-2.466 \times 10^{-2}$ | $2.386 \times 10^{-2}$ | $-1.747 \times 10^{-4}$ | $6.399 \times 10^{-5}$ |
| fitted root mean square [1]                                | $(1.753 \pm 1.960) \times 10^{-3}$    | 4871445 | $5.912 \times 10^{-4}$ | $1.192 \times 10^{-3}$  | $3.394 \times 10^{-4}$  | $9.747 \times 10^{-2}$ | $9.943 \times 10^{-4}$  | $1.585 \times 10^{-3}$ |
| sulfurdioxide total air mass factor polluted [1]           | $0.881 \pm 0.553$                     | 4871445 | 0.572                  | 0.732                   | $5.000 \times 10^{-2}$  | 3.09                   | 0.523                   | 1.09                   |
| sulfurdioxide total air mass factor polluted precision [1] | $0.125 \pm 0.145$                     | 4871445 | 0.143                  | $6.254 \times 10^{-2}$  | $2.500 \times 10^{-3}$  | 2.02                   | $3.288 \times 10^{-2}$  | 0.176                  |
| sulfurdioxide clear air mass factor polluted [1]           | $0.803 \pm 0.504$                     | 4871445 | 0.371                  | 0.679                   | $1.016 \times 10^{-2}$  | 2.96                   | 0.520                   | 0.890                  |
| number of spectral points in retrieval [1]                 | $73.4 \pm 0.6$                        | 4871445 | 1.000                  | 73.0                    | 52.0                    | 74.0                   | 73.0                    | 74.0                   |

Viewing zenith angle

Solar zenith angle

Latitude

SO<sub>2</sub> vertical columnCorrected SO<sub>2</sub> vertical column precisionSO<sub>2</sub> slant column precision (window 1)SO<sub>2</sub> slant column background correction (window 1)SO<sub>2</sub> slant column background correction (window 2)SO<sub>2</sub> slant column background correction (window 3)SO<sub>2</sub> slant column background correction (window 4)SO<sub>2</sub> slant column background correction (window 5)SO<sub>2</sub> slant column background correction (window 6)SO<sub>2</sub> slant column background correction (window 7)SO<sub>2</sub> slant column background correction (window 8)

DOAS fit wavelength shift

SO<sub>2</sub> FMS

Total AMF (polluted)

Precision of total AMF (polluted)

Clear AMF (polluted)

Table 7: Correlation matrix

|                         | $7.831 \times 10^{-3}$  | $7.825 \times 10^{-3}$  | $-7.825 \times 10^{-3}$ | $-2.087 \times 10^{-2}$ | $9.458 \times 10^{-2}$  | $-3.790 \times 10^{-3}$ | $-2.374 \times 10^{-2}$ | $7.902 \times 10^{-2}$  | $0.150$                 | $6.205 \times 10^{-2}$  | $-2.622 \times 10^{-3}$ | $7.535 \times 10^{-2}$  | $1.424 \times 10^{-2}$  | $1.476 \times 10^{-2}$  | $1.612 \times 10^{-2}$  | $7.764 \times 10^{-3}$  | $6.932 \times 10^{-3}$  | $-6.281 \times 10^{-3}$ | $8.492 \times 10^{-2}$  | $-0.156$                | $-0.111$                | $-0.159$ |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------|
| $7.831 \times 10^{-3}$  | 1.000                   | -0.111                  | -7.870 $\times 10^{-2}$ | 0.326                   | -8.257 $\times 10^{-2}$ | -0.155                  | 0.647                   | 0.435                   | 0.598                   | 0.168                   | -0.638                  | -0.169                  | 0.228                   | -6.084 $\times 10^{-2}$ | 0.556                   | -0.215                  | -5.441 $\times 10^{-2}$ | 2.332 $\times 10^{-2}$  | -0.142                  | 5.450 $\times 10^{-2}$  |                         |          |
| $-7.825 \times 10^{-3}$ | -0.111                  | 1.000                   | -2.155 $\times 10^{-2}$ | -3.165 $\times 10^{-3}$ | -1.502 $\times 10^{-2}$ | -4.968 $\times 10^{-2}$ | -8.900 $\times 10^{-2}$ | 0.230                   | -0.221                  | -6.721 $\times 10^{-2}$ | -0.108                  | 0.262 $\times 10^{-2}$  | -0.217                  | 2.576 $\times 10^{-2}$  | -5.239 $\times 10^{-3}$ | 8.549 $\times 10^{-2}$  | -0.284                  | -8.950 $\times 10^{-2}$ | 0.350                   | 0.221                   | 0.367                   |          |
| $-2.087 \times 10^{-2}$ | -7.870 $\times 10^{-2}$ | 2.155 $\times 10^{-2}$  | 0.254                   | 0.685                   | 0.684                   | -0.182                  | 7.683 $\times 10^{-2}$  | -0.143                  | -5.251 $\times 10^{-2}$ | -3.745 $\times 10^{-2}$ | 1.704 $\times 10^{-2}$  | -6.651 $\times 10^{-2}$ | 1.497 $\times 10^{-2}$  | -1.219 $\times 10^{-2}$ | -2.245 $\times 10^{-2}$ | 0.217                   | 6.269 $\times 10^{-2}$  | 3.083 $\times 10^{-2}$  | 6.313 $\times 10^{-2}$  |                         |                         |          |
| $9.458 \times 10^{-2}$  | 0.326                   | -3.165 $\times 10^{-3}$ | -0.254                  | 1.000                   | -0.135                  | 0.166                   | 0.689                   | 6.389 $\times 10^{-2}$  | 0.561                   | 0.167                   | -3.182 $\times 10^{-2}$ | -7.310 $\times 10^{-2}$ | 0.268                   | -5.034 $\times 10^{-3}$ | 0.121                   | -0.136                  | 8.412 $\times 10^{-3}$  | 0.686                   | -0.311                  | -0.161                  | -0.285                  |          |
| $-3.790 \times 10^{-3}$ | -8.257 $\times 10^{-2}$ | -1.502 $\times 10^{-2}$ | 0.685                   | -0.135                  | 1.000                   | 0.970                   | -0.172                  | 0.106                   | -0.135                  | -5.305 $\times 10^{-2}$ | -4.348 $\times 10^{-2}$ | 1.943 $\times 10^{-2}$  | -6.101 $\times 10^{-2}$ | 1.835 $\times 10^{-2}$  | -7.594 $\times 10^{-3}$ | -3.038 $\times 10^{-2}$ | 0.275                   | -0.188                  | 5.441 $\times 10^{-2}$  | 2.269 $\times 10^{-2}$  | 5.716 $\times 10^{-2}$  |          |
| $-2.374 \times 10^{-2}$ | -0.155                  | -4.968 $\times 10^{-2}$ | 0.684                   | -0.166                  | 0.970                   | 1.000                   | -0.222                  | -4.438 $\times 10^{-2}$ | -0.176                  | -6.987 $\times 10^{-2}$ | 2.360 $\times 10^{-2}$  | 3.254 $\times 10^{-2}$  | -6.937 $\times 10^{-2}$ | 2.121 $\times 10^{-2}$  | -6.009 $\times 10^{-2}$ | -1.894 $\times 10^{-2}$ | 0.300                   | -0.229                  | 4.333 $\times 10^{-2}$  | 2.196 $\times 10^{-2}$  | 4.745 $\times 10^{-2}$  |          |
| $7.902 \times 10^{-2}$  | 0.647                   | -8.900 $\times 10^{-2}$ | -0.182                  | 0.689                   | -0.172                  | -0.222                  | 1.000                   | 0.224                   | 0.864                   | 0.264                   | -0.249                  | -0.143                  | 0.424                   | -8.727 $\times 10^{-2}$ | 0.291                   | -0.239                  | 2.031 $\times 10^{-2}$  | 0.998                   | -0.275                  | -0.214                  | -0.282                  |          |
| 0.130                   | 0.435                   | 0.230                   | 7.683 $\times 10^{-2}$  | 6.389 $\times 10^{-2}$  | 0.106                   | -4.438 $\times 10^{-2}$ | 0.224                   | 1.000                   | 0.181                   | 4.616 $\times 10^{-2}$  | -0.442                  | -7.651 $\times 10^{-2}$ | 1.403 $\times 10^{-2}$  | -1.083 $\times 10^{-2}$ | 0.336                   | -8.078 $\times 10^{-2}$ | -9.946 $\times 10^{-2}$ | 0.223                   | 8.918 $\times 10^{-2}$  | 1.571 $\times 10^{-2}$  | 8.131 $\times 10^{-2}$  |          |
| $6.205 \times 10^{-2}$  | 0.598                   | -0.221                  | -0.143                  | 0.561                   | -0.135                  | -0.176                  | 0.864                   | 0.181                   | 1.000                   | 0.231                   | -0.229                  | -0.145                  | 0.596                   | -9.018 $\times 10^{-2}$ | 0.287                   | -0.218                  | 6.031 $\times 10^{-2}$  | 0.862                   | -0.310                  | -0.265                  | -0.313                  |          |
| $-2.622 \times 10^{-3}$ | 0.168                   | -6.721 $\times 10^{-2}$ | -5.251 $\times 10^{-2}$ | 0.167                   | -5.305 $\times 10^{-2}$ | -6.987 $\times 10^{-2}$ | 0.264                   | 4.616 $\times 10^{-2}$  | 0.231                   | 1.000                   | -3.135 $\times 10^{-2}$ | -5.812 $\times 10^{-2}$ | 0.108                   | -4.455 $\times 10^{-2}$ | 7.409 $\times 10^{-2}$  | 4.096 $\times 10^{-2}$  | 2.943 $\times 10^{-2}$  | 0.263                   | -8.137 $\times 10^{-2}$ | -4.293 $\times 10^{-2}$ | -8.941 $\times 10^{-2}$ |          |
| $7.535 \times 10^{-2}$  | -0.638                  | -0.108                  | -3.745 $\times 10^{-2}$ | -3.182 $\times 10^{-2}$ | -4.348 $\times 10^{-2}$ | 2.360 $\times 10^{-2}$  | -0.249                  | -0.442                  | -0.229                  | -3.135 $\times 10^{-2}$ | 1.000                   | 0.156                   | -6.747 $\times 10^{-2}$ | 2.677 $\times 10^{-2}$  | -0.663                  | 0.119                   | 6.396 $\times 10^{-2}$  | -0.250                  | -0.197                  | -5.136 $\times 10^{-2}$ | -0.191                  |          |
| 1.424 $\times 10^{-2}$  | -0.169                  | 2.623 $\times 10^{-2}$  | 1.704 $\times 10^{-2}$  | 7.310 $\times 10^{-2}$  | 1.943 $\times 10^{-2}$  | 3.254 $\times 10^{-2}$  | -0.143                  | -7.651 $\times 10^{-2}$ | -0.145                  | -5.812 $\times 10^{-2}$ | 0.156                   | 1.000                   | -8.127 $\times 10^{-2}$ | 0.981                   | -0.209                  | -4.264 $\times 10^{-2}$ | -1.666 $\times 10^{-2}$ | -0.143                  | 5.759 $\times 10^{-2}$  | 2.264 $\times 10^{-2}$  | 6.064 $\times 10^{-2}$  |          |
| 1.476 $\times 10^{-2}$  | 0.228                   | 0.217                   | 6.651 $\times 10^{-2}$  | 0.268                   | -6.101 $\times 10^{-2}$ | -6.937 $\times 10^{-2}$ | 0.424                   | 1.403 $\times 10^{-2}$  | 0.596                   | 0.108                   | -6.747 $\times 10^{-2}$ | 1.000                   | -5.318 $\times 10^{-2}$ | 0.149                   | -0.105                  | 6.640 $\times 10^{-2}$  | 0.424                   | -0.196                  | 0.120                   | -0.237                  |                         |          |
| 1.612 $\times 10^{-2}$  | -6.084 $\times 10^{-2}$ | 2.576 $\times 10^{-2}$  | 1.497 $\times 10^{-2}$  | -5.034 $\times 10^{-2}$ | 1.835 $\times 10^{-2}$  | 2.121 $\times 10^{-2}$  | -8.727 $\times 10^{-2}$ | -1.083 $\times 10^{-2}$ | -9.018 $\times 10^{-2}$ | -4.455 $\times 10^{-2}$ | 2.677 $\times 10^{-2}$  | 0.981                   | -5.318 $\times 10^{-2}$ | 1.000                   | -1.288 $\times 10^{-2}$ | -6.855 $\times 10^{-2}$ | -2.008 $\times 10^{-2}$ | -8.747 $\times 10^{-2}$ | 6.021 $\times 10^{-2}$  | 3.755 $\times 10^{-2}$  | 5.061 $\times 10^{-2}$  |          |
| 7.764 $\times 10^{-3}$  | 0.556                   | -5.239 $\times 10^{-3}$ | -1.219 $\times 10^{-2}$ | 0.121                   | -7.594 $\times 10^{-3}$ | -6.009 $\times 10^{-2}$ | 0.291                   | 0.336                   | 0.287                   | 7.409 $\times 10^{-2}$  | -0.663                  | -0.209                  | 0.149                   | -1.288 $\times 10^{-2}$ | 1.000                   | -0.124                  | -1.519 $\times 10^{-2}$ | 0.293                   | 6.572 $\times 10^{-3}$  | 7.170 $\times 10^{-2}$  | -5.675 $\times 10^{-2}$ |          |
| 6.932 $\times 10^{-3}$  | -0.215                  | 8.549 $\times 10^{-2}$  | -2.245 $\times 10^{-2}$ | -0.136                  | -3.038 $\times 10^{-2}$ | -1.894 $\times 10^{-2}$ | -0.239                  | -8.078 $\times 10^{-2}$ | -0.218                  | 4.096 $\times 10^{-2}$  | 0.119                   | -4.264 $\times 10^{-2}$ | -0.105                  | -6.855 $\times 10^{-2}$ | -0.124                  | 1.000                   | -0.239                  | -0.239                  | 7.752 $\times 10^{-2}$  | 6.988 $\times 10^{-2}$  | 7.327 $\times 10^{-2}$  |          |
| $-6.281 \times 10^{-3}$ | -5.441 $\times 10^{-2}$ | -0.284                  | 0.217                   | 8.412 $\times 10^{-3}$  | 0.275                   | 0.300                   | 2.031 $\times 10^{-2}$  | -9.946 $\times 10^{-2}$ | 6.031 $\times 10^{-2}$  | 2.943 $\times 10^{-2}$  | 6.396 $\times 10^{-2}$  | -1.666 $\times 10^{-2}$ | 6.640 $\times 10^{-2}$  | -2.008 $\times 10^{-2}$ | -1.519 $\times 10^{-2}$ | -0.239                  | 1.000                   | 1.920 $\times 10^{-2}$  | -8.940 $\times 10^{-2}$ | -4.556 $\times 10^{-2}$ | -9.748 $\times 10^{-2}$ |          |
| 8.492 $\times 10^{-2}$  | 0.646                   | -8.950 $\times 10^{-2}$ | -0.189                  | 0.688                   | -0.188                  | -0.229                  | 0.998                   | 0.223                   | 0.862                   | 0.263                   | -0.250                  | -0.143                  | 0.424                   | -8.747 $\times 10^{-2}$ | 0.293                   | -0.239                  | 1.920 $\times 10^{-2}$  | 1.000                   | -0.276                  | -0.215                  | -0.283                  |          |
| -0.156                  | 2.332 $\times 10^{-2}$  | 0.350                   | 6.269 $\times 10^{-2}$  | -0.311                  | 5.441 $\times 10^{-2}$  | 4.333 $\times 10^{-2}$  | -0.275                  | 8.918 $\times 10^{-2}$  | -0.310                  | -8.137 $\times 10^{-2}$ | -0.197                  | 5.759 $\times 10^{-2}$  | -0.196                  | 6.021 $\times 10^{-2}$  | 6.572 $\times 10^{-3}$  | 7.752 $\times 10^{-2}$  | -8.940 $\times 10^{-2}$ | -0.276                  | 1.000                   | 0.417                   | 0.819                   |          |
| -0.111                  | -0.142                  | 0.221                   | 3.083 $\times 10^{-2}$  | -0.161                  | 2.269 $\times 10^{-2}$  | 2.196 $\times 10^{-2}$  | -0.214                  | 1.571 $\times 10^{-2}$  | -0.265                  | -4.293 $\times 10^{-2}$ | -5.136 $\times 10^{-2}$ | 2.264 $\times 10^{-2}$  | -0.120                  | 3.755 $\times 10^{-2}$  | 7.170 $\times 10^{-2}$  | 6.988 $\times 10^{-2}$  | -4.556 $\times 10^{-2}$ | -0.215                  | 0.417                   | 1.000                   | 0.102                   |          |
| -0.159                  | 5.450 $\times 10^{-2}$  | 0.367                   | 6.313 $\times 10^{-2}$  | -0.285                  | 5.716 $\times 10^{-2}$  | 4.745 $\times 10^{-2}$  | -0.282                  | 8.131 $\times 10^{-2}$  | -0.313                  | -8.941 $\times 10^{-2}$ | -0.191                  | 6.064 $\times 10^{-2}$  | -0.237                  | 5.061 $\times 10^{-2}$  | -5.675 $\times 10^{-2}$ | 7.327 $\times 10^{-2}$  | -9.748 $\times 10^{-2}$ | -0.283                  | 0.819                   | 0.102                   | 1.000                   |          |

Table 8: Covariance matrix

| Precision of total AMF (polluted) |                           |                             |                           |                           |                           |                             |                           |                           |                           |                             |                           |                           |                           |                          |
|-----------------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|--------------------------|
| SO <sub>2</sub> RMS               |                           | DOAS fit wavelength squeeze |                           | DOAS fit wavelength shift |                           | DOAS fit wavelength squeeze |                           | DOAS fit wavelength shift |                           | DOAS fit wavelength squeeze |                           | DOAS fit wavelength shift |                           |                          |
| Latitude                          | Solar zenith angle        | Latitude                    | Solar zenith angle        | Latitude                  | Solar zenith angle        | Latitude                    | Solar zenith angle        | Latitude                  | Solar zenith angle        | Latitude                    | Solar zenith angle        | Latitude                  | Solar zenith angle        |                          |
| 383                               | 3.24                      | -6.63                       | -4.66                     | 11.8                      | -0.128                    | -0.771                      | 1.12                      | 0.39                      | 5.71                      | -0.605                      | 3.26                      | 7.62                      | 4.05                      |                          |
| 3.24                              | 446                       | -102                        | -18.9                     | 43.8                      | -3.01                     | -5.41                       | 9.93                      | 2.31                      | 59.3                      | 41.8                        | -29.8                     | -97.4                     | 8.43                      |                          |
| -6.63                             | -102                      | 1,873 × 10 <sup>3</sup>     | -10.6                     | -0.873                    | -1.12                     | -3.56                       | -2.80                     | 2.51                      | -45.0                     | -34.3                       | -10.3                     | 31.0                      | 0.816                     |                          |
| -4.66                             | -18.9                     | -10.6                       | 130                       | -18.4                     | 13.5                      | 12.9                        | -1.51                     | 0.220                     | -7.64                     | -7.06                       | -0.945                    | 5.31                      | 3.755 × 10 <sup>-4</sup>  |                          |
| 11.8                              | 43.8                      | -0.873                      | -18.4                     | 40.6                      | -1.49                     | -1.76                       | 3.19                      | 0.102                     | 16.8                      | 12.5                        | -0.449                    | -12.7                     | -5.364 × 10 <sup>-5</sup> |                          |
| -0.128                            | -3.01                     | -1.12                       | 13.5                      | -1.49                     | 2.98                      | 2.77                        | -0.215                    | 4.592 × 10 <sup>-2</sup>  | -1.10                     | -1.08                       | -0.166                    | 0.916                     | 3.531 × 10 <sup>-3</sup>  |                          |
| -0.771                            | -5.41                     | -3.56                       | 12.9                      | -1.76                     | 2.77                      | 2.75                        | -0.268                    | -1.852 × 10 <sup>-2</sup> | -1.37                     | -1.37                       | 8.659 × 10 <sup>-2</sup>  | 1.47                      | -1.58                     |                          |
| 1.12                              | 9.93                      | -2.80                       | -1.51                     | 3.19                      | -0.215                    | -0.268                      | 4.093 × 10 <sup>-2</sup>  | 2.95                      | 2.27                      | -0.401                      | -2.83                     | 4.33                      | -1.255 × 10 <sup>-2</sup> |                          |
| 0.639                             | 2.31                      | 2.51                        | 0.220                     | 0.102                     | 4.592 × 10 <sup>-2</sup>  | -1.852 × 10 <sup>-2</sup>   | 4.093 × 10 <sup>-2</sup>  | 6.338 × 10 <sup>-2</sup>  | 0.214                     | 0.137                       | -0.247                    | -0.526                    | 6.1                       |                          |
| 5.71                              | 59.3                      | -45.0                       | -7.64                     | 16.8                      | -1.10                     | -1.37                       | 2.95                      | 0.214                     | 22.1                      | 12.8                        | -2.38                     | -18.6                     | 6.3                       |                          |
| -0.605                            | 41.8                      | -34.3                       | -7.06                     | 12.5                      | -1.08                     | -1.37                       | 2.27                      | 0.137                     | 12.8                      | 139                         | -0.819                    | -18.7                     | -1.22 × 10 <sup>-2</sup>  |                          |
| 3.26                              | -29.8                     | -10.3                       | -0.945                    | -0.449                    | -0.166                    | 8.659 × 10 <sup>-2</sup>    | -0.401                    | -0.247                    | -2.38                     | -0.819                      | 4.90                      | 9.45                      | -1.08 × 10 <sup>-2</sup>  |                          |
| 7.62                              | -97.4                     | 31.0                        | 5.31                      | -12.7                     | 0.916                     | 1.47                        | -2.83                     | -0.526                    | -18.6                     | -18.7                       | 9.45                      | 747                       | -1.25 × 10 <sup>-2</sup>  |                          |
| 4.05                              | 67.7                      | -132                        | -10.6                     | 24.0                      | -1.48                     | -1.61                       | 4.33                      | 4.959 × 10 <sup>-2</sup>  | 39.3                      | 17.8                        | -2.10                     | -31.2                     | 197                       |                          |
| 8.43                              | -34.3                     | 29.8                        | 4.56                      | -8.57                     | 0.846                     | 0.939                       | -1.70                     | -7.288 × 10 <sup>-2</sup> | -11.3                     | -14.0                       | 1.58                      | 716                       | -1.450 × 10 <sup>-4</sup> |                          |
| 0.816                             | 63.1                      | -1.22                       | -0.746                    | 4.15                      | -7.029 × 10 <sup>-2</sup> | -0.535                      | 1.14                      | 0.453                     | 7.23                      | 4.69                        | -7.87                     | -30.6                     | 11.2                      |                          |
| 3.755 × 10 <sup>-4</sup>          | -1.255 × 10 <sup>-2</sup> | 1.024 × 10 <sup>-2</sup>    | -7.083 × 10 <sup>-4</sup> | -2.403 × 10 <sup>-3</sup> | -1.450 × 10 <sup>-4</sup> | -8.869 × 10 <sup>-5</sup>   | -4.815 × 10 <sup>-4</sup> | -5.628 × 10 <sup>-5</sup> | -2.831 × 10 <sup>-3</sup> | 1.337 × 10 <sup>-3</sup>    | 7.313 × 10 <sup>-4</sup>  | -3.224 × 10 <sup>-3</sup> | -5.069 × 10 <sup>-3</sup> |                          |
| -5.364 × 10 <sup>-5</sup>         | -5.012 × 10 <sup>-4</sup> | -5.356 × 10 <sup>-3</sup>   | 1.081 × 10 <sup>-3</sup>  | 2.338 × 10 <sup>-5</sup>  | 2.070 × 10 <sup>-4</sup>  | 2.167 × 10 <sup>-4</sup>    | 6.445 × 10 <sup>-6</sup>  | -1.092 × 10 <sup>-5</sup> | 1.204 × 10 <sup>-2</sup>  | 4.959 × 10 <sup>-2</sup>    | -5.012 × 10 <sup>-4</sup> | -5.356 × 10 <sup>-3</sup> | 2.895 × 10 <sup>-2</sup>  |                          |
| 3.531 × 10 <sup>-3</sup>          | 2.895 × 10 <sup>-2</sup>  | -8.227 × 10 <sup>-3</sup>   | -4.574 × 10 <sup>-3</sup> | 9.285 × 10 <sup>-3</sup>  | -8.789 × 10 <sup>-4</sup> | -8.080 × 10 <sup>-4</sup>   | 1.542 × 10 <sup>-3</sup>  | 1.191 × 10 <sup>-4</sup>  | 1.316 × 10 <sup>-2</sup>  | -7.288 × 10 <sup>-2</sup>   | 1.191 × 10 <sup>-4</sup>  | -1.092 × 10 <sup>-5</sup> | 1.161 × 10 <sup>-2</sup>  |                          |
| -1.38                             | 0.255                     | 7.84                        | 0.370                     | -1.02                     | 4.854 × 10 <sup>-2</sup>  | 3.716 × 10 <sup>-2</sup>    | -0.104                    | 1.161 × 10 <sup>-2</sup>  | -0.753                    | 0.497                       | -0.226                    | 0.814                     | -1.845 × 10 <sup>-3</sup> |                          |
| -0.280                            | -0.388                    | 1.23                        | 4.532 × 10 <sup>-2</sup>  | -0.132                    | 5.047 × 10 <sup>-3</sup>  | 4.691 × 10 <sup>-3</sup>    | -2.011 × 10 <sup>-2</sup> | 5.102 × 10 <sup>-4</sup>  | -0.160                    | -6.532 × 10 <sup>-2</sup>   | -1.466 × 10 <sup>-2</sup> | 7.978 × 10 <sup>-2</sup>  | -0.218                    |                          |
| -1.50                             | 0.552                     | 7.62                        | 0.345                     | 0.471                     | 4.734 × 10 <sup>-2</sup>  | 3.776 × 10 <sup>-2</sup>    | -9.831 × 10 <sup>-3</sup> | -0.506                    | -0.202                    | 0.795                       | -1.60                     | 0.649                     | -1.466 × 10 <sup>-2</sup> | 6.305 × 10 <sup>-3</sup> |




Figure 1: Map of correlation graph for 2024-06-08 to 2024-06-10.




Figure 2: Map of correlation matrix for 2024-06-08 to 2024-06-10.

### 3 Granule outlines




Figure 3: Outline of the granules.

## 4 Input data monitoring




Figure 4: Input data per granule

## 5 Warnings and errors




Figure 5: Fraction of pixels with specific warnings and errors during processing

## 6 World maps




Figure 6: Map of “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 7: Map of “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 8: Map of “Corrected  $\text{SO}_2$  slant column” for 2024-06-08 to 2024-06-10





Figure 9: Map of “ $\text{SO}_2$  slant column (window 1)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 10: Map of “ $\text{SO}_2$  slant column precision (window 1)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 11: Map of “Corrected  $\text{SO}_2$  slant column (window 1)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 12: Map of “ $\text{SO}_2$  slant column background correction (window 1)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 13: Map of “SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 14: Map of “ $\text{SO}_2$  slant column precision (window2)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 15: Map of “Corrected  $\text{SO}_2$  slant column (window 2)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 16: Map of “ $\text{SO}_2$  slant column background correction (window 2)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 17: Map of “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 18: Map of “ $\text{SO}_2$  slant column precision (window 3)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 19: Map of “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 20: Map of “ $\text{SO}_2$  slant column background correction (window 3)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 21: Map of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 22: Map of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 23: Map of “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 24: Map of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 25: Map of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 26: Map of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10

2024-06-09






Figure 27: Map of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10

2024-06-09





Figure 28: Map of the number of observations for 2024-06-08 to 2024-06-10

## 7 Zonal average




Figure 29: Zonal average of “QA value” for 2024-06-08 to 2024-06-10.




Figure 30: Zonal average of “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10.




Figure 31: Zonal average of “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10.




Figure 32: Zonal average of “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10.




Figure 33: Zonal average of “ $\text{SO}_2$  slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 34: Zonal average of “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 35: Zonal average of “Corrected SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 36: Zonal average of “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 37: Zonal average of “SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 38: Zonal average of “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 39: Zonal average of “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 40: Zonal average of "SO<sub>2</sub> slant column background correction (window 2)" for 2024-06-08 to 2024-06-10.




Figure 41: Zonal average of “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 42: Zonal average of “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 43: Zonal average of “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 44: Zonal average of “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 45: Zonal average of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 46: Zonal average of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 47: Zonal average of “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 48: Zonal average of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 49: Zonal average of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 50: Zonal average of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 51: Zonal average of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10.

## 8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 52: Histogram of “QA value” for 2024-06-08 to 2024-06-10




Figure 53: Histogram of “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10




Figure 54: Histogram of “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10




Figure 55: Histogram of “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10




Figure 56: Histogram of “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10




Figure 57: Histogram of “ $\text{SO}_2$  slant column precision (window 1)” for 2024-06-08 to 2024-06-10




Figure 58: Histogram of “Corrected SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10




Figure 59: Histogram of “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10




Figure 60: Histogram of “SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10




Figure 61: Histogram of “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10




Figure 62: Histogram of “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10




Figure 63: Histogram of “ $\text{SO}_2$  slant column background correction (window 2)” for 2024-06-08 to 2024-06-10




Figure 64: Histogram of “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10




Figure 65: Histogram of “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10




Figure 66: Histogram of “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10




Figure 67: Histogram of “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10




Figure 68: Histogram of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10




Figure 69: Histogram of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10




Figure 70: Histogram of “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10




Figure 71: Histogram of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10




Figure 72: Histogram of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10




Figure 73: Histogram of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10




Figure 74: Histogram of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10

## 9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 75: Along track statistics of “QA value” for 2024-06-08 to 2024-06-10




Figure 76: Along track statistics of “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10




Figure 77: Along track statistics of “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10




Figure 78: Along track statistics of “Corrected  $\text{SO}_2$  slant column” for 2024-06-08 to 2024-06-10




Figure 79: Along track statistics of “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10




Figure 80: Along track statistics of “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10




Figure 81: Along track statistics of “Corrected  $\text{SO}_2$  slant column (window 1)” for 2024-06-08 to 2024-06-10




Figure 82: Along track statistics of “ $\text{SO}_2$  slant column background correction (window 1)” for 2024-06-08 to 2024-06-10




Figure 83: Along track statistics of “SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10




Figure 84: Along track statistics of “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10




Figure 85: Along track statistics of “Corrected  $\text{SO}_2$  slant column (window 2)” for 2024-06-08 to 2024-06-10




Figure 86: Along track statistics of “ $\text{SO}_2$  slant column background correction (window 2)” for 2024-06-08 to 2024-06-10




Figure 87: Along track statistics of “ $\text{SO}_2$  slant column (window 3)” for 2024-06-08 to 2024-06-10




Figure 88: Along track statistics of “ $\text{SO}_2$  slant column precision (window 3)” for 2024-06-08 to 2024-06-10




Figure 89: Along track statistics of “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-06-08 to 2024-06-10




Figure 90: Along track statistics of “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10




Figure 91: Along track statistics of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10




Figure 92: Along track statistics of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10




Figure 93: Along track statistics of “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10




Figure 94: Along track statistics of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10




Figure 95: Along track statistics of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10




Figure 96: Along track statistics of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10




Figure 97: Along track statistics of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10

## 10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.




Figure 98: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 99: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 100: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 101: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 102: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 103: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 104: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 1)” against “Corrected  $\text{SO}_2$  slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 105: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 1)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 106: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 107: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 108: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 109: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 110: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 111: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 112: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 113: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 114: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 115: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 116: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 2)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 117: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 118: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 119: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 120: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 121: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 122: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 123: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 124: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 125: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 126: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 127: Scatter density plot of “DOAS fit wavelength shift” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 128: Scatter density plot of “DOAS fit wavelength shift” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 129: Scatter density plot of “DOAS fit wavelength shift” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 130: Scatter density plot of “DOAS fit wavelength shift” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 131: Scatter density plot of “DOAS fit wavelength shift” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 132: Scatter density plot of “DOAS fit wavelength squeeze” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 133: Scatter density plot of “DOAS fit wavelength squeeze” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 134: Scatter density plot of “DOAS fit wavelength squeeze” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 135: Scatter density plot of “DOAS fit wavelength squeeze” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 136: Scatter density plot of “SO<sub>2</sub> RMS” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 137: Scatter density plot of “SO<sub>2</sub> RMS” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 138: Scatter density plot of “SO<sub>2</sub> RMS” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 139: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 140: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 141: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 142: Scatter density plot of “Latitude” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 143: Scatter density plot of “Latitude” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 144: Scatter density plot of “Latitude” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 145: Scatter density plot of “Latitude” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 146: Scatter density plot of “Latitude” against “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10.




Figure 147: Scatter density plot of “Latitude” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 148: Scatter density plot of “Latitude” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 149: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 150: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 151: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 152: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 153: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 154: Scatter density plot of “Latitude” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 155: Scatter density plot of “Latitude” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 156: Scatter density plot of “Latitude” against “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10.




Figure 157: Scatter density plot of “Latitude” against “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10.




Figure 158: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 159: Scatter density plot of “Solar zenith angle” against “ $\text{SO}_2$  slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 160: Scatter density plot of “Solar zenith angle” against “ $\text{SO}_2$  slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 161: Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 162: Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 163: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 164: Scatter density plot of “Solar zenith angle” against “Latitude” for 2024-06-08 to 2024-06-10.




Figure 165: Scatter density plot of “Solar zenith angle” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.





Figure 166: Scatter density plot of “Solar zenith angle” against “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10.




Figure 167: Scatter density plot of “Solar zenith angle” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 168: Scatter density plot of “Solar zenith angle” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 169: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 170: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 171: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 172: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 173: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.





Figure 174: Scatter density plot of “Solar zenith angle” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 175: Scatter density plot of “Solar zenith angle” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 176: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10.




Figure 177: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10.




Figure 178: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 179: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 180: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 181: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 182: Scatter density plot of “Corrected  $\text{SO}_2$  slant column” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 183: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 184: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 185: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 186: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 187: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 188: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 189: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 190: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 191: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 192: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 193: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 194: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 195: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 196: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 197: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 198: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 199: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 200: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 201: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 202: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 203: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 204: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 205: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 206: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 207: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 208: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 209: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 210: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 211: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 212: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 213: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 214: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 215: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 216: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 217: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 218: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 219: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 220: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 221: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 222: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 223: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 224: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 225: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 226: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 227: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 228: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 229: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 230: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 231: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 232: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 233: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 234: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 235: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 236: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 237: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 238: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 239: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 240: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 241: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 242: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 243: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 244: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 245: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 246: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 247: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 248: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 249: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 250: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column precision (window3)” for 2024-06-08 to 2024-06-10.




Figure 251: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 252: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 253: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 254: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 255: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 256: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 257: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 258: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 259: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 260: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 261: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 262: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 263: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 264: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 265: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 266: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 267: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 268: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 269: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 270: Scatter density plot of “Precision of total AMF (polluted)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 271: Scatter density plot of “Total AMF (polluted)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 272: Scatter density plot of “Total AMF (polluted)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 273: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 274: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 275: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 276: Scatter density plot of “SO<sub>2</sub> vertical column” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 277: Scatter density plot of “SO<sub>2</sub> vertical column” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 278: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 279: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 280: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 281: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 282: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 283: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 284: Scatter density plot of “ $\text{SO}_2$  vertical column precision” against “ $\text{SO}_2$  RMS” for 2024-06-08 to 2024-06-10.




Figure 285: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 286: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10.




Figure 287: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 288: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 289: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 290: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 291: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 292: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 293: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 294: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 295: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 296: Scatter density plot of “SO<sub>2</sub> vertical column” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 297: Scatter density plot of “SO<sub>2</sub> vertical column” against “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10.




Figure 298: Scatter density plot of “SO<sub>2</sub> vertical column” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 299: Scatter density plot of “SO<sub>2</sub> vertical column” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 300: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 301: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 302: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 303: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 304: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 305: Scatter density plot of “SO<sub>2</sub> vertical column” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 306: Scatter density plot of “SO<sub>2</sub> vertical column” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 307: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10.




Figure 308: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10.




Figure 309: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10.




Figure 310: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10.




Figure 311: Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10.




Figure 312: Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10.




Figure 313: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> RMS” for 2024-06-08 to 2024-06-10.




Figure 314: Scatter density plot of “Viewing zenith angle” against “Latitude” for 2024-06-08 to 2024-06-10.




Figure 315: Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2024-06-08 to 2024-06-10.




Figure 316: Scatter density plot of “Viewing zenith angle” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 317: Scatter density plot of “Viewing zenith angle” against “Corrected SO<sub>2</sub> slant column” for 2024-06-08 to 2024-06-10.




Figure 318: Scatter density plot of “Viewing zenith angle” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10.




Figure 319: Scatter density plot of “Viewing zenith angle” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.




Figure 320: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10.




Figure 321: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10.




Figure 322: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10.




Figure 323: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10.





Figure 324: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10.




Figure 325: Scatter density plot of “Viewing zenith angle” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 326: Scatter density plot of “Viewing zenith angle” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10.




Figure 327: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10.




Figure 328: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10.

# Contents

|           |  |            |
|-----------|--|------------|
| <b>1</b>  | <b>Short Introduction</b>                | <b>1</b>   |
| 1.1       | The list of parameters . . . . .         | 1          |
| <b>2</b>  | <b>Definitions</b>                       | <b>1</b>   |
| <b>3</b>  | <b>Granule outlines</b>                  | <b>12</b>  |
| <b>4</b>  | <b>Input data monitoring</b>             | <b>13</b>  |
| <b>5</b>  | <b>Warnings and errors</b>               | <b>14</b>  |
| <b>6</b>  | <b>World maps</b>                        | <b>15</b>  |
| <b>7</b>  | <b>Zonal average</b>                     | <b>38</b>  |
| <b>8</b>  | <b>Histograms</b>                        | <b>61</b>  |
| <b>9</b>  | <b>Along track statistics</b>            | <b>84</b>  |
| <b>10</b> | <b>Coincidence density</b>               | <b>107</b> |
| <b>11</b> | <b>Copyright information of ‘PyCAMA’</b> | <b>338</b> |

## List of Figures

|    |  |    |
|----|--|----|
| 1  | Map of correlation graph for 2024-06-08 to 2024-06-10. . . . .   | 10 |
| 2  | Map of correlation matrix for 2024-06-08 to 2024-06-10. . . . .  | 11 |
| 3  | Outline of the granules. . . . .   | 12 |
| 4  | Input data per granule . . . . .   | 13 |
| 5  | Fraction of pixels with specific warnings and errors during processing . . . . .                                       | 14 |
| 6  | Map of “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10 . . . . .  | 15 |
| 7  | Map of “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10 . . . . .                              | 16 |
| 8  | Map of “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10 . . . . .                                 | 17 |
| 9  | Map of “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10 . . . . .                                | 18 |
| 10 | Map of “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10 . . . . .                      | 19 |
| 11 | Map of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10 . . . . .                      | 20 |
| 12 | Map of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10 . . . . .          | 21 |
| 13 | Map of “SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10 . . . . .                                | 22 |
| 14 | Map of “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10 . . . . .                       | 23 |
| 15 | Map of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10 . . . . .                      | 24 |
| 16 | Map of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10 . . . . .          | 25 |
| 17 | Map of “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10 . . . . .                                | 26 |
| 18 | Map of “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10 . . . . .                      | 27 |
| 19 | Map of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10 . . . . .                      | 28 |
| 20 | Map of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10 . . . . .          | 29 |
| 21 | Map of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10 . . . . .  | 30 |
| 22 | Map of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10 . . . . .  | 31 |
| 23 | Map of “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10 . . . . .  | 32 |
| 24 | Map of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .   | 33 |
| 25 | Map of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .                                      | 34 |
| 26 | Map of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .   | 35 |
| 27 | Map of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10 . . . . .                                 | 36 |
| 28 | Map of the number of observations for 2024-06-08 to 2024-06-10 . . . . .   | 37 |
| 29 | Zonal average of “QA value” for 2024-06-08 to 2024-06-10. . . . .  | 38 |
| 30 | Zonal average of “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10. . . . .                               | 39 |
| 31 | Zonal average of “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10. . . . .                     | 40 |
| 32 | Zonal average of “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10. . . . .                        | 41 |
| 33 | Zonal average of “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .                       | 42 |
| 34 | Zonal average of “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .             | 43 |
| 35 | Zonal average of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .             | 44 |
| 36 | Zonal average of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . . | 45 |

|    |  |     |
|----|--|-----|
| 37 | Zonal average of “SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .                       | 46  |
| 38 | Zonal average of “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .              | 47  |
| 39 | Zonal average of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .             | 48  |
| 40 | Zonal average of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . . | 49  |
| 41 | Zonal average of “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 50  |
| 42 | Zonal average of “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 51  |
| 43 | Zonal average of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 52  |
| 44 | Zonal average of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 53  |
| 45 | Zonal average of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 54  |
| 46 | Zonal average of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 55  |
| 47 | Zonal average of “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 56  |
| 48 | Zonal average of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 57  |
| 49 | Zonal average of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                             | 58  |
| 50 | Zonal average of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 59  |
| 51 | Zonal average of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10. . . . .                        | 60  |
| 52 | Histogram of “QA value” for 2024-06-08 to 2024-06-10 . . . . .   | 61  |
| 53 | Histogram of “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10 . . . . .                                  | 62  |
| 54 | Histogram of “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10 . . . . .                        | 63  |
| 55 | Histogram of “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10 . . . . .                           | 64  |
| 56 | Histogram of “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10 . . . . .                          | 65  |
| 57 | Histogram of “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10 . . . . .                | 66  |
| 58 | Histogram of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10 . . . . .                | 67  |
| 59 | Histogram of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10 . . . . .    | 68  |
| 60 | Histogram of “SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10 . . . . .                          | 69  |
| 61 | Histogram of “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10 . . . . .                 | 70  |
| 62 | Histogram of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10 . . . . .                | 71  |
| 63 | Histogram of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10 . . . . .    | 72  |
| 64 | Histogram of “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10 . . . . .                          | 73  |
| 65 | Histogram of “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10 . . . . .                | 74  |
| 66 | Histogram of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10 . . . . .                | 75  |
| 67 | Histogram of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10 . . . . .    | 76  |
| 68 | Histogram of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10 . . . . .  | 77  |
| 69 | Histogram of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10 . . . . .                                      | 78  |
| 70 | Histogram of “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10 . . . . .  | 79  |
| 71 | Histogram of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .   | 80  |
| 72 | Histogram of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                 | 81  |
| 73 | Histogram of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .   | 82  |
| 74 | Histogram of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10. . . . .                            | 83  |
| 75 | Along track statistics of “QA value” for 2024-06-08 to 2024-06-10 . . . . .  | 84  |
| 76 | Along track statistics of “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10 . . . . .                     | 85  |
| 77 | Along track statistics of “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10 . . . . .           | 86  |
| 78 | Along track statistics of “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10 . . . . .              | 87  |
| 79 | Along track statistics of “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10 . . . . .             | 88  |
| 80 | Along track statistics of “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10 . . . . .   | 89  |
| 81 | Along track statistics of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10 . . . . .   | 90  |
| 82 | Along track statistics of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10 | 91  |
| 83 | Along track statistics of “SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10 . . . . .             | 92  |
| 84 | Along track statistics of “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10 . . . . .    | 93  |
| 85 | Along track statistics of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10 . . . . .   | 94  |
| 86 | Along track statistics of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10 | 95  |
| 87 | Along track statistics of “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10 . . . . .             | 96  |
| 88 | Along track statistics of “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10 . . . . .   | 97  |
| 89 | Along track statistics of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10 . . . . .   | 98  |
| 90 | Along track statistics of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10 | 99  |
| 91 | Along track statistics of “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10 . . . . .                           | 100 |
| 92 | Along track statistics of “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10 . . . . .                         | 101 |
| 93 | Along track statistics of “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10 . . . . .                                 | 102 |
| 94 | Along track statistics of “Total AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .                                | 103 |
| 95 | Along track statistics of “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .                   | 104 |
| 96 | Along track statistics of “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10 . . . . .                                | 105 |
| 97 | Along track statistics of “Number of spectral points in retrieval” for 2024-06-08 to 2024-06-10 . . . . .              | 106 |



|     |  |     |
|-----|--|-----|
| 129 | Scatter density plot of “DOAS fit wavelength shift” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                   | 138 |
| 130 | Scatter density plot of “DOAS fit wavelength shift” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                   | 139 |
| 131 | Scatter density plot of “DOAS fit wavelength shift” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                      | 140 |
| 132 | Scatter density plot of “DOAS fit wavelength squeeze” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .                                  | 141 |
| 133 | Scatter density plot of “DOAS fit wavelength squeeze” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                 | 142 |
| 134 | Scatter density plot of “DOAS fit wavelength squeeze” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                 | 143 |
| 135 | Scatter density plot of “DOAS fit wavelength squeeze” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                    | 144 |
| 136 | Scatter density plot of “SO <sub>2</sub> RMS” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 145 |
| 137 | Scatter density plot of “SO <sub>2</sub> RMS” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 146 |
| 138 | Scatter density plot of “SO <sub>2</sub> RMS” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                            | 147 |
| 139 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . .           | 148 |
| 140 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . .           | 149 |
| 141 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . .           | 150 |
| 142 | Scatter density plot of “Latitude” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .   | 151 |
| 143 | Scatter density plot of “Latitude” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .   | 152 |
| 144 | Scatter density plot of “Latitude” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 153 |
| 145 | Scatter density plot of “Latitude” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 154 |
| 146 | Scatter density plot of “Latitude” against “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10. . . . .                                  | 155 |
| 147 | Scatter density plot of “Latitude” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .                       | 156 |
| 148 | Scatter density plot of “Latitude” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 157 |
| 149 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .                                 | 158 |
| 150 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .                       | 159 |
| 151 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .                        | 160 |
| 152 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                                 | 161 |
| 153 | Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 162 |
| 154 | Scatter density plot of “Latitude” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 163 |
| 155 | Scatter density plot of “Latitude” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                       | 164 |
| 156 | Scatter density plot of “Latitude” against “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10. . . . .   | 165 |
| 157 | Scatter density plot of “Latitude” against “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10. . . . .                               | 166 |
| 158 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . . | 167 |
| 159 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . . | 168 |
| 160 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 169 |
| 161 | Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 170 |
| 162 | Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 171 |
| 163 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 172 |
| 164 | Scatter density plot of “Solar zenith angle” against “Latitude” for 2024-06-08 to 2024-06-10. . . . .  | 173 |
| 165 | Scatter density plot of “Solar zenith angle” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 174 |
| 166 | Scatter density plot of “Solar zenith angle” against “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10. . . . .                        | 175 |
| 167 | Scatter density plot of “Solar zenith angle” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .             | 176 |
| 168 | Scatter density plot of “Solar zenith angle” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 177 |

|     |   |     |
|-----|---|-----|
| 169 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .  | 178 |
| 170 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .  | 179 |
| 171 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .   | 180 |
| 172 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .  | 181 |
| 173 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .  | 182 |
| 174 | Scatter density plot of “Solar zenith angle” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 183 |
| 175 | Scatter density plot of “Solar zenith angle” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 184 |
| 176 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10. . . . .  | 185 |
| 177 | Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10. . . . .  | 186 |
| 178 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . .            | 187 |
| 179 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . .            | 188 |
| 180 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . .            | 189 |
| 181 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .  | 190 |
| 182 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .  | 191 |
| 183 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .  | 192 |
| 184 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 193 |
| 185 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .                        | 194 |
| 186 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                        | 195 |
| 187 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .                                  | 196 |
| 188 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .                        | 197 |
| 189 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .                         | 198 |
| 190 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                                  | 199 |
| 191 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .                        | 200 |
| 192 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 201 |
| 193 | Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 202 |
| 194 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . . | 203 |
| 195 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 204 |
| 196 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 205 |
| 197 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 206 |
| 198 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 207 |
| 199 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 208 |
| 200 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 209 |

|     |   |     |
|-----|---|-----|
| 201 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 210 |
| 202 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 211 |
| 203 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 212 |
| 204 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                             | 213 |
| 205 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 214 |
| 206 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 215 |
| 207 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 216 |
| 208 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 217 |
| 209 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 218 |
| 210 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 219 |
| 211 | Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                             | 220 |
| 212 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . .           | 221 |
| 213 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . .           | 222 |
| 214 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . .           | 223 |
| 215 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .   | 224 |
| 216 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .   | 225 |
| 217 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. .   | 226 |
| 218 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . . | 227 |
| 219 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . . | 228 |
| 220 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 229 |
| 221 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 230 |
| 222 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 231 |
| 223 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 232 |
| 224 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 233 |
| 225 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .             | 234 |
| 226 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 235 |
| 227 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .              | 236 |
| 228 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 237 |
| 229 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 238 |
| 230 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 239 |
| 231 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                             | 240 |

|     |   |     |
|-----|---|-----|
| 232 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 241 |
| 233 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .                       | 242 |
| 234 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 243 |
| 235 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .                       | 244 |
| 236 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .                        | 245 |
| 237 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                                 | 246 |
| 238 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 247 |
| 239 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 248 |
| 240 | Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                       | 249 |
| 241 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . .  | 250 |
| 242 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . .  | 251 |
| 243 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                      | 252 |
| 244 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                    | 253 |
| 245 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .  | 254 |
| 246 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 255 |
| 247 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .              | 256 |
| 248 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .              | 257 |
| 249 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                        | 258 |
| 250 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .              | 259 |
| 251 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 260 |
| 252 | Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                              | 261 |
| 253 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . .           | 262 |
| 254 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .   | 263 |
| 255 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .   | 264 |
| 256 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 265 |
| 257 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 266 |
| 258 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 267 |
| 259 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 268 |
| 260 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 269 |
| 261 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 270 |
| 262 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 271 |

|     |   |     |
|-----|---|-----|
| 263 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                                  | 272 |
| 264 | Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                     | 273 |
| 265 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 274 |
| 266 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .               | 275 |
| 267 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .               | 276 |
| 268 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 277 |
| 269 | Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                               | 278 |
| 270 | Scatter density plot of “Precision of total AMF (polluted)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 279 |
| 271 | Scatter density plot of “Total AMF (polluted)” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .   | 280 |
| 272 | Scatter density plot of “Total AMF (polluted)” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 281 |
| 273 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . .           | 282 |
| 274 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . .           | 283 |
| 275 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . .           | 284 |
| 276 | Scatter density plot of “SO <sub>2</sub> vertical column” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .   | 285 |
| 277 | Scatter density plot of “SO <sub>2</sub> vertical column” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .   | 286 |
| 278 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 287 |
| 279 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . . | 288 |
| 280 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . . | 289 |
| 281 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 290 |
| 282 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 291 |
| 283 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 292 |
| 284 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 293 |
| 285 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 294 |
| 286 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10. . . . .                        | 295 |
| 287 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .             | 296 |
| 288 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 297 |
| 289 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .                       | 298 |
| 290 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .             | 299 |
| 291 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .              | 300 |
| 292 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 301 |
| 293 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 302 |
| 294 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 303 |

|     |  |     |
|-----|--|-----|
| 295 | Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .        | 304 |
| 296 | Scatter density plot of “SO <sub>2</sub> vertical column” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                               | 305 |
| 297 | Scatter density plot of “SO <sub>2</sub> vertical column” against “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10. . . . .             | 306 |
| 298 | Scatter density plot of “SO <sub>2</sub> vertical column” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .  | 307 |
| 299 | Scatter density plot of “SO <sub>2</sub> vertical column” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .  | 308 |
| 300 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .            | 309 |
| 301 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .  | 310 |
| 302 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .   | 311 |
| 303 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .            | 312 |
| 304 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .  | 313 |
| 305 | Scatter density plot of “SO <sub>2</sub> vertical column” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                               | 314 |
| 306 | Scatter density plot of “SO <sub>2</sub> vertical column” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                  | 315 |
| 307 | Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10. . . . .          | 316 |
| 308 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-06-08 to 2024-06-10. . . . . | 317 |
| 309 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-06-08 to 2024-06-10. . . . . | 318 |
| 310 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-06-08 to 2024-06-10. . . . . | 319 |
| 311 | Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength shift” for 2024-06-08 to 2024-06-10. . . . .                                     | 320 |
| 312 | Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength squeeze” for 2024-06-08 to 2024-06-10. . . . .                                   | 321 |
| 313 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> RMS” for 2024-06-08 to 2024-06-10. . . . .   | 322 |
| 314 | Scatter density plot of “Viewing zenith angle” against “Latitude” for 2024-06-08 to 2024-06-10. . . . .  | 323 |
| 315 | Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2024-06-08 to 2024-06-10. . . . .  | 324 |
| 316 | Scatter density plot of “Viewing zenith angle” against “Clear AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 325 |
| 317 | Scatter density plot of “Viewing zenith angle” against “Corrected SO <sub>2</sub> slant column” for 2024-06-08 to 2024-06-10. . . . .                        | 326 |
| 318 | Scatter density plot of “Viewing zenith angle” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-06-08 to 2024-06-10. . . . .             | 327 |
| 319 | Scatter density plot of “Viewing zenith angle” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 328 |
| 320 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column (window 1)” for 2024-06-08 to 2024-06-10. . . . .                       | 329 |
| 321 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-06-08 to 2024-06-10. . . . .             | 330 |
| 322 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (window2)” for 2024-06-08 to 2024-06-10. . . . .              | 331 |
| 323 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column (window 3)” for 2024-06-08 to 2024-06-10. . . . .                       | 332 |
| 324 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-06-08 to 2024-06-10. . . . .             | 333 |
| 325 | Scatter density plot of “Viewing zenith angle” against “Total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .  | 334 |
| 326 | Scatter density plot of “Viewing zenith angle” against “Precision of total AMF (polluted)” for 2024-06-08 to 2024-06-10. . . . .                             | 335 |
| 327 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> vertical column” for 2024-06-08 to 2024-06-10. . . . .                               | 336 |
| 328 | Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> vertical column precision” for 2024-06-08 to 2024-06-10. . . . .                     | 337 |

## List of Tables

|   |   |   |
|---|---|---|
| 1 | Parameterlist and basic statistics for the analysis . . . . .   | 2 |
| 2 | Percentile ranges . . . . .   | 3 |
| 3 | Parameterlist and basic statistics for the analysis for observations in the northern hemisphere . . . . . | 4 |
| 4 | Parameterlist and basic statistics for the analysis for observations in the southern hemisphere . . . . . | 5 |
| 5 | Parameterlist and basic statistics for the analysis for observations over water . . . . .                 | 6 |
| 6 | Parameterlist and basic statistics for the analysis for observations over land . . . . .                  | 7 |
| 7 | Correlation matrix . . . . .  | 8 |
| 8 | Covariance matrix . . . . .   | 9 |

## 11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

*This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.*

Maarten Sneep (maarten.sneep@knmi.nl).