

# PyCAMA report generated by trop12-proc

trop12-proc

2024-12-07 (03:20)

## 1 Short Introduction

### 1.1 The list of parameters

You may want to keep the list given in table 1 at hand when viewing the results.

## 2 Definitions

The averages shown here are *unweighted* averages:

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \quad (1)$$

with  $N$  the number of observations in the dataset.

The spread of the measurements is indicated with the variance  $V(x)$ , or rather the standard deviation  $\sigma(x) = \sqrt{V(x)}$ .

$$V(x) = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2 \quad (2)$$

We also report the more robust statistics median, minimum, maximum, various percentiles and inter quartile range.

The median  $m$  is the value of parameter  $x$  for which half of the observations of  $x$  is smaller than  $m$ :

$$P(x \leq m) = P(x \geq m) = \int_{-\infty}^m f(x) dx = \frac{1}{2} \quad (3)$$

with  $f(x)$  the probability density function.

The median is a special case of a percentile. Instead of  $1/2$  in equation 3, other threshold values can be used. We report results for 1 %, 5 %, 10 %, 15.9 %, 25 %, 75 %, 84.1 %, 90 %, 95 % and 99 %. The inter quartile range is the difference between the 75 % and 25 % percentiles. Similarly the minimum and maximum values correspond to the 0 % and 100 % percentiles respectively.

For normally distributed parameters the mean and median are the same, while the  $\mu \pm \sigma$  values and the 15.9 % and 84.1 % percentiles coincide.

To get a measure for the relation of one variable  $x_{(k)}$  with another  $x_{(l)}$ , we calculate the covariance matrix  $C_{kl}$ .

$$C_{kl} = C(x_{(k)}, x_{(l)}) = \frac{1}{N-1} \sum_{i=1}^N (x_{(k),i} - \bar{x}_{(k)})(x_{(l),i} - \bar{x}_{(l)}) \quad (4)$$

Rather than a dimensionally dependent covariance, it is often easier to interpret a correlation matrix  $R_{kl}$ , a matrix of Pearson's  $r$  coefficients:

$$R_{kl} = R(x_{(k)}, x_{(l)}) = \frac{C_{kl}}{\sqrt{C_{kk}C_{ll}}} = \frac{C_{kl}}{\sqrt{V(x_k)V(x_l)}} \quad (5)$$

The diagonal elements of the covariance matrix are the variances of the elements,  $V(x_{(k)}) = C_{kk}$  and obviously  $R_{kk} = 1$ .

Variable
qa value [1]
sulfurdioxide total vertical column [DU]
sulfurdioxide total vertical column precision [DU]
sulfurdioxide slant column density corrected [DU]
sulfurdioxide slant column density cobra [DU]
sulfurdioxide slant column density cobra precision [DU]
sulfurdioxide slant column density window1 [DU]
sulfurdioxide slant column density window1 precision [DU]
sulfurdioxide slant column density corrected win1 [DU]
background so2 slant column offset window1 [DU]
sulfurdioxide slant column density window2 [DU]
sulfurdioxide slant column density window2 precision [DU]
sulfurdioxide slant column density corrected win2 [DU]
background so2 slant column offset window2 [DU]
sulfurdioxide slant column density window3 [DU]
sulfurdioxide slant column density window3 precision [DU]
sulfurdioxide slant column density corrected win3 [DU]
background so2 slant column offset window3 [DU]
sulfurdioxide slant column cobra flag [1]
fitted radiance shift [nm]
fitted radiance squeeze [1]
fitted root mean square [1]
sulfurdioxide total air mass factor polluted [1]
sulfurdioxide total air mass factor polluted precision [1]
sulfurdioxide clear air mass factor polluted [1]
number of spectral points in retrieval [1]

Table 1: Parameterlist and basic statistics for the analysis

mean $\pm \sigma$	Count	Mode	IQR	Median	Minimum	Maximum
$0.608 \pm 0.421$	19475888	0.995	0.840	1.000	0.0	1.000
$(3.441 \pm 119.583) \times 10^{-2}$	19475888	0.249	0.418	$9.057 \times 10^{-3}$	-65.4	295
$0.570 \pm 0.947$	19475888	0.222	0.366	0.314	$4.174 \times 10^{-2}$	116
$(1.837 \pm 42.175) \times 10^{-2}$	19475888	0.250	0.363	$9.241 \times 10^{-3}$	-13.4	335
$(1.783 \pm 35.743) \times 10^{-2}$	19475888	0.250	0.363	$9.241 \times 10^{-3}$	-13.4	39.0
$0.287 \pm 0.114$	19475888	0.213	0.111	0.249	$8.201 \times 10^{-2}$	25.9
$(6.841 \pm 63.608) \times 10^{-2}$	19475888	$7.500 \times 10^{-2}$	0.711	$6.546 \times 10^{-2}$	-80.1	68.3
$0.287 \pm 0.114$	19475888	0.213	0.111	0.249	$8.201 \times 10^{-2}$	25.9
$(9.874 \pm 63.020) \times 10^{-2}$	19475888	$7.500 \times 10^{-2}$	0.696	$8.508 \times 10^{-2}$	-80.1	68.4
$(3.032 \pm 11.405) \times 10^{-2}$	19475888	$-2.000 \times 10^{-2}$	0.156	$5.747 \times 10^{-3}$	-0.997	2.97
$2.69 \pm 8.72$	19475888	2.25	10.9	2.64	-744	$1.688 \times 10^3$
$7.83 \pm 2.21$	19475888	6.97	2.58	7.46	2.20	496
$1.50 \pm 8.59$	19475888	1.25	10.8	1.50	-744	$1.689 \times 10^3$
$-1.19 \pm 2.04$	19475888	0.250	2.78	-0.790	-14.3	10.0
$-13.8 \pm 23.5$	19475888	-15.1	29.4	-14.3	-418	384
$27.2 \pm 13.0$	19475888	22.5	10.1	24.1	9.50	264
$-7.17 \pm 22.59$	19475888	-8.40	28.0	-7.31	-425	380
$6.59 \pm 6.72$	19475888	1.68	9.90	6.38	-16.0	37.8
$2.00 \pm 0.00$	19475888	1.67	0.0	2.00	2.00	2.00
$(-4.694 \pm 25.303) \times 10^{-4}$	19475888	$-5.000 \times 10^{-4}$	$1.662 \times 10^{-3}$	$-5.109 \times 10^{-4}$	-0.110	$7.031 \times 10^{-2}$
$(-3.377 \pm 16.568) \times 10^{-5}$	19475888	$-3.000 \times 10^{-5}$	$1.986 \times 10^{-4}$	$-3.098 \times 10^{-5}$	$-1.419 \times 10^{-2}$	$2.009 \times 10^{-2}$
$(1.195 \pm 0.451) \times 10^{-3}$	19475888	$9.750 \times 10^{-4}$	$4.073 \times 10^{-4}$	$1.075 \times 10^{-3}$	$2.829 \times 10^{-4}$	$5.666 \times 10^{-2}$
$0.975 \pm 0.656$	19475888	0.540	0.674	0.818	$5.000 \times 10^{-2}$	3.50
$0.143 \pm 0.152$	19475888	$3.500 \times 10^{-2}$	0.159	$8.271 \times 10^{-2}$	$2.939 \times 10^{-3}$	1.69
$0.828 \pm 0.582$	19475888	0.540	0.448	0.692	$5.495 \times 10^{-2}$	3.59
73.5 ± 0.5	19475888	73.0	1.000	73.0	52.0	155

Variable	1 %	5 %	10 %	15.9 %	25 %	75 %	84.1 %	90 %	95 %	99 %
qa value [1]	0.0	0.0	$2.000 \times 10^{-2}$	$7.000 \times 10^{-2}$	0.160	1.000	1.000	1.000	1.000	1.000
sulfurdioxide total vertical column [DU]	-2.81	-0.934	-0.540	-0.350	-0.196	0.222	0.389	0.599	1.05	3.27
sulfurdioxide total vertical column precision [DU]	$6.954 \times 10^{-2}$	$9.041 \times 10^{-2}$	0.118	0.151	0.198	0.565	0.795	1.13	1.80	4.78
sulfurdioxide slant column density corrected [DU]	-0.796	-0.475	-0.349	-0.263	-0.171	0.192	0.289	0.381	0.523	0.923
sulfurdioxide slant column density cobra [DU]	-0.796	-0.475	-0.349	-0.263	-0.171	0.192	0.289	0.381	0.523	0.923
sulfurdioxide slant column density cobra precision [DU]	0.149	0.177	0.191	0.202	0.214	0.325	0.387	0.439	0.513	0.704
sulfurdioxide slant column density window1 [DU]	-1.49	-0.884	-0.644	-0.476	-0.292	0.419	0.600	0.771	1.02	1.71
sulfurdioxide slant column density window1 precision [DU]	0.149	0.177	0.191	0.202	0.214	0.325	0.387	0.439	0.513	0.704
sulfurdioxide slant column density window1 win1 [DU]	-1.40	-0.826	-0.597	-0.436	-0.261	0.435	0.619	0.794	1.06	1.79
background so2 slant column offset window1 [DU]	-0.174	-0.122	$-9.111 \times 10^{-2}$	$-7.141 \times 10^{-2}$	$-5.006 \times 10^{-2}$	0.106	0.152	0.185	0.229	0.333
sulfurdioxide slant column density window2 [DU]	-18.3	-11.3	-7.97	-5.53	-2.81	8.12	10.9	13.4	16.8	24.4
sulfurdioxide slant column density window2 precision [DU]	4.25	5.01	5.47	5.85	6.33	8.91	9.79	10.7	11.9	14.6
sulfurdioxide slant column density corrected win2 [DU]	-19.5	-12.3	-9.01	-6.57	-3.88	6.89	9.59	12.0	15.4	22.5
background so2 slant column offset window2 [DU]	-6.79	-4.66	-3.84	-3.26	-2.54	0.241	0.536	0.806	1.23	3.19
sulfurdioxide slant column density window3 [DU]	-71.5	-51.2	-42.2	-35.7	-28.6	0.788	8.71	15.9	25.7	44.9
sulfurdioxide slant column density window3 precision [DU]	13.5	15.4	16.8	18.1	19.8	29.9	34.4	39.8	51.0	82.5
sulfurdioxide slant column density corrected win3 [DU]	-63.9	-43.8	-34.7	-28.2	-21.2	6.84	14.1	20.8	29.9	48.7
background so2 slant column offset window3 [DU]	-6.98	-3.60	-1.81	-0.263	1.48	11.4	13.8	15.9	18.3	21.1
sulfurdioxide slant column cobra flag [1]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
fitted radiance shift [nm]	$-8.135 \times 10^{-3}$	$-4.102 \times 10^{-3}$	$-2.712 \times 10^{-3}$	$-1.946 \times 10^{-3}$	$-1.335 \times 10^{-3}$	$3.267 \times 10^{-4}$	$9.899 \times 10^{-4}$	$1.848 \times 10^{-3}$	$3.371 \times 10^{-3}$	$7.623 \times 10^{-3}$
fitted radiance squeeze [1]	$-4.635 \times 10^{-4}$	$-3.002 \times 10^{-4}$	$-2.319 \times 10^{-4}$	$-1.838 \times 10^{-4}$	$-1.317 \times 10^{-4}$	$6.686 \times 10^{-5}$	$1.161 \times 10^{-4}$	$1.613 \times 10^{-4}$	$2.250 \times 10^{-4}$	$3.734 \times 10^{-4}$
fitted root mean square [1]	$5.954 \times 10^{-4}$	$7.284 \times 10^{-4}$	$7.994 \times 10^{-4}$	$8.538 \times 10^{-4}$	$9.185 \times 10^{-4}$	$1.326 \times 10^{-3}$	$1.536 \times 10^{-3}$	$1.762 \times 10^{-3}$	$2.084 \times 10^{-3}$	$2.870 \times 10^{-3}$
sulfurdioxide total air mass factor polluted [1]	$7.512 \times 10^{-2}$	0.210	0.315	0.415	0.531	1.21	1.54	1.92	2.52	3.03
sulfurdioxide total air mass factor polluted precision [1]	$9.672 \times 10^{-3}$	$1.730 \times 10^{-2}$	$2.412 \times 10^{-2}$	$2.953 \times 10^{-2}$	$3.877 \times 10^{-2}$	0.198	0.276	0.344	0.445	0.715
sulfurdioxide clear air mass factor polluted [1]	0.183	0.284	0.360	0.427	0.501	0.950	1.08	1.25	2.17	3.21
number of spectral points in retrieval [1]	73.0	73.0	73.0	73.0	73.0	74.0	74.0	74.0	74.0	74.0

Table 3: Parameterlist and basic statistics for the analysis for observations in the northern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	$0.720 \pm 0.389$	7042423	0.650	1.000	0.0	1.000	0.350	1.000
sulfurdioxide total vertical column [DU]	$(6.811 \pm 170.618) \times 10^{-2}$	7042423	0.608	$2.049 \times 10^{-2}$	-65.4	92.5	-0.275	0.333
sulfurdioxide total vertical column precision [DU]	$0.856 \pm 1.340$	7042423	0.604	0.431	$5.365 \times 10^{-2}$	38.9	0.265	0.869
sulfurdioxide slant column density corrected [DU]	$(2.696 \pm 38.960) \times 10^{-2}$	7042423	0.423	$1.602 \times 10^{-2}$	-4.37	39.5	-0.193	0.230
sulfurdioxide slant column density cobra [DU]	$(2.695 \pm 38.903) \times 10^{-2}$	7042423	0.423	$1.602 \times 10^{-2}$	-4.37	21.1	-0.193	0.230
sulfurdioxide slant column density cobra precision [DU]	$0.337 \pm 0.134$	7042423	0.170	0.301	$9.525 \times 10^{-2}$	4.35	0.238	0.407
sulfurdioxide slant column density window1 [DU]	$0.117 \pm 0.708$	7042423	0.788	0.119	-9.71	21.9	-0.277	0.511
sulfurdioxide slant column density window1 precision [DU]	$0.337 \pm 0.134$	7042423	0.170	0.301	$9.525 \times 10^{-2}$	4.35	0.238	0.407
sulfurdioxide slant column density corrected win1 [DU]	$0.117 \pm 0.709$	7042423	0.782	$9.854 \times 10^{-2}$	-9.71	21.8	-0.288	0.494
background so2 slant column offset window1 [DU]	$(-4.403 \pm 1093.526) \times 10^{-4}$	7042423	$9.186 \times 10^{-2}$	$-1.558 \times 10^{-2}$	-0.997	2.97	$-5.856 \times 10^{-2}$	$3.331 \times 10^{-2}$
sulfurdioxide slant column density window2 [DU]	$2.99 \pm 9.78$	7042423	12.4	2.76	-65.1	$1.019 \times 10^3$	-3.34	9.07
sulfurdioxide slant column density window2 precision [DU]	$8.81 \pm 2.29$	7042423	2.81	8.51	2.36	354	7.25	10.1
sulfurdioxide slant column density corrected win2 [DU]	$1.71 \pm 9.57$	7042423	12.2	1.70	-72.2	$1.019 \times 10^3$	-4.37	7.78
background so2 slant column offset window2 [DU]	$-1.27 \pm 2.26$	7042423	2.60	-0.575	-14.3	10.0	-2.43	0.176
sulfurdioxide slant column density window3 [DU]	$-14.5 \pm 26.2$	7042423	33.1	-14.1	-211	160	-30.7	2.34
sulfurdioxide slant column density window3 precision [DU]	$30.6 \pm 13.2$	7042423	9.91	27.6	9.73	229	23.4	33.3
sulfurdioxide slant column density corrected win3 [DU]	$-7.51 \pm 25.64$	7042423	32.5	-7.44	-194	161	-23.6	8.86
background so2 slant column offset window3 [DU]	$6.94 \pm 5.27$	7042423	8.28	6.21	-12.1	37.8	2.68	11.0
sulfurdioxide slant column cobra flag [1]	$2.00 \pm 0.00$	7042423	0.0	2.00	2.00	2.00	2.00	2.00
fitted radiance shift [nm]	$(-2.174 \pm 26.711) \times 10^{-4}$	7042423	$1.687 \times 10^{-3}$	$-2.555 \times 10^{-4}$	$-3.921 \times 10^{-2}$	$3.903 \times 10^{-2}$	$-1.081 \times 10^{-3}$	$6.063 \times 10^{-4}$
fitted radiance squeeze [1]	$(-9.248 \pm 182.488) \times 10^{-6}$	7042423	$2.147 \times 10^{-4}$	$-7.313 \times 10^{-6}$	$-9.013 \times 10^{-3}$	$1.784 \times 10^{-3}$	$-1.154 \times 10^{-4}$	$9.933 \times 10^{-5}$
fitted root mean square [1]	$(1.375 \pm 0.543) \times 10^{-3}$	7042423	$5.959 \times 10^{-4}$	$1.229 \times 10^{-3}$	$3.028 \times 10^{-4}$	$2.396 \times 10^{-2}$	$1.013 \times 10^{-3}$	$1.609 \times 10^{-3}$
sulfurdioxide total air mass factor polluted [1]	$0.734 \pm 0.393$	7042423	0.566	0.708	$5.000 \times 10^{-2}$	2.91	0.430	0.995
sulfurdioxide total air mass factor polluted precision [1]	$(8.974 \pm 11.400) \times 10^{-2}$	7042423	$7.358 \times 10^{-2}$	$5.217 \times 10^{-2}$	$2.939 \times 10^{-3}$	1.52	$3.023 \times 10^{-2}$	0.104
sulfurdioxide clear air mass factor polluted [1]	$0.674 \pm 0.295$	7042423	0.497	0.659	$5.495 \times 10^{-2}$	1.91	0.428	0.925
number of spectral points in retrieval [1]	$73.5 \pm 0.5$	7042423	1.000	73.0	52.0	74.0	73.0	74.0

Table 4: Parameterlist and basic statistics for the analysis for observations in the southern hemisphere

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.545 $\pm$ 0.425	12433465	0.880	0.450	0.0	1.000	0.120	1.000
sulfurdioxide total vertical column [DU]	(1.532 $\pm$ 76.818) $\times 10^{-2}$	12433465	0.341	5.463 $\times 10^{-3}$	-40.5	295	-0.163	0.177
sulfurdioxide total vertical column precision [DU]	0.408 $\pm$ 0.560	12433465	0.287	0.267	4.174 $\times 10^{-2}$	116	0.160	0.447
sulfurdioxide slant column density corrected [DU]	(1.351 $\pm$ 43.884) $\times 10^{-2}$	12433465	0.334	6.163 $\times 10^{-3}$	-13.4	335	-0.160	0.174
sulfurdioxide slant column density cobra [DU]	(1.267 $\pm$ 33.811) $\times 10^{-2}$	12433465	0.334	6.163 $\times 10^{-3}$	-13.4	39.0	-0.160	0.174
sulfurdioxide slant column density cobra precision [DU]	0.258 $\pm$ 0.090	12433465	7.029 $\times 10^{-2}$	0.235	8.201 $\times 10^{-2}$	25.9	0.207	0.277
sulfurdioxide slant column density window1 [DU]	(4.083 $\pm$ 58.938) $\times 10^{-2}$	12433465	0.671	3.905 $\times 10^{-2}$	-80.1	68.3	-0.299	0.371
sulfurdioxide slant column density window1 precision [DU]	0.258 $\pm$ 0.090	12433465	7.029 $\times 10^{-2}$	0.235	8.201 $\times 10^{-2}$	25.9	0.207	0.277
sulfurdioxide slant column density corrected win1 [DU]	(8.858 $\pm$ 58.084) $\times 10^{-2}$	12433465	0.655	7.862 $\times 10^{-2}$	-80.1	68.4	-0.248	0.407
background so2 slant column offset window1 [DU]	(4.775 $\pm$ 11.296) $\times 10^{-2}$	12433465	0.181	3.450 $\times 10^{-2}$	-0.956	1.05	-4.507 $\times 10^{-2}$	0.135
sulfurdioxide slant column density window2 [DU]	2.53 $\pm$ 8.05	12433465	10.2	2.59	-744	1.688 $\times 10^3$	-2.54	7.68
sulfurdioxide slant column density window2 precision [DU]	7.27 $\pm$ 1.95	12433465	2.12	6.98	2.20	496	6.02	8.14
sulfurdioxide slant column density corrected win2 [DU]	1.39 $\pm$ 7.98	12433465	10.1	1.41	-744	1.689 $\times 10^3$	-3.64	6.44
background so2 slant column offset window2 [DU]	-1.14 $\pm$ 1.91	12433465	2.85	-0.976	-11.3	9.98	-2.57	0.282
sulfurdioxide slant column density window3 [DU]	-13.4 $\pm$ 21.9	12433465	27.6	-14.4	-418	384	-27.6	-4.448 $\times 10^{-2}$
sulfurdioxide slant column density window3 precision [DU]	25.3 $\pm$ 12.4	12433465	8.33	22.3	9.50	264	18.6	26.9
sulfurdioxide slant column density corrected win3 [DU]	-6.98 $\pm$ 20.65	12433465	25.9	-7.24	-425	380	-20.0	5.87
background so2 slant column offset window3 [DU]	6.39 $\pm$ 7.41	12433465	11.5	6.54	-16.0	31.1	0.233	11.7
sulfurdioxide slant column cobra flag [1]	2.00 $\pm$ 0.00	12433465	0.0	2.00	2.00	2.00	2.00	2.00
fitted radiance shift [nm]	(-6.121 $\pm$ 24.355) $\times 10^{-4}$	12433465	1.585 $\times 10^{-3}$	-6.483 $\times 10^{-4}$	-0.110	7.031 $\times 10^{-2}$	-1.443 $\times 10^{-3}$	1.422 $\times 10^{-4}$
fitted radiance squeeze [1]	(-4.766 $\pm$ 15.363) $\times 10^{-5}$	12433465	1.888 $\times 10^{-4}$	-4.276 $\times 10^{-5}$	-1.419 $\times 10^{-2}$	2.009 $\times 10^{-2}$	-1.394 $\times 10^{-4}$	4.946 $\times 10^{-5}$
fitted root mean square [1]	(1.093 $\pm$ 0.351) $\times 10^{-3}$	12433465	3.065 $\times 10^{-4}$	1.018 $\times 10^{-3}$	2.829 $\times 10^{-4}$	5.666 $\times 10^{-2}$	8.866 $\times 10^{-4}$	1.193 $\times 10^{-3}$
sulfurdioxide total air mass factor polluted [1]	1.11 $\pm$ 0.73	12433465	0.875	0.887	5.000 $\times 10^{-2}$	3.50	0.586	1.46
sulfurdioxide total air mass factor polluted precision [1]	0.173 $\pm$ 0.162	12433465	0.209	0.124	3.656 $\times 10^{-3}$	1.69	4.571 $\times 10^{-2}$	0.254
sulfurdioxide clear air mass factor polluted [1]	0.916 $\pm$ 0.678	12433465	0.444	0.704	9.317 $\times 10^{-2}$	3.59	0.529	0.973
number of spectral points in retrieval [1]	73.4 $\pm$ 0.5	12433465	1.000	73.0	52.0	155	73.0	74.0

**Table 5:** Parameterlist and basic statistics for the analysis for observations over water

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.648 $\pm$ 0.411	14445730	0.790	1.000	0.0	1.000	0.210	1.000
sulfur dioxide total vertical column [DU]	(2.503 $\pm$ 96.644) $\times 10^{-2}$	14445730	0.431	$8.695 \times 10^{-3}$	-57.2	295	-0.204	0.227
sulfur dioxide total vertical column precision [DU]	0.516 $\pm$ 0.743	14445730	0.323	0.316	$4.693 \times 10^{-2}$	36.4	0.214	0.537
sulfur dioxide slant column density corrected [DU]	(1.326 $\pm$ 34.116) $\times 10^{-2}$	14445730	0.356	$7.977 \times 10^{-3}$	-13.4	335	-0.169	0.187
sulfur dioxide slant column density cobra [DU]	(1.314 $\pm$ 31.825) $\times 10^{-2}$	14445730	0.356	$7.977 \times 10^{-3}$	-13.4	25.7	-0.169	0.187
sulfur dioxide slant column density cobra precision [DU]	0.281 $\pm$ 0.110	14445730	$9.802 \times 10^{-2}$	0.246	$8.201 \times 10^{-2}$	25.9	0.213	0.311
sulfur dioxide slant column density window1 [DU]	(8.365 $\pm$ 59.914) $\times 10^{-2}$	14445730	0.690	$8.514 \times 10^{-2}$	-80.1	68.3	-0.262	0.428
sulfur dioxide slant column density window1 precision [DU]	0.281 $\pm$ 0.110	14445730	$9.802 \times 10^{-2}$	0.246	$8.201 \times 10^{-2}$	25.9	0.213	0.311
sulfur dioxide slant column density corrected win1 [DU]	0.118 $\pm$ 0.594	14445730	0.677	0.108	-80.1	68.4	-0.228	0.449
background so2 slant column offset window1 [DU]	(3.430 $\pm$ 11.650) $\times 10^{-2}$	14445730	0.167	$8.760 \times 10^{-3}$	-0.997	2.97	$-4.974 \times 10^{-2}$	0.117
sulfur dioxide slant column density window2 [DU]	2.65 $\pm$ 8.55	14445730	10.8	2.61	-744	$1.688 \times 10^3$	-2.77	8.01
sulfur dioxide slant column density window2 precision [DU]	7.69 $\pm$ 2.05	14445730	2.41	7.38	2.31	496	6.30	8.71
sulfur dioxide slant column density corrected win2 [DU]	1.52 $\pm$ 8.44	14445730	10.6	1.53	-744	$1.689 \times 10^3$	-3.79	6.84
background so2 slant column offset window2 [DU]	-1.12 $\pm$ 1.99	14445730	2.73	-0.725	-14.3	10.0	-2.47	0.269
sulfur dioxide slant column density window3 [DU]	-11.1 $\pm$ 23.0	14445730	29.1	-11.8	-332	156	-25.8	3.22
sulfur dioxide slant column density window3 precision [DU]	26.8 $\pm$ 12.0	14445730	9.23	24.0	9.50	218	20.1	29.3
sulfur dioxide slant column density corrected win3 [DU]	-5.50 $\pm$ 22.04	14445730	27.8	-5.96	-331	158	-19.6	8.23
background so2 slant column offset window3 [DU]	5.57 $\pm$ 5.96	14445730	8.91	5.56	-16.0	37.8	1.14	10.1
sulfur dioxide slant column cobra flag [1]	2.00 $\pm$ 0.00	14445730	0.0	2.00	2.00	2.00	2.00	2.00
fitted radiance shift [nm]	(-4.603 $\pm$ 23.996) $\times 10^{-4}$	14445730	$1.752 \times 10^{-3}$	$-4.737 \times 10^{-4}$	-0.110	$7.031 \times 10^{-2}$	$-1.370 \times 10^{-3}$	$3.828 \times 10^{-4}$
fitted radiance squeeze [1]	(-2.968 $\pm$ 16.127) $\times 10^{-5}$	14445730	$1.926 \times 10^{-4}$	$-2.554 \times 10^{-5}$	$-1.112 \times 10^{-2}$	$1.759 \times 10^{-2}$	$-1.236 \times 10^{-4}$	$6.902 \times 10^{-5}$
fitted root mean square [1]	(1.168 $\pm$ 0.434) $\times 10^{-3}$	14445730	$3.787 \times 10^{-4}$	$1.056 \times 10^{-3}$	$3.220 \times 10^{-4}$	$5.666 \times 10^{-2}$	$9.078 \times 10^{-4}$	$1.286 \times 10^{-3}$
sulfur dioxide total air mass factor polluted [1]	0.889 $\pm$ 0.492	14445730	0.571	0.809	$5.000 \times 10^{-2}$	3.00	0.545	1.12
sulfur dioxide total air mass factor polluted precision [1]	0.123 $\pm$ 0.118	14445730	0.132	$7.488 \times 10^{-2}$	$3.407 \times 10^{-3}$	1.30	$3.999 \times 10^{-2}$	0.172
sulfur dioxide clear air mass factor polluted [1]	0.717 $\pm$ 0.286	14445730	0.390	0.675	$6.691 \times 10^{-2}$	3.04	0.508	0.898
number of spectral points in retrieval [1]	73.5 $\pm$ 0.5	14445730	1.000	73.0	52.0	74.0	73.0	74.0

Table 6: Parameterlist and basic statistics for the analysis for observations over land

Variable	mean $\pm \sigma$	Count	IQR	Median	Minimum	Maximum	25 % percentile	75 % percentile
qa value [1]	0.482 $\pm$ 0.426	4420301	0.930	0.310	0.0	1.000	$7.000 \times 10^{-2}$	1.000
sulfurdioxide total vertical column [DU]	$(5.355 \pm 153.911) \times 10^{-2}$	4420301	0.339	$8.871 \times 10^{-3}$	-65.4	116	-0.153	0.187
sulfurdioxide total vertical column precision [DU]	0.658 $\pm$ 1.249	4420301	0.521	0.283	$4.174 \times 10^{-2}$	38.9	0.113	0.634
sulfurdioxide slant column density corrected [DU]	$(3.071 \pm 54.178) \times 10^{-2}$	4420301	0.379	$1.251 \times 10^{-2}$	-13.3	129	-0.175	0.204
sulfurdioxide slant column density cobra [DU]	$(2.941 \pm 43.820) \times 10^{-2}$	4420301	0.379	$1.251 \times 10^{-2}$	-13.3	39.0	-0.175	0.204
sulfurdioxide slant column density cobra precision [DU]	0.301 $\pm$ 0.122	4420301	0.143	0.258	$9.652 \times 10^{-2}$	11.4	0.218	0.361
sulfurdioxide slant column density window1 [DU]	$(1.085 \pm 71.611) \times 10^{-2}$	4420301	0.763	$-1.205 \times 10^{-2}$	-26.2	67.0	-0.391	0.372
sulfurdioxide slant column density window1 precision [DU]	0.301 $\pm$ 0.122	4420301	0.143	0.258	$9.652 \times 10^{-2}$	11.4	0.218	0.361
sulfurdioxide slant column density corrected win1 [DU]	$(3.050 \pm 70.712) \times 10^{-2}$	4420301	0.736	$-3.760 \times 10^{-4}$	-26.2	67.0	-0.363	0.373
background so2 slant column offset window1 [DU]	$(1.965 \pm 10.495) \times 10^{-2}$	4420301	0.127	$-4.736 \times 10^{-5}$	-0.632	2.07	$-4.996 \times 10^{-2}$	$7.729 \times 10^{-2}$
sulfurdioxide slant column density window2 [DU]	2.79 $\pm$ 9.12	4420301	11.3	2.71	-676	917	-2.91	8.38
sulfurdioxide slant column density window2 precision [DU]	8.18 $\pm$ 2.54	4420301	3.11	7.70	2.20	248	6.39	9.50
sulfurdioxide slant column density corrected win2 [DU]	1.43 $\pm$ 8.96	4420301	11.1	1.41	-680	917	-4.12	6.97
background so2 slant column offset window2 [DU]	-1.35 $\pm$ 2.12	4420301	2.89	-0.977	-14.3	9.33	-2.75	0.142
sulfurdioxide slant column density window3 [DU]	-21.8 $\pm$ 23.1	4420301	28.1	-21.8	-418	384	-35.8	-7.74
sulfurdioxide slant column density window3 precision [DU]	28.1 $\pm$ 15.2	4420301	12.4	24.2	9.73	264	18.8	31.2
sulfurdioxide slant column density corrected win3 [DU]	-12.0 $\pm$ 23.3	4420301	28.2	-11.2	-425	380	-25.6	2.55
background so2 slant column offset window3 [DU]	9.87 $\pm$ 7.91	4420301	14.2	10.6	-16.0	37.3	2.77	17.0
sulfurdioxide slant column cobra flag [1]	2.00 $\pm$ 0.00	4420301	0.0	2.00	2.00	2.00	2.00	2.00
fitted radiance shift [nm]	$(-5.205 \pm 28.345) \times 10^{-4}$	4420301	$1.352 \times 10^{-3}$	$-6.279 \times 10^{-4}$	$-4.771 \times 10^{-2}$	$3.959 \times 10^{-2}$	$-1.260 \times 10^{-3}$	$9.202 \times 10^{-5}$
fitted radiance squeeze [1]	$(-5.056 \pm 17.542) \times 10^{-5}$	4420301	$2.126 \times 10^{-4}$	$-5.354 \times 10^{-5}$	$-1.419 \times 10^{-2}$	$1.403 \times 10^{-2}$	$-1.588 \times 10^{-4}$	$5.375 \times 10^{-5}$
fitted root mean square [1]	$(1.260 \pm 0.480) \times 10^{-3}$	4420301	$4.706 \times 10^{-4}$	$1.131 \times 10^{-3}$	$2.840 \times 10^{-4}$	$3.696 \times 10^{-2}$	$9.582 \times 10^{-4}$	$1.429 \times 10^{-3}$
sulfurdioxide total air mass factor polluted [1]	1.30 $\pm$ 0.96	4420301	1.69	0.933	$5.000 \times 10^{-2}$	3.50	0.505	2.20
sulfurdioxide total air mass factor polluted precision [1]	0.210 $\pm$ 0.217	4420301	0.277	0.142	$2.939 \times 10^{-3}$	1.69	$3.590 \times 10^{-2}$	0.313
sulfurdioxide clear air mass factor polluted [1]	1.23 $\pm$ 1.00	4420301	1.13	0.817	$5.495 \times 10^{-2}$	3.59	0.501	1.63
number of spectral points in retrieval [1]	73.4 $\pm$ 0.5	4420301	1.000	73.0	52.0	155	73.0	74.0

Clear AMF (polluted)

		Precision of total AMF (polluted)																					
		Total AMF (polluted)									DOAS fit wavelength shift												
		SO <sub>2</sub> RMS			DOAS fit wavelength squeeze			SO <sub>2</sub> slant column background correction (window 3)			SO <sub>2</sub> slant column precision (window 3)			SO <sub>2</sub> slant column background correction (window 3)			SO <sub>2</sub> slant column precision (window 3)						
1.000	-2.935 × 10 <sup>-3</sup>	-2.387 × 10 <sup>-3</sup>	5.429 × 10 <sup>-3</sup>	0.184	2.044 × 10 <sup>-4</sup>	8.123 × 10 <sup>-5</sup>	0.344	2.460 × 10 <sup>-2</sup>	0.120	2.197 × 10 <sup>-2</sup>	0.165	8.160 × 10 <sup>-3</sup>	1.200 × 10 <sup>-2</sup>	-4.237 × 10 <sup>-4</sup>	-3.001 × 10 <sup>-2</sup>	-6.867 × 10 <sup>-3</sup>	-2.015 × 10 <sup>-2</sup>	0.307	-0.138	-0.151	-8.531 × 10 <sup>-2</sup>		
-2.935 × 10 <sup>-3</sup>	1.000	1.239 × 10 <sup>-2</sup>	2.232 × 10 <sup>-2</sup>	0.255	1.059 × 10 <sup>-2</sup>	1.401 × 10 <sup>-2</sup>	0.412	-0.148	0.412	0.343	0.157	7.992 × 10 <sup>-3</sup>	-0.567	0.246	-1.813 × 10 <sup>-2</sup>	0.801	-3.369 × 10 <sup>-2</sup>	-0.169	0.411	0.218	0.225		
-2.387 × 10 <sup>-3</sup>	1.239 × 10 <sup>-2</sup>	1.000	2.668 × 10 <sup>-2</sup>	0.272	2.262 × 10 <sup>-2</sup>	2.618 × 10 <sup>-2</sup>	0.318	0.138	0.318	0.219	0.368	2.563 × 10 <sup>-2</sup>	9.905 × 10 <sup>-2</sup>	6.907 × 10 <sup>-2</sup>	-0.275	9.788 × 10 <sup>-3</sup>	9.654 × 10 <sup>-2</sup>	0.207	-0.423	-0.423	-0.429		
5.429 × 10 <sup>-3</sup>	2.232 × 10 <sup>-2</sup>	2.668 × 10 <sup>-2</sup>	1.000	7.976 × 10 <sup>-2</sup>	0.600	0.635	5.835 × 10 <sup>-2</sup>	0.364	5.835 × 10 <sup>-2</sup>	1.952 × 10 <sup>-2</sup>	2.114 × 10 <sup>-2</sup>	1.613 × 10 <sup>-2</sup>	-2.080 × 10 <sup>-2</sup>	-2.968 × 10 <sup>-2</sup>	1.470 × 10 <sup>-3</sup>	1.240 × 10 <sup>-2</sup>	2.212 × 10 <sup>-2</sup>	3.743 × 10 <sup>-2</sup>	-1.936 × 10 <sup>-2</sup>	-1.070 × 10 <sup>-2</sup>	-1.735 × 10 <sup>-2</sup>		
0.184	0.255	0.272	7.976 × 10 <sup>-2</sup>	1.000	3.201 × 10 <sup>-2</sup>	2.717 × 10 <sup>-2</sup>	0.502	2.513 × 10 <sup>-2</sup>	0.502	0.219	0.261	2.649 × 10 <sup>-2</sup>	-0.255	-6.126 × 10 <sup>-2</sup>	4.234 × 10 <sup>-2</sup>	-2.861 × 10 <sup>-2</sup>	0.139	0.466	0.433	0.256	-0.318		
2.044 × 10 <sup>-4</sup>	1.050 × 10 <sup>-2</sup>	2.262 × 10 <sup>-2</sup>	0.600	3.230 × 10 <sup>-2</sup>	1.000	6.360 × 10 <sup>-2</sup>	0.526	6.360 × 10 <sup>-2</sup>	5.617 × 10 <sup>-3</sup>	1.751 × 10 <sup>-2</sup>	1.259 × 10 <sup>-2</sup>	-9.530 × 10 <sup>-3</sup>	4.988 × 10 <sup>-3</sup>	7.074 × 10 <sup>-3</sup>	6.309 × 10 <sup>-3</sup>	4.811 × 10 <sup>-3</sup>	4.842 × 10 <sup>-3</sup>	2.366 × 10 <sup>-2</sup>	-7.786 × 10 <sup>-4</sup>	4.528 × 10 <sup>-3</sup>	-5.538 × 10 <sup>-3</sup>		
8.123 × 10 <sup>-5</sup>	1.401 × 10 <sup>-2</sup>	2.618 × 10 <sup>-2</sup>	0.635	2.717 × 10 <sup>-2</sup>	0.316	1.000	5.734 × 10 <sup>-2</sup>	0.570	5.734 × 10 <sup>-2</sup>	7.330 × 10 <sup>-3</sup>	1.597 × 10 <sup>-2</sup>	2.406 × 10 <sup>-2</sup>	-1.231 × 10 <sup>-2</sup>	1.027 × 10 <sup>-3</sup>	3.532 × 10 <sup>-3</sup>	3.630 × 10 <sup>-3</sup>	8.627 × 10 <sup>-3</sup>	1.390 × 10 <sup>-3</sup>	2.867 × 10 <sup>-2</sup>	-1.749 × 10 <sup>-3</sup>	5.028 × 10 <sup>-3</sup>	-7.114 × 10 <sup>-3</sup>	
0.344	0.411	0.318	5.835 × 10 <sup>-2</sup>	0.502	6.360 × 10 <sup>-2</sup>	5.734 × 10 <sup>-2</sup>	1.000	4.066 × 10 <sup>-2</sup>	0.338	0.238	0.625	4.392 × 10 <sup>-2</sup>	-0.345	-9.780 × 10 <sup>-2</sup>	0.244	1.709 × 10 <sup>-2</sup>	-1.506 × 10 <sup>-2</sup>	-5.192 × 10 <sup>-2</sup>	0.924	-0.272	-0.190	-0.258	
2.469 × 10 <sup>-2</sup>	-0.148	0.138	0.364	2.513 × 10 <sup>-2</sup>	0.570	4.066 × 10 <sup>-2</sup>	-0.144	5.219 × 10 <sup>-2</sup>	1.000	4.066 × 10 <sup>-2</sup>	5.500 × 10 <sup>-3</sup>	0.144	5.417 × 10 <sup>-2</sup>	4.389 × 10 <sup>-2</sup>	6.449 × 10 <sup>-3</sup>	-0.168	1.211 × 10 <sup>-2</sup>	1.275 × 10 <sup>-2</sup>	8.099 × 10 <sup>-3</sup>	-0.139	-0.131	-0.117	
0.344	0.412	0.318	5.835 × 10 <sup>-2</sup>	0.502	6.360 × 10 <sup>-2</sup>	5.734 × 10 <sup>-2</sup>	1.000	4.066 × 10 <sup>-2</sup>	0.338	0.625	4.392 × 10 <sup>-2</sup>	-0.345	-9.780 × 10 <sup>-2</sup>	0.244	1.709 × 10 <sup>-2</sup>	-1.506 × 10 <sup>-2</sup>	-5.192 × 10 <sup>-2</sup>	0.924	-0.272	-0.190	-0.258		
-3.271 × 10 <sup>-2</sup>	0.343	-0.330	1.952 × 10 <sup>-2</sup>	0.219	5.617 × 10 <sup>-2</sup>	7.328 × 10 <sup>-3</sup>	0.338	-0.141	0.338	1.000	7.509 × 10 <sup>-2</sup>	2.930 × 10 <sup>-2</sup>	-0.545	-0.135	-4.160 × 10 <sup>-2</sup>	-2.126 × 10 <sup>-2</sup>	0.465	-8.393 × 10 <sup>-2</sup>	-0.189	0.363	9.080 × 10 <sup>-2</sup>	0.247	
0.120	0.157	0.368	2.114 × 10 <sup>-2</sup>	0.261	1.751 × 10 <sup>-2</sup>	1.597 × 10 <sup>-2</sup>	0.625	5.219 × 10 <sup>-2</sup>	0.625	7.509 × 10 <sup>-2</sup>	1.000	1.514 × 10 <sup>-2</sup>	-0.109	-3.608 × 10 <sup>-2</sup>	-0.604	-1.879 × 10 <sup>-2</sup>	6.324 × 10 <sup>-2</sup>	2.099 × 10 <sup>-2</sup>	3.293 × 10 <sup>-2</sup>	0.635	0.238	-0.252	-0.191
2.197 × 10 <sup>-2</sup>	7.992 × 10 <sup>-3</sup>	2.563 × 10 <sup>-2</sup>	1.613 × 10 <sup>-2</sup>	2.649 × 10 <sup>-2</sup>	3.039 × 10 <sup>-2</sup>	2.406 × 10 <sup>-2</sup>	4.392 × 10 <sup>-2</sup>	6.590 × 10 <sup>-3</sup>	4.392 × 10 <sup>-2</sup>	2.930 × 10 <sup>-2</sup>	1.514 × 10 <sup>-2</sup>	-0.109	5.571 × 10 <sup>-2</sup>	-2.658 × 10 <sup>-2</sup>	-2.792 × 10 <sup>-2</sup>	7.399 × 10 <sup>-4</sup>	0.174	2.116 × 10 <sup>-2</sup>	3.723 × 10 <sup>-2</sup>	-1.978 × 10 <sup>-2</sup>	-6.216 × 10 <sup>-3</sup>	-2.612 × 10 <sup>-2</sup>	
0.165	0.567	9.908 × 10 <sup>-2</sup>	-2.080 × 10 <sup>-2</sup>	-0.255	-9.507 × 10 <sup>-3</sup>	1.231 × 10 <sup>-2</sup>	0.345	0.106	-0.345	0.545	0.109	5.571 × 10 <sup>-2</sup>	1.000	0.187	1.000	0.187	0.187	0.187	0.187	0.187	0.187	0.187	
8.160 × 10 <sup>-3</sup>	-0.246	6.907 × 10 <sup>-2</sup>	-2.968 × 10 <sup>-3</sup>	-6.726 × 10 <sup>-2</sup>	4.988 × 10 <sup>-2</sup>	1.027 × 10 <sup>-3</sup>	-9.750 × 10 <sup>-2</sup>	5.417 × 10 <sup>-2</sup>	-9.750 × 10 <sup>-2</sup>	-0.135	-3.608 × 10 <sup>-2</sup>	-2.658 × 10 <sup>-2</sup>	0.187	1.000	1.109 × 10 <sup>-2</sup>	0.958	-0.281	2.895 × 10 <sup>-2</sup>	-9.879 × 10 <sup>-2</sup>	-7.939 × 10 <sup>-2</sup>	-0.113	-6.859 × 10 <sup>-2</sup>	
1.200 × 10 <sup>-2</sup>	-8.864 × 10 <sup>-2</sup>	0.260	3.059 × 10 <sup>-3</sup>	4.334 × 10 <sup>-2</sup>	3.407 × 10 <sup>-2</sup>	3.532 × 10 <sup>-3</sup>	0.244	4.888 × 10 <sup>-2</sup>	4.160 × 10 <sup>-2</sup>	0.604	1.065 × 10 <sup>-2</sup>	2.812 × 10 <sup>-2</sup>	1.109 × 10 <sup>-2</sup>	1.000	-1.935 × 10 <sup>-2</sup>	-0.104	3.521 × 10 <sup>-2</sup>	5.563 × 10 <sup>-2</sup>	0.267	0.123	-0.132	-0.139	
-4.237 × 10 <sup>-4</sup>	-1.813 × 10 <sup>-2</sup>	9.788 × 10 <sup>-3</sup>	5.956 × 10 <sup>-4</sup>	2.861 × 10 <sup>-2</sup>	7.074 × 10 <sup>-3</sup>	3.636 × 10 <sup>-3</sup>	1.706 × 10 <sup>-2</sup>	6.449 × 10 <sup>-3</sup>	-0.139	1.706 × 10 <sup>-2</sup>	1.870 × 10 <sup>-2</sup>	-2.126 × 10 <sup>-3</sup>	1.000	1.935 × 10 <sup>-2</sup>	-0.120	-2.623 × 10 <sup>-2</sup>	1.497 × 10 <sup>-2</sup>	2.457 × 10 <sup>-2</sup>	4.696 × 10 <sup>-3</sup>	2.674 × 10 <sup>-2</sup>			
-3.001 × 10 <sup>-2</sup>	0.801	0.275	1.240 × 10 <sup>-2</sup>	0.139	6.309 × 10 <sup>-3</sup>	8.627 × 10 <sup>-3</sup>	0.284	-0.168	0.284	0.465	6.324 × 10 <sup>-2</sup>	-7.399 × 10 <sup>-4</sup>	-0.623	-0.281	-0.104	4.709 × 10 <sup>-3</sup>	1.000	-5.816 × 10 <sup>-2</sup>	0.296	0.361	0.381	0.330	
-6.867 × 10 <sup>-3</sup>	-3.569 × 10 <sup>-2</sup>	9.654 × 10 <sup>-2</sup>	1.470 × 10 <sup>-3</sup>	5.099 × 10 <sup>-3</sup>	4.811 × 10 <sup>-4</sup>	1.390 × 10 <sup>-4</sup>	-1.506 × 10 <sup>-2</sup>	-1.211 × 10 <sup>-2</sup>	-1.506 × 10 <sup>-2</sup>	-8.393 × 10 <sup>-2</sup>	2.099 × 10 <sup>-2</sup>	0.174	4.746 × 10 <sup>-2</sup>	-0.107	3.521 × 10 <sup>-2</sup>	-0.129	-5.816 × 10 <sup>-2</sup>	1.000	0.140	-2.267 × 10 <sup>-2</sup>	-2.717 × 10 <sup>-2</sup>	-2.899 × 10 <sup>-2</sup>	-2.358 × 10 <sup>-2</sup>
-2.015 × 10 <sup>-2</sup>	-0.169	0.207	2.212 × 10 <sup>-3</sup>	1.104 × 10 <sup>-2</sup>	4.842 × 10 <sup>-3</sup>	3.234 × 10 <sup>-3</sup>	-5.192 × 10 <sup>-2</sup>	0.275	-5.192 × 10 <sup>-2</sup>	-0.189	3.293 × 10 <sup>-2</sup>	2.116 × 10 <sup>-2</sup>	0.130	2.895 × 10 <sup>-2</sup>	-0.190	0.140	1.000	1.000	-6.433 × 10 <sup>-2</sup>	-0.134	-0.132	-0.105	
0.307	0.411	0.283	3.743 × 10 <sup>-2</sup>	0.466	2.369 × 10 <sup>-2</sup>	2.867 × 10 <sup>-2</sup>	0.924	8.090 × 10 <sup>-3</sup>	0.924	0.363	0.635	3.723 × 10 <sup>-2</sup>	-0.362	-9.879 × 10 <sup>-2</sup>	0.267	-1.497 × 10 <sup>-2</sup>	0.296	-2.267 × 10 <sup>-2</sup>	-6.433 × 10 <sup>-2</sup>	0.235	-0.184	-0.219	
-0.138	0.218	-0.498	-1.936 × 10 <sup>-2</sup>	-0.433	-7.786 × 10 <sup>-4</sup>	-1.749 × 10 <sup>-3</sup>	-0.272	-0.139	-0.272	9.080 × 10 <sup>-2</sup>	-0.238	-1.978 × 10 <sup>-2</sup>	-9.739 × 10 <sup>-2</sup>	-0.123	2.457 × 10 <sup>-2</sup>	0.361	-2.717 × 10 <sup>-2</sup>	-0.235	1.000	0.692	0.782		
-0.151	0.252	-0.423	-1.070 × 10 <sup>-2</sup>	-0.282	4.528 × 10 <sup>-3</sup>	5.028 × 10 <sup>-3</sup>	-0.190	-0.131	-0.190	0.247	-0.252	-6.216 × 10 <sup>-3</sup>	-0.222	-0.113	-0.132	-4.696 × 10 <sup>-3</sup>	0.381	-2.899 × 10 <sup>-2</sup>	-0.132	-0.184	0.692	1.000	0.387
-8.531 × 10 <sup>-2</sup>	0.225	-0.429	-1.735 × 10 <sup>-2</sup>	-0.318	-5.530 × 10 <sup>-3</sup>	-7.114 × 10 <sup>-3</sup>	-0.258	-0.117	-0.258	-6.036 × 10 <sup>-2</sup>	-0.191	-2.612 × 10 <sup>-2</sup>	6.089 × 10 <sup>-2</sup>	-0.139	-2.674 × 10 <sup>-2</sup>	0.330	-2.358 × 10 <sup>-2</sup>	-0.105	-0.219	0.782	0.387	1.000	

Clear AMF (polluted)

Precision of real AMF (polluted)	Total AMF (polluted)
$\text{SO}_2\text{-RMS}$	$\text{SO}_2\text{-RMS}$
DOAS fit wavelength shift	DOAS fit wavelength shift
DOAS fit wavelength squeeze	DOAS fit wavelength squeeze
Total AMF (polluted)	Total AMF (polluted)

Precision of real AMF (polluted)

384	-0.794	1.77	0.127	3.41	1.689 $\times 10^{-3}$	5.687 $\times 10^{-4}$	0.770	0.206	0.770	-7.30 $\times 10^{-2}$	5.20	2.70	6.61	3.76	3.05	-0.187	-3.404 $\times 10^{-4}$	-6.539 $\times 10^{-5}$	2.712 $\times 10^{-3}$	-1.77	-0.450	-0.972		
-0.794	191	6.48	0.368	3.33	6.114 $\times 10^{-2}$	6.912 $\times 10^{-2}$	0.650	-1.30	0.650	0.535	0.948	-16.0	-80.0	-15.9	-5.65	74.3	1.247 $\times 10^{-3}$	-1.577 $\times 10^{-4}$	2.562 $\times 10^{-3}$	1.97	0.530	1.81		
-1.77	6.48	1.436 $\times 10^3$	1.21	9.77	0.361	0.355	1.38	3.52	0.355	1.38	0.84	0.766	61.6	128	-8.38	74.0	9.225 $\times 10^{-3}$	1.300 $\times 10^{-3}$	4.833 $\times 10^{-3}$	12.4	-2.43	-9.46		
0.127	0.368	1.21	1.43	9.028 $\times 10^{-2}$	0.896	1.278 $\times 10^{-2}$	0.302	0.271	0.277	7.970 $\times 10^{-3}$	2.663 $\times 10^{-3}$	5.581 $\times 10^{-2}$	0.166	-5.076 $\times 10^{-2}$	-8.352 $\times 10^{-2}$	4.741 $\times 10^{-2}$	1.689 $\times 10^{-2}$	9.961 $\times 10^{-2}$	4.447 $\times 10^{-6}$	4.382 $\times 10^{-7}$	2.020 $\times 10^{-2}$	-1.516 $\times 10^{-3}$	-1.944 $\times 10^{-3}$	-1.208 $\times 10^{-2}$
3.41	3.33	9.77	9.028 $\times 10^{-2}$	1.278 $\times 10^{-2}$	0.277	9.193 $\times 10^{-3}$	5.433 $\times 10^{-2}$	1.513 $\times 10^{-2}$	0.271	7.949 $\times 10^{-3}$	5.433 $\times 10^{-2}$	2.362 $\times 10^{-2}$	0.545	-0.493	-1.50	0.532	0.215	0.175	0.269	-4.061 $\times 10^{-4}$	-1.732 $\times 10^{-6}$	-4.061 $\times 10^{-4}$	-1.357 $\times 10^{-3}$	
1.689 $\times 10^{-3}$	6.114 $\times 10^{-2}$	0.361	0.302	1.278 $\times 10^{-2}$	0.178	0.138	3.064 $\times 10^{-3}$	0.141	0.141	3.064 $\times 10^{-3}$	2.702 $\times 10^{-4}$	1.631 $\times 10^{-2}$	0.110	-8.181 $\times 10^{-3}$	4.951 $\times 10^{-2}$	1.863 $\times 10^{-2}$	6.739 $\times 10^{-2}$	1.788 $\times 10^{-2}$	5.134 $\times 10^{-3}$	3.383 $\times 10^{-2}$	4.508 $\times 10^{-6}$	-2.155 $\times 10^{-4}$	2.901 $\times 10^{-4}$	2.731 $\times 10^{-4}$
5.687 $\times 10^{-4}$	6.918 $\times 10^{-2}$	0.355	0.271	9.193 $\times 10^{-3}$	0.138	0.128	2.341 $\times 10^{-3}$	0.130	0.130	2.341 $\times 10^{-3}$	1.266 $\times 10^{-2}$	7.389 $\times 10^{-2}$	0.193	2.987 $\times 10^{-4}$	1.636 $\times 10^{-3}$	2.072 $\times 10^{-2}$	2.936 $\times 10^{-2}$	1.257 $\times 10^{-3}$	4.624 $\times 10^{-6}$	-4.103 $\times 10^{-4}$	-2.039 $\times 10^{-3}$	-3.305 $\times 10^{-3}$	-1.479 $\times 10^{-3}$	
0.770	0.650	1.38	7.970 $\times 10^{-3}$	5.433 $\times 10^{-2}$	3.064 $\times 10^{-3}$	2.341 $\times 10^{-3}$	1.305 $\times 10^{-2}$	2.954 $\times 10^{-3}$	1.305 $\times 10^{-2}$	4.004 $\times 10^{-3}$	0.158	4.309 $\times 10^{-2}$	-8.047 $\times 10^{-2}$	0.262	-4.403 $\times 10^{-2}$	0.218	4.355 $\times 10^{-6}$	4.762 $\times 10^{-5}$	2.072 $\times 10^{-2}$	-2.039 $\times 10^{-3}$	-3.305 $\times 10^{-3}$	-1.711 $\times 10^{-2}$		
0.306	-1.30	3.32	0.277	1.513 $\times 10^{-2}$	0.141	0.119	2.954 $\times 10^{-2}$	0.405	0.405	2.954 $\times 10^{-2}$	1.023 $\times 10^{-2}$	4.404 $\times 10^{-3}$	1.301 $\times 10^{-2}$	0.158	2.954 $\times 10^{-2}$	0.252	0.403	2.955 $\times 10^{-2}$	-0.718	-1.456 $\times 10^{-5}$	2.932 $\times 10^{-6}$	-5.788 $\times 10^{-3}$	-1.302 $\times 10^{-2}$	-4.310 $\times 10^{-2}$
0.770	0.650	1.38	7.970 $\times 10^{-3}$	5.433 $\times 10^{-2}$	3.064 $\times 10^{-3}$	2.341 $\times 10^{-3}$	1.305 $\times 10^{-2}$	2.954 $\times 10^{-3}$	1.305 $\times 10^{-2}$	4.004 $\times 10^{-3}$	0.158	4.309 $\times 10^{-2}$	-8.047 $\times 10^{-2}$	0.218	-4.403 $\times 10^{-2}$	0.218	-4.355 $\times 10^{-6}$	4.762 $\times 10^{-5}$	-2.039 $\times 10^{-3}$	-3.305 $\times 10^{-3}$	-1.711 $\times 10^{-2}$			
-7.307 $\times 10^{-2}$	0.539	-1.43	30.8	5.581 $\times 10^{-2}$	0.545	1.631 $\times 10^{-2}$	1.260 $\times 10^{-2}$	0.158	0.158	7.329 $\times 10^{-2}$	3.608 $\times 10^{-2}$	1.891 $\times 10^{-2}$	2.870 $\times 10^{-2}$	-0.127	-0.252	0.361	-4.403 $\times 10^{-2}$	0.218	-4.355 $\times 10^{-6}$	4.762 $\times 10^{-5}$	-2.039 $\times 10^{-3}$	-3.305 $\times 10^{-3}$	-1.711 $\times 10^{-2}$	
5.20	4.80	3.32	0.277	1.513 $\times 10^{-2}$	0.141	0.119	2.954 $\times 10^{-2}$	0.405	0.405	2.954 $\times 10^{-2}$	1.023 $\times 10^{-2}$	4.404 $\times 10^{-3}$	1.301 $\times 10^{-2}$	0.158	2.954 $\times 10^{-2}$	0.252	0.403	2.955 $\times 10^{-2}$	-0.718	-1.456 $\times 10^{-5}$	2.932 $\times 10^{-6}$	-5.788 $\times 10^{-3}$	-1.302 $\times 10^{-2}$	-4.310 $\times 10^{-2}$
3.70	0.948	8.34	0.166	0.215	0.110	7.389 $\times 10^{-2}$	4.309 $\times 10^{-2}$	3.600 $\times 10^{-2}$	4.309 $\times 10^{-2}$	2.870 $\times 10^{-2}$	0.287	73.8	0.976	-0.489	-1.87	17.3	-0.937	0.938	1.173 $\times 10^{-4}$	1.204 $\times 10^{-5}$	6.329 $\times 10^{-4}$	4.286 $\times 10^{-3}$	-4.004 $\times 10^{-3}$	
6.61	-16.0	7.66	-5.076 $\times 10^{-2}$	-0.493	-8.181 $\times 10^{-3}$	-8.980 $\times 10^{-3}$	-8.047 $\times 10^{-2}$	0.137	-8.047 $\times 10^{-2}$	-8.047 $\times 10^{-2}$	-0.127	-0.489	0.976	5.37	1.19	-5.42	-4.276 $\times 10^{-2}$	3.772 $\times 10^{-3}$	3.012 $\times 10^{-5}$	1.443 $\times 10^{-4}$	-0.111	-8.111 $\times 10^{-3}$	-0.130	
3.76	-80.0	6.18	-8.352 $\times 10^{-2}$	-1.50	4.951 $\times 10^{-2}$	8.641 $\times 10^{-3}$	-0.262	0.811	-0.262	-0.362	-1.87	-5.37	8.97	0.743	4.16	4.4	-4.276 $\times 10^{-2}$	3.772 $\times 10^{-3}$	4.380 $\times 10^{-5}$	-3.326 $\times 10^{-2}$	-6.868 $\times 10^{-2}$	7.225 $\times 10^{-2}$		
3.05	-15.9	1.28	4.741 $\times 10^{-2}$	0.532	1.863 $\times 10^{-2}$	1.636 $\times 10^{-2}$	0.361	0.403	0.361	-6.149 $\times 10^{-2}$	17.3	1.19	0.743	5.54	3.38	509	-4.44	-6.360 $\times 10^{-3}$	1.129 $\times 10^{-4}$	-1.049 $\times 10^{-3}$	-1.23	-0.405	-0.939	
-0.187	5.665	-8.32	1.609 $\times 10^{-2}$	-0.612	6.790 $\times 10^{-2}$	2.936 $\times 10^{-2}$	-4.403 $\times 10^{-2}$	9.265 $\times 10^{-2}$	-4.403 $\times 10^{-2}$	-5.476 $\times 10^{-3}$	-0.937	5.42	0.426	509	-5.66	-9.05	1.155 $\times 10^{-3}$	1.194 $\times 10^{-4}$	1.560 $\times 10^{-3}$	1.05	-0.250	-1.05		
-3.95	74.3	-70.0	9.961 $\times 10^{-2}$	0.887	1.788 $\times 10^{-2}$	2.072 $\times 10^{-2}$	0.218	-0.718	0.218	-0.357	0.938	-8.54	0.715	45.1	-9.887 $\times 10^{-4}$	-2.111 $\times 10^{-4}$	8.965 $\times 10^{-4}$	1.59	0.389	1.29				
-3.404 $\times 10^{-4}$	-1.247 $\times 10^{-3}$	9.257 $\times 10^{-3}$	4.447 $\times 10^{-6}$	1.221 $\times 10^{-5}$	5.134 $\times 10^{-7}$	1.257 $\times 10^{-7}$	-4.355 $\times 10^{-6}$	-1.950 $\times 10^{-6}$	-4.355 $\times 10^{-6}$	-2.422 $\times 10^{-5}$	1.173 $\times 10^{-4}$	3.772 $\times 10^{-3}$	2.450 $\times 10^{-4}$	-6.360 $\times 10^{-3}$	1.155 $\times 10^{-3}$	-7.349 $\times 10^{-3}$	-9.887 $\times 10^{-4}$	6.403 $\times 10^{-6}$	5.882 $\times 10^{-8}$	-2.588 $\times 10^{-3}$	-4.512 $\times 10^{-5}$	-1.115 $\times 10^{-5}$	-3.470 $\times 10^{-5}$	
-6.539 $\times 10^{-5}$	-3.877 $\times 10^{-4}$	1.300 $\times 10^{-3}$	4.382 $\times 10^{-7}$	1.732 $\times 10^{-6}$	3.383 $\times 10^{-7}$	1.915 $\times 10^{-7}$	-9.826 $\times 10^{-7}$	2.894 $\times 10^{-5}$	-9.826 $\times 10^{-7}$	-3.571 $\times 10^{-6}$	1.204 $\times 10^{-5}$	3.012 $\times 10^{-5}$	4.380 $\times 10^{-5}$	-9.818 $\times 10^{-5}$	1.194 $\times 10^{-4}$	2.119 $\times 10^{-4}$	5.882 $\times 10^{-8}$	5.882 $\times 10^{-8}$	2.745 $\times 10^{-8}$	-4.809 $\times 10^{-9}$	-1.459 $\times 10^{-5}$	-3.335 $\times 10^{-6}$	-1.009 $\times 10^{-5}$	
2.712 $\times 10^{-3}$	2.562 $\times 10^{-3}$	4.833 $\times 10^{-3}$	2.020 $\times 10^{-5}$	1.990 $\times 10^{-4}$	4.509 $\times 10^{-6}$	4.624 $\times 10^{-6}$	4.762 $\times 10^{-5}$	2.322 $\times 10^{-5}$	4.762 $\times 10^{-5}$	1.869 $\times 10^{-4}$	1.443 $\times 10^{-4}$	-3.323 $\times 10^{-4}$	-1.049 $\times 10^{-3}$	1.560 $\times 10^{-3}$	1.560 $\times 10^{-3}$	-1.526 $\times 10^{-4}$	8.965 $\times 10^{-4}$	-2.588 $\times 10^{-8}$	-4.809 $\times 10^{-9}$	2.036 $\times 10^{-7}$	-6.959 $\times 10^{-5}$	-1.258 $\times 10^{-5}$	-5.741 $\times 10^{-5}$	
-1.77	1.97	-12.4	-1.519 $\times 10^{-2}$	-0.269	-2.155 $\times 10^{-4}$	-4.103 $\times 10^{-4}$	-2.039 $\times 10^{-2}$	-5.788 $\times 10^{-3}$	-5.788 $\times 10^{-3}$	-2.039 $\times 10^{-2}$	6.796 $\times 10^{-3}$	-0.344	-0.111	-8.326 $\times 10^{-3}$	-1.23	-1.05	0.364	1.59	-4.512 $\times 10^{-5}$	-1.459 $\times 10^{-5}$	-6.959 $\times 10^{-5}$	0.431	6.902 $\times 10^{-2}$	0.298
-0.450	0.530	-2.43	-1.944 $\times 10^{-3}$	-4.061 $\times 10^{-2}$	2.901 $\times 10^{-4}$	2.731 $\times 10^{-4}$	-3.303 $\times 10^{-3}$	-1.262 $\times 10^{-2}$	-3.303 $\times 10^{-3}$	-4.286 $\times 10^{-2}$	-8.457 $\times 10^{-2}$	-8.111 $\times 10^{-3}$	-6.868 $\times 10^{-2}$	-0.405	-1.612 $\times 10^{-2}$	0.389	-1.115 $\times 10^{-5}$	-3.335 $\times 10^{-6}$	-1.258 $\times 10^{-5}$	-1.258 $\times 10^{-5}$	6.902 $\times 10^{-2}$	2.308 $\times 10^{-2}$	3.423 $\times 10^{-2}$	
-0.972	1.81	-9.46	-1.206 $\times 10^{-2}$	-0.175	-1.357 $\times 10^{-3}$	-1.479 $\times 10^{-3}$	-1.711 $\times 10^{-2}$	-4.004 $\times 10^{-3}$	-4.004 $\times 10^{-3}$	-4.004 $\times 10^{-2}$	-0.935	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175	-0.175




Figure 1: Map of correlation graph for 2024-11-21 to 2024-11-23.




Figure 2: Map of correlation matrix for 2024-11-21 to 2024-11-23.

### 3 Granule outlines




Figure 3: Outline of the granules.

## 4 Input data monitoring




Figure 4: Input data per granule

## 5 Warnings and errors




Figure 5: Fraction of pixels with specific warnings and errors during processing

## 6 World maps




Figure 6: Map of “SO<sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 7: Map of “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 8: Map of “Corrected  $\text{SO}_2$  slant column” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 9: Map of “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 10: Map of “ $\text{SO}_2$  slant column precision (Cobra)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 11: Map of “ $\text{SO}_2$  slant column (window 1)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 12: Map of “ $\text{SO}_2$  slant column precision (window 1)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 13: Map of “Corrected  $\text{SO}_2$  slant column (window 1)” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 14: Map of “ $\text{SO}_2$  slant column background correction (window 1)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 15: Map of “ $\text{SO}_2$  slant column (window 2)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 16: Map of “ $\text{SO}_2$  slant column precision (window2)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 17: Map of “Corrected  $\text{SO}_2$  slant column (window 2)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 18: Map of “ $\text{SO}_2$  slant column background correction (window 2)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 19: Map of “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 20: Map of “ $\text{SO}_2$  slant column precision (window 3)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 21: Map of “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 22: Map of “ $\text{SO}_2$  slant column background correction (window 3)” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 23: Map of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 24: Map of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 25: Map of “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 26: Map of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23

2024-11-22





Figure 27: Map of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 28: Map of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 29: Map of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23

2024-11-22






Figure 30: Map of the number of observations for 2024-11-21 to 2024-11-23

## 7 Zonal average




Figure 31: Zonal average of “QA value” for 2024-11-21 to 2024-11-23.




Figure 32: Zonal average of “ $\text{SO}_2$  vertical column” for 2024-11-21 to 2024-11-23.




Figure 33: Zonal average of “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23.




Figure 34: Zonal average of “Corrected SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 35: Zonal average of “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 36: Zonal average of “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 37: Zonal average of “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 38: Zonal average of “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 39: Zonal average of “Corrected SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 40: Zonal average of "SO<sub>2</sub> slant column background correction (window 1)" for 2024-11-21 to 2024-11-23.




Figure 41: Zonal average of “SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 42: Zonal average of “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 43: Zonal average of “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 44: Zonal average of “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 45: Zonal average of “ $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 46: Zonal average of “ $\text{SO}_2$  slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 47: Zonal average of “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 48: Zonal average of “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 49: Zonal average of “SO<sub>2</sub> Cobra Flag” for 2024-11-21 to 2024-11-23.




Figure 50: Zonal average of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 51: Zonal average of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 52: Zonal average of “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 53: Zonal average of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 54: Zonal average of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 55: Zonal average of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 56: Zonal average of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23.

## 8 Histograms

The definitions of the parameters given in this section can be found in section 2.




Figure 57: Histogram of “QA value” for 2024-11-21 to 2024-11-23




Figure 58: Histogram of “SO<sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23




Figure 59: Histogram of “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23




Figure 60: Histogram of “Corrected SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23




Figure 61: Histogram of “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23




Figure 62: Histogram of “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23




Figure 63: Histogram of “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23




Figure 64: Histogram of “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23




Figure 65: Histogram of “Corrected SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23




Figure 66: Histogram of “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23




Figure 67: Histogram of “SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23




Figure 68: Histogram of “ $\text{SO}_2$  slant column precision (window2)” for 2024-11-21 to 2024-11-23




Figure 69: Histogram of “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23




Figure 70: Histogram of “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23




Figure 71: Histogram of “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23




Figure 72: Histogram of “ $\text{SO}_2$  slant column precision (window 3)” for 2024-11-21 to 2024-11-23




Figure 73: Histogram of “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23




Figure 74: Histogram of “ $\text{SO}_2$  slant column background correction (window 3)” for 2024-11-21 to 2024-11-23




Figure 75: Histogram of “SO<sub>2</sub> Cobra Flag” for 2024-11-21 to 2024-11-23




Figure 76: Histogram of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23




Figure 77: Histogram of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23




Figure 78: Histogram of “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23




Figure 79: Histogram of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23




Figure 80: Histogram of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23




Figure 81: Histogram of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23




Figure 82: Histogram of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23

## 9 Along track statistics

The TROPOMI instrument uses different binned detector rows for different viewing directions. In this section statistics are presented for each of the binned rows in the instrument.




Figure 83: Along track statistics of “QA value” for 2024-11-21 to 2024-11-23




Figure 84: Along track statistics of “ $\text{SO}_2$  vertical column” for 2024-11-21 to 2024-11-23




Figure 85: Along track statistics of “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23




Figure 86: Along track statistics of “Corrected  $\text{SO}_2$  slant column” for 2024-11-21 to 2024-11-23




Figure 87: Along track statistics of “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23




Figure 88: Along track statistics of “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23




Figure 89: Along track statistics of “ $\text{SO}_2$  slant column (window 1)” for 2024-11-21 to 2024-11-23




Figure 90: Along track statistics of “ $\text{SO}_2$  slant column precision (window 1)” for 2024-11-21 to 2024-11-23




Figure 91: Along track statistics of “Corrected  $\text{SO}_2$  slant column (window 1)” for 2024-11-21 to 2024-11-23




Figure 92: Along track statistics of “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23




Figure 93: Along track statistics of “SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23




Figure 94: Along track statistics of “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23




Figure 95: Along track statistics of “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23




Figure 96: Along track statistics of “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23




Figure 97: Along track statistics of “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23




Figure 98: Along track statistics of “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23




Figure 99: Along track statistics of “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23




Figure 100: Along track statistics of “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23




Figure 101: Along track statistics of “SO<sub>2</sub> Cobra Flag” for 2024-11-21 to 2024-11-23




Figure 102: Along track statistics of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23




Figure 103: Along track statistics of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23




Figure 104: Along track statistics of “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23




Figure 105: Along track statistics of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23




Figure 106: Along track statistics of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23




Figure 107: Along track statistics of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23




Figure 108: Along track statistics of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23

## 10 Coincidence density

To investigate the relation between parameters scatter density plots are produced. These include some ‘hidden’ parameters, latitude and the solar- and viewing geometries, in addition to all configured parameters. All combinations of pairs of parameters are included *once*, in one direction alone.




Figure 109: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 110: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 111: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 112: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 113: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 114: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 115: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 116: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 1)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 117: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 118: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 119: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 1)” against “ $\text{SO}_2$  slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 120: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 121: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 1)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 122: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 2)” against “ $\text{SO}_2$  slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 123: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 124: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 125: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 126: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 127: Scatter density plot of “ $\text{SO}_2$  slant column background correction (window 2)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 128: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 129: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 130: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 131: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 2)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 132: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 133: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 134: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 135: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 136: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 137: Scatter density plot of “SO<sub>2</sub> slant column background correction (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 138: Scatter density plot of “DOAS fit wavelength shift” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 139: Scatter density plot of “DOAS fit wavelength shift” against “ $\text{SO}_2$  RMS” for 2024-11-21 to 2024-11-23.




Figure 140: Scatter density plot of “DOAS fit wavelength shift” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 141: Scatter density plot of “DOAS fit wavelength shift” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 142: Scatter density plot of “DOAS fit wavelength shift” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 143: Scatter density plot of “DOAS fit wavelength squeeze” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 144: Scatter density plot of “DOAS fit wavelength squeeze” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 145: Scatter density plot of “DOAS fit wavelength squeeze” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 146: Scatter density plot of “DOAS fit wavelength squeeze” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 147: Scatter density plot of “SO<sub>2</sub> RMS” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 148: Scatter density plot of “SO<sub>2</sub> RMS” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 149: Scatter density plot of “SO<sub>2</sub> RMS” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 150: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 151: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 152: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 153: Scatter density plot of “Latitude” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 154: Scatter density plot of “Latitude” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 155: Scatter density plot of “Latitude” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 156: Scatter density plot of “Latitude” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 157: Scatter density plot of “Latitude” against “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 158: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 159: Scatter density plot of “Latitude” against “Corrected SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 160: Scatter density plot of “Latitude” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 161: Scatter density plot of “Latitude” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 162: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 163: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 164: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 165: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 166: Scatter density plot of “Latitude” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 167: Scatter density plot of “Latitude” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 168: Scatter density plot of “Latitude” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 169: Scatter density plot of “Latitude” against “SO<sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23.




Figure 170: Scatter density plot of “Latitude” against “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23.




Figure 171: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 172: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 173: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 174: Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 175: Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 176: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 177: Scatter density plot of “Solar zenith angle” against “Latitude” for 2024-11-21 to 2024-11-23.




Figure 178: Scatter density plot of “Solar zenith angle” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 179: Scatter density plot of “Solar zenith angle” against “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 180: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 181: Scatter density plot of “Solar zenith angle” against “Corrected SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 182: Scatter density plot of “Solar zenith angle” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 183: Scatter density plot of “Solar zenith angle” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 184: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 185: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 186: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 187: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 188: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 189: Scatter density plot of “Solar zenith angle” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 190: Scatter density plot of “Solar zenith angle” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 191: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23.




Figure 192: Scatter density plot of “Solar zenith angle” against “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23.




Figure 193: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 194: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 195: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 196: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 197: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 198: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 199: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 200: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 201: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 202: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 203: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 204: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 205: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 206: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 207: Scatter density plot of “ $\text{SO}_2$  slant column precision (Cobra)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 208: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 209: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 210: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 211: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 212: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 213: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 214: Scatter density plot of “SO<sub>2</sub> slant column precision (Cobra)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 215: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 216: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 217: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 218: Scatter density plot of “Cobra  $\text{SO}_2$  slant column” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 219: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 220: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 221: Scatter density plot of “Cobra  $\text{SO}_2$  slant column” against “ $\text{SO}_2$  slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 222: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 223: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 224: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 225: Scatter density plot of “Cobra SO<sub>2</sub> slant column” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 226: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 227: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 228: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 229: Scatter density plot of “Corrected  $\text{SO}_2$  slant column” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 230: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 231: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 232: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 233: Scatter density plot of “Corrected  $\text{SO}_2$  slant column” against “Cobra  $\text{SO}_2$  slant column” for 2024-11-21 to 2024-11-23.




Figure 234: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 235: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 236: Scatter density plot of “Corrected  $\text{SO}_2$  slant column” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 237: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 238: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 239: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 240: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 241: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 242: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 243: Scatter density plot of “Corrected SO<sub>2</sub> slant column” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 244: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 245: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 246: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 247: Scatter density plot of “Corrected  $\text{SO}_2$  slant column (window 2)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 248: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 249: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 250: Scatter density plot of “Corrected  $\text{SO}_2$  slant column (window 2)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 251: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 252: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 253: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 254: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 2)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 255: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 256: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 257: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 258: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 259: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 260: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 261: Scatter density plot of “Corrected SO<sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 262: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 263: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 264: Scatter density plot of “ $\text{SO}_2$  slant column (window 1)” against “ $\text{SO}_2$  slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 265: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 266: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 267: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 268: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 269: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 270: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 271: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 272: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 273: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 274: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 275: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 276: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 277: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 278: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 279: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 280: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 281: Scatter density plot of “SO<sub>2</sub> slant column precision (window 1)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 282: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 283: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 284: Scatter density plot of “ $\text{SO}_2$  slant column (window 1)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 285: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 286: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 287: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 288: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 289: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.





Figure 290: Scatter density plot of “SO<sub>2</sub> slant column (window 1)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 291: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 292: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 293: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 294: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 295: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 296: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 297: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 298: Scatter density plot of “ $\text{SO}_2$  slant column precision (window2)” against “Corrected  $\text{SO}_2$  slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 299: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 300: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 301: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 302: Scatter density plot of “SO<sub>2</sub> slant column precision (window2)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 303: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 304: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 305: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 306: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 307: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 308: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 309: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 310: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 311: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 312: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.





Figure 313: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 314: Scatter density plot of “SO<sub>2</sub> slant column precision (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 315: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 316: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 317: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 318: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 319: Scatter density plot of “SO<sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 320: Scatter density plot of “Precision of total AMF (polluted)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 321: Scatter density plot of “Total AMF (polluted)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 322: Scatter density plot of “Total AMF (polluted)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 323: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 324: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 325: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 326: Scatter density plot of “SO<sub>2</sub> vertical column” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 327: Scatter density plot of “SO<sub>2</sub> vertical column” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 328: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 329: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 330: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 331: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 332: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 333: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 334: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 335: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 336: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 337: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 338: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Corrected SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 339: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 340: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 341: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 342: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 343: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 344: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 345: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 346: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 347: Scatter density plot of “SO<sub>2</sub> vertical column precision” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 348: Scatter density plot of “SO<sub>2</sub> vertical column” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 349: Scatter density plot of “SO<sub>2</sub> vertical column” against “Cobra SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 350: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.




Figure 351: Scatter density plot of “SO<sub>2</sub> vertical column” against “Corrected SO<sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.




Figure 352: Scatter density plot of “SO<sub>2</sub> vertical column” against “Corrected SO<sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 353: Scatter density plot of “SO<sub>2</sub> vertical column” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 354: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 355: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 356: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 357: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 358: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 359: Scatter density plot of “SO<sub>2</sub> vertical column” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 360: Scatter density plot of “SO<sub>2</sub> vertical column” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 361: Scatter density plot of “SO<sub>2</sub> vertical column” against “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23.




Figure 362: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23.




Figure 363: Scatter density plot of “Viewing zenith angle” against “ $\text{SO}_2$  slant column background correction (window 2)” for 2024-11-21 to 2024-11-23.




Figure 364: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23.




Figure 365: Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.




Figure 366: Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23.




Figure 367: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> RMS” for 2024-11-21 to 2024-11-23.




Figure 368: Scatter density plot of “Viewing zenith angle” against “Latitude” for 2024-11-21 to 2024-11-23.




Figure 369: Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2024-11-21 to 2024-11-23.




Figure 370: Scatter density plot of “Viewing zenith angle” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.





Figure 371: Scatter density plot of “Viewing zenith angle” against “Cobra  $\text{SO}_2$  slant column” for 2024-11-21 to 2024-11-23.




Figure 372: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.





Figure 373: Scatter density plot of “Viewing zenith angle” against “Corrected  $\text{SO}_2$  slant column” for 2024-11-21 to 2024-11-23.




Figure 374: Scatter density plot of “Viewing zenith angle” against “Corrected  $\text{SO}_2$  slant column (window 2)” for 2024-11-21 to 2024-11-23.




Figure 375: Scatter density plot of “Viewing zenith angle” against “Corrected SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 376: Scatter density plot of “Viewing zenith angle” against “ $\text{SO}_2$  slant column (window 1)” for 2024-11-21 to 2024-11-23.




Figure 377: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23.




Figure 378: Scatter density plot of “Viewing zenith angle” against “ $\text{SO}_2$  slant column precision (window2)” for 2024-11-21 to 2024-11-23.




Figure 379: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23.




Figure 380: Scatter density plot of “Viewing zenith angle” against “ $\text{SO}_2$  slant column precision (window 3)” for 2024-11-21 to 2024-11-23.




Figure 381: Scatter density plot of “Viewing zenith angle” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 382: Scatter density plot of “Viewing zenith angle” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.




Figure 383: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23.





Figure 384: Scatter density plot of “Viewing zenith angle” against “SO<sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23.

# Contents

<b>1</b>	<b>Short Introduction</b>	<b>1</b>
1.1	The list of parameters . . . . .	1
<b>2</b>	<b>Definitions</b>	<b>1</b>
<b>3</b>	<b>Granule outlines</b>	<b>12</b>
<b>4</b>	<b>Input data monitoring</b>	<b>13</b>
<b>5</b>	<b>Warnings and errors</b>	<b>14</b>
<b>6</b>	<b>World maps</b>	<b>15</b>
<b>7</b>	<b>Zonal average</b>	<b>40</b>
<b>8</b>	<b>Histograms</b>	<b>66</b>
<b>9</b>	<b>Along track statistics</b>	<b>92</b>
<b>10</b>	<b>Coincidence density</b>	<b>118</b>
<b>11</b>	<b>Copyright information of ‘PyCAMA’</b>	<b>394</b>

## List of Figures

1	Map of correlation graph for 2024-11-21 to 2024-11-23. . . . .	10
2	Map of correlation matrix for 2024-11-21 to 2024-11-23. . . . .	11
3	Outline of the granules. . . . .	12
4	Input data per granule . . . . .	13
5	Fraction of pixels with specific warnings and errors during processing . . . . .	14
6	Map of “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23 . . . . .	15
7	Map of “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23 . . . . .	16
8	Map of “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23 . . . . .	17
9	Map of “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23 . . . . .	18
10	Map of “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23 . . . . .	19
11	Map of “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	20
12	Map of “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	21
13	Map of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	22
14	Map of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	23
15	Map of “SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	24
16	Map of “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23 . . . . .	25
17	Map of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	26
18	Map of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	27
19	Map of “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	28
20	Map of “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	29
21	Map of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	30
22	Map of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	31
23	Map of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23 . . . . .	32
24	Map of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23 . . . . .	33
25	Map of “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23 . . . . .	34
26	Map of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	35
27	Map of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	36
28	Map of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	37
29	Map of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23 . . . . .	38
30	Map of the number of observations for 2024-11-21 to 2024-11-23 . . . . .	39
31	Zonal average of “QA value” for 2024-11-21 to 2024-11-23. . . . .	40
32	Zonal average of “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23. . . . .	41
33	Zonal average of “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23. . . . .	42
34	Zonal average of “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	43
35	Zonal average of “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	44
36	Zonal average of “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	45

37	Zonal average of “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	46
38	Zonal average of “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	47
39	Zonal average of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	48
40	Zonal average of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	49
41	Zonal average of “SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	50
42	Zonal average of “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	51
43	Zonal average of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	52
44	Zonal average of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	53
45	Zonal average of “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	54
46	Zonal average of “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	55
47	Zonal average of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	56
48	Zonal average of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	57
49	Zonal average of “SO <sub>2</sub> Cobra Flag” for 2024-11-21 to 2024-11-23. . . . .	58
50	Zonal average of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	59
51	Zonal average of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	60
52	Zonal average of “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	61
53	Zonal average of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	62
54	Zonal average of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	63
55	Zonal average of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	64
56	Zonal average of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23. . . . .	65
57	Histogram of “QA value” for 2024-11-21 to 2024-11-23 . . . . .	66
58	Histogram of “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23 . . . . .	67
59	Histogram of “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23 . . . . .	68
60	Histogram of “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23 . . . . .	69
61	Histogram of “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23 . . . . .	70
62	Histogram of “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23 . . . . .	71
63	Histogram of “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	72
64	Histogram of “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	73
65	Histogram of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	74
66	Histogram of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	75
67	Histogram of “SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	76
68	Histogram of “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23 . . . . .	77
69	Histogram of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	78
70	Histogram of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	79
71	Histogram of “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	80
72	Histogram of “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	81
73	Histogram of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	82
74	Histogram of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	83
75	Histogram of “SO <sub>2</sub> Cobra Flag” for 2024-11-21 to 2024-11-23 . . . . .	84
76	Histogram of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23 . . . . .	85
77	Histogram of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23 . . . . .	86
78	Histogram of “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23 . . . . .	87
79	Histogram of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	88
80	Histogram of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	89
81	Histogram of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	90
82	Histogram of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23 . . . . .	91
83	Along track statistics of “QA value” for 2024-11-21 to 2024-11-23 . . . . .	92
84	Along track statistics of “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23 . . . . .	93
85	Along track statistics of “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23 . . . . .	94
86	Along track statistics of “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23 . . . . .	95
87	Along track statistics of “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23 . . . . .	96
88	Along track statistics of “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23 . . . . .	97
89	Along track statistics of “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	98
90	Along track statistics of “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	99
91	Along track statistics of “Corrected SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	100
92	Along track statistics of “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23 . . . . .	101
93	Along track statistics of “SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	102
94	Along track statistics of “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23 . . . . .	103
95	Along track statistics of “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	104
96	Along track statistics of “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23 . . . . .	105
97	Along track statistics of “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	106
98	Along track statistics of “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	107

99	Along track statistics of “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23 . . . . .	108
100	Along track statistics of “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23	109
101	Along track statistics of “SO <sub>2</sub> Cobra Flag” for 2024-11-21 to 2024-11-23 . . . . .	110
102	Along track statistics of “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23 . . . . .	111
103	Along track statistics of “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23 . . . . .	112
104	Along track statistics of “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23 . . . . .	113
105	Along track statistics of “Total AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	114
106	Along track statistics of “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	115
107	Along track statistics of “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23 . . . . .	116
108	Along track statistics of “Number of spectral points in retrieval” for 2024-11-21 to 2024-11-23 . . . . .	117
109	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	118
110	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	119
111	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	120
112	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	121
113	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	122
114	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	123
115	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	124
116	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	125
117	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	126
118	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	127
119	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	128
120	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	129
121	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 1)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	130
122	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	131
123	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	132
124	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	133
125	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	134
126	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	135
127	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	136
128	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	137
129	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	138
130	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	139
131	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 2)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	140
132	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	141
133	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	142
134	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 3)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	143

135	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	144
136	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	145
137	Scatter density plot of “SO <sub>2</sub> slant column background correction (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	146
138	Scatter density plot of “DOAS fit wavelength shift” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	147
139	Scatter density plot of “DOAS fit wavelength shift” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . .	148
140	Scatter density plot of “DOAS fit wavelength shift” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	149
141	Scatter density plot of “DOAS fit wavelength shift” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	150
142	Scatter density plot of “DOAS fit wavelength shift” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	151
143	Scatter density plot of “DOAS fit wavelength squeeze” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. .	152
144	Scatter density plot of “DOAS fit wavelength squeeze” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	153
145	Scatter density plot of “DOAS fit wavelength squeeze” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	154
146	Scatter density plot of “DOAS fit wavelength squeeze” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	155
147	Scatter density plot of “SO <sub>2</sub> RMS” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	156
148	Scatter density plot of “SO <sub>2</sub> RMS” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	157
149	Scatter density plot of “SO <sub>2</sub> RMS” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23.	158
150	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	159
151	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	160
152	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	161
153	Scatter density plot of “Latitude” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	162
154	Scatter density plot of “Latitude” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	163
155	Scatter density plot of “Latitude” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	164
156	Scatter density plot of “Latitude” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	165
157	Scatter density plot of “Latitude” against “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	166
158	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23.	167
159	Scatter density plot of “Latitude” against “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . .	168
160	Scatter density plot of “Latitude” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	169
161	Scatter density plot of “Latitude” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	170
162	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . .	171
163	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	172
164	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	173
165	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . .	174
166	Scatter density plot of “Latitude” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	175
167	Scatter density plot of “Latitude” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	176
168	Scatter density plot of “Latitude” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. .	177
169	Scatter density plot of “Latitude” against “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23. . . . .	178
170	Scatter density plot of “Latitude” against “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23. . .	179
171	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	180
172	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	181
173	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	182
174	Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23.	183

175	Scatter density plot of “Solar zenith angle” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	184
176	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	185
177	Scatter density plot of “Solar zenith angle” against “Latitude” for 2024-11-21 to 2024-11-23. . . . .	186
178	Scatter density plot of “Solar zenith angle” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	187
179	Scatter density plot of “Solar zenith angle” against “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	188
180	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	189
181	Scatter density plot of “Solar zenith angle” against “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	190
182	Scatter density plot of “Solar zenith angle” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	191
183	Scatter density plot of “Solar zenith angle” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	192
184	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	193
185	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	194
186	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	195
187	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	196
188	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	197
189	Scatter density plot of “Solar zenith angle” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	198
190	Scatter density plot of “Solar zenith angle” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	199
191	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23. . . . .	200
192	Scatter density plot of “Solar zenith angle” against “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23. . . . .	201
193	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	202
194	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	203
195	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	204
196	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	205
197	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	206
198	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	207
199	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	208
200	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	209
201	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	210
202	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	211
203	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	212
204	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	213
205	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	214
206	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	215
207	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	216
208	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	217

209	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	218
210	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	219
211	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	220
212	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	221
213	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	222
214	Scatter density plot of “SO <sub>2</sub> slant column precision (Cobra)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	223
215	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	224
216	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	225
217	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	226
218	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	227
219	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	228
220	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	229
221	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	230
222	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	231
223	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	232
224	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	233
225	Scatter density plot of “Cobra SO <sub>2</sub> slant column” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	234
226	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	235
227	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	236
228	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	237
229	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	238
230	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	239
231	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	240
232	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	241
233	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	242
234	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	243
235	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	244
236	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	245
237	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	246
238	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	247
239	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	248

240	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	249
241	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	250
242	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	251
243	Scatter density plot of “Corrected SO <sub>2</sub> slant column” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	252
244	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	253
245	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	254
246	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	255
247	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	256
248	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	257
249	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	258
250	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	259
251	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	260
252	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	261
253	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	262
254	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 2)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	263
255	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	264
256	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	265
257	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	266
258	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	267
259	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	268
260	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	269
261	Scatter density plot of “Corrected SO <sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	270
262	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	271
263	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	272
264	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	273
265	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	274
266	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	275
267	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	276
268	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	277
269	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	278
270	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	279

271	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	280
272	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	281
273	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	282
274	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	283
275	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	284
276	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	285
277	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	286
278	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	287
279	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	288
280	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	289
281	Scatter density plot of “SO <sub>2</sub> slant column precision (window 1)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	290
282	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	291
283	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	292
284	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	293
285	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	294
286	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	295
287	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	296
288	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	297
289	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	298
290	Scatter density plot of “SO <sub>2</sub> slant column (window 1)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	299
291	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	300
292	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	301
293	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	302
294	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	303
295	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	304
296	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	305
297	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	306
298	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	307
299	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	308
300	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	309
301	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	310

302	Scatter density plot of “SO <sub>2</sub> slant column precision (window2)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	311
303	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	312
304	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	313
305	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	314
306	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	315
307	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	316
308	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	317
309	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	318
310	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	319
311	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	320
312	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	321
313	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	322
314	Scatter density plot of “SO <sub>2</sub> slant column precision (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	323
315	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	324
316	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	325
317	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	326
318	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	327
319	Scatter density plot of “SO <sub>2</sub> slant column (window 3)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	328
320	Scatter density plot of “Precision of total AMF (polluted)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	329
321	Scatter density plot of “Total AMF (polluted)” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	330
322	Scatter density plot of “Total AMF (polluted)” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	331
323	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	332
324	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	333
325	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	334
326	Scatter density plot of “SO <sub>2</sub> vertical column” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	335
327	Scatter density plot of “SO <sub>2</sub> vertical column” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	336
328	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	337
329	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	338
330	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	339
331	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	340
332	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	341
333	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	342
334	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	343

335	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	344
336	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	345
337	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	346
338	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	347
339	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	348
340	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	349
341	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	350
342	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	351
343	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	352
344	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	353
345	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	354
346	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	355
347	Scatter density plot of “SO <sub>2</sub> vertical column precision” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	356
348	Scatter density plot of “SO <sub>2</sub> vertical column” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	357
349	Scatter density plot of “SO <sub>2</sub> vertical column” against “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	358
350	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	359
351	Scatter density plot of “SO <sub>2</sub> vertical column” against “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	360
352	Scatter density plot of “SO <sub>2</sub> vertical column” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	361
353	Scatter density plot of “SO <sub>2</sub> vertical column” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	362
354	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	363
355	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	364
356	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	365
357	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	366
358	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	367
359	Scatter density plot of “SO <sub>2</sub> vertical column” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	368
360	Scatter density plot of “SO <sub>2</sub> vertical column” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	369
361	Scatter density plot of “SO <sub>2</sub> vertical column” against “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23. . . . .	370
362	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column background correction (window 1)” for 2024-11-21 to 2024-11-23. . . . .	371
363	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column background correction (window 2)” for 2024-11-21 to 2024-11-23. . . . .	372
364	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column background correction (window 3)” for 2024-11-21 to 2024-11-23. . . . .	373
365	Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength shift” for 2024-11-21 to 2024-11-23. . . . .	374
366	Scatter density plot of “Viewing zenith angle” against “DOAS fit wavelength squeeze” for 2024-11-21 to 2024-11-23. . . . .	375
367	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> RMS” for 2024-11-21 to 2024-11-23. . . . .	376

368	Scatter density plot of “Viewing zenith angle” against “Latitude” for 2024-11-21 to 2024-11-23. . . . .	377
369	Scatter density plot of “Viewing zenith angle” against “Solar zenith angle” for 2024-11-21 to 2024-11-23. .	378
370	Scatter density plot of “Viewing zenith angle” against “Clear AMF (polluted)” for 2024-11-21 to 2024-11-23.	379
371	Scatter density plot of “Viewing zenith angle” against “Cobra SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23.	380
372	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (Cobra)” for 2024-11-21 to 2024-11-23. . . . .	381
373	Scatter density plot of “Viewing zenith angle” against “Corrected SO <sub>2</sub> slant column” for 2024-11-21 to 2024-11-23. . . . .	382
374	Scatter density plot of “Viewing zenith angle” against “Corrected SO <sub>2</sub> slant column (window 2)” for 2024-11-21 to 2024-11-23. . . . .	383
375	Scatter density plot of “Viewing zenith angle” against “Corrected SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	384
376	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column (window 1)” for 2024-11-21 to 2024-11-23. . . . .	385
377	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (window 1)” for 2024-11-21 to 2024-11-23. . . . .	386
378	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (window2)” for 2024-11-21 to 2024-11-23. . . . .	387
379	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column (window 3)” for 2024-11-21 to 2024-11-23. . . . .	388
380	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> slant column precision (window 3)” for 2024-11-21 to 2024-11-23. . . . .	389
381	Scatter density plot of “Viewing zenith angle” against “Total AMF (polluted)” for 2024-11-21 to 2024-11-23.	390
382	Scatter density plot of “Viewing zenith angle” against “Precision of total AMF (polluted)” for 2024-11-21 to 2024-11-23. . . . .	391
383	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> vertical column” for 2024-11-21 to 2024-11-23.	392
384	Scatter density plot of “Viewing zenith angle” against “SO <sub>2</sub> vertical column precision” for 2024-11-21 to 2024-11-23. . . . .	393

## List of Tables

1	Parameterlist and basic statistics for the analysis . . . . .	2
2	Percentile ranges . . . . .	3
3	Parameterlist and basic statistics for the analysis for observations in the northern hemisphere . . . . .	4
4	Parameterlist and basic statistics for the analysis for observations in the southern hemisphere . . . . .	5
5	Parameterlist and basic statistics for the analysis for observations over water . . . . .	6
6	Parameterlist and basic statistics for the analysis for observations over land . . . . .	7
7	Correlation matrix . . . . .	8
8	Covariance matrix . . . . .	9

## 11 Copyright information of ‘PyCAMA’

Copyright © 2005 – 2023, Maarten Sneep (KNMI).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

*This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or*

*profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.*

Maarten Sneep (maarten.sneep@knmi.nl).